

All India Institute of Medical Sciences Bathinda (Punjab)

Mandi Dabwali Road,
Bathinda, Punjab-151001



Rate Contract of Various Surgical

Consumable items

Ref. No.	:	AIIMS/BTI/Tender/16
Publishing Date	:	19 Apr 2021 03:00 PM
Pre-Bid Meeting	:	28 Apr 2021 03:00 PM
Bid Submission Start Date	:	20 Apr 2021 11:00 AM
Last Date of Bid Submission	:	12 May 2021 11:00 AM
Bid Opening	:	13 May 2021 11:00 AM

Tender documents may be downloaded from institute's web site www.aiimsbathinda.edu.in (for reference only) and CPPP site <https://eprocure.gov.in/eprocure/app>

TENDER NOTICE

**Rate Contract of Various Surgical Consumables Items
at AIIMS, Bathinda, Mandi Dabwali Road, Bathinda,
Punjab-151001**

1. E-tenders in Two Bids (Technical & Financial) are invited on behalf of the Executive Director, All India Institute of Medical Sciences, Bathinda from interested and eligible manufacturer or their authorised distributors/dealers, for providing various surgical consumables at **AIIMS Bathinda**.

2. Bids shall be submitted online only at CPPP website: <https://eprocure.gov.in/eprocure/app>.

3. The complete bidding process is online. Bidders should be in possession of valid digital Signature Certificate (DSC) for online submission of bids. Prior to bidding DSC need to be registered on the website mentioned above. For any assistance for e-bidding process, if required, bidder may contact to the helpdesk at 0164-2867547.

4. Tenderer/Contractor/Bidders are advised to follow the instructions provided in the 'Instructions to the Contractors/Tenderer/Bidders for the e-submission of the bids online through the Central Public Procurement Portal for e Procurement at <https://eprocure.gov.in/eprocure/app>'.

5. Bid documents may be scanned with 100 dpi with black and white option which helps in reducing size of the scanned document.

6. Hard Copy of earnest money deposit and tender fee etc. must be delivered to AIIMS, Bathinda on or before last date/time of Bid Submission as mentioned above. The bid without EMD and tender fee will be summarily rejected.

7. The tender shall be submitted online in two part, viz., technical bid and financial bid. All the pages of bid being submitted must be signed and sequentially numbered by the bidder irrespective of nature of content of the documents before uploading.

The offers submitted by Telegram/Fax/email shall not be considered. No correspondence will be entertained in this matter.

8. Any future clarification and/or corrigendum(s) shall be communicated through <https://eprocure.gov.in/eprocure/app> or through our website: www.aiimsbathinda.edu.in. The bidders are required to regularly check the website to know about any/all such corrigendum(s) as only these bids, taking care of such corrigendum(s) shall be considered for finalization of the tender.

9. Bidder should necessarily enclose a covering letter mentioning a summary of applied document with proper numbering. Secondly, bid should also attach a compliance sheet as per specification mentioning that they are complying to all specification or have any variation.

10. The pre bid conference would be held on..... **at 03.00 PM** in the office of Tender Opening Room, AIIMS, Bathinda. All firm's representative who are attending the pre bid meeting, shall produce an authorization letter from their firm on the firm's letter head. They are required to put their query in writing before the committee and submit the same in writing on its letter head.

11. All the duly filled/completed pages of the tender should be given serial /page number on each page and signed by the owner of the firm or his Authorized signatory. In case the tenders are signed by the Authorized signatory, a copy of the power of attorney/authorization may be enclosed along with tender. A copy of the terms & conditions shall be signed on each page and submitted with the technical bid as token of acceptance of terms & conditions. Tender with unsigned pages/incomplete/partial/part of tender if submitted will be rejected outrightly.

12. Any omission in filling the columns of Financial Bid form (Schedule of Rates) shall debar a tender from being

considered. Rates should be filed up carefully by the tenderer. All corrections in this schedule must be duly attested by full signature of the tenderers. The corrections made by using fluid and overwriting will not be accepted and tender would be rejected by full signature of the tenderers. The corrections made by using fluid and overwriting will not be accepted and tender would be rejected.

13.(i) **Bid Security:** -The bidder shall pay the respective amount of Bid Security (EMD) of **Rs. 50,000/-** along with the Technical Bid by way of demand draft/FD/TD/CD in favor of “Executive Director AIIMS Bathinda” drawn on any Nationalized Bank/ Scheduled Bank and payable at Bathinda and must be valid for (6) six months. Bids received without tender fees and Earnest Money deposit (EMD) shall stand rejected and thus shall not be considered for evaluation etc. at any stage. The original EMD will be put in cover-I containing with Technical bid.

- a) The Public Sector Undertaking of the Central/State Govt./MSEs/MSME/Registered with Central Purchase Organization are exempted from furnishing Earnest Money along with tender, **subject to submission of its valid proof.**
- b) The firms Registered with DGS & D/SSI and any approved source of Centre/States Govt. are not exempted from furnishing Earnest Money in so far as this institute is concerned.
- c) Earnest Money deposited with AIIMS, Bathinda in connection with any other tender enquiry even if for same/similar material / Stores by the tenderer will not be considered against this tender.

(ii) EMD is required to protect the purchaser against the risk of Bidders conduct. The EMD will be forfeited if the bidder withdraws or amends its tender or impairs or derogates from the tender in any respect within the period of validity of its tender or if it comes to the notice that the information/ documents furnished in its tender is incorrect or false.

14. The bid security (EMD) without interest shall be returned to the unsuccessful bidders after finalization of contract with successful bidder.

15. Bidders are not allowed to submit more than one bid for the same/similar tendered item else all his bids shall be cancelled thereby making him disqualified in addition to the forfeiture of the EMD.

16. The successful bidders have to execute a contract on Indian non judicial stamp paper of Rs.100/- (Rupees one hundred only) within twenty-one (21) days from the date of award of this tender in his favour and also required to furnish the **Security Deposit equals to 3% of the contract value** in the form of FD/BG/TD/CD for **two months extra of the contract period** from any Nationalised/Schedule bank duly pledged in favour of “Executive Director AIIMS Bathinda” & payable at Bathinda only. The EMD deposited by successful bidder may be adjusted towards Security Deposit as demanded above after its validation for the required period. If the successful bidder fails to furnish the full security deposit or difference amount between Security Deposit and EMD within 21 (twenty-one) days after the issue of **Letter of Award** of Work, his bid security (EMD) shall be forfeited and award of tender in suppliers favour automatically stands terminated at his cost & liability, unless time extension has been granted by AIIMS, Bathinda.

17. The EMD/PBG shall be forfeited if successful bidder fails to supply the goods/equipment in stipulated time or fails to comply with any of the terms & conditions of the contract or fail to sign the contract.

18. The bid shall be valid and open for acceptance by the competent authority of AIIMS Bathinda for a period of 180 (one hundred eighty) days from the published date of opening of the tenders and no request for any variation in quoted rates and / withdrawal of tender on any ground by bidders shall be entertained. The unilateral withdraw at any stage will cause forfeiture of EMD in addition to any remedy that the purchaser may have under the law.

19. To assist in the analysis, evaluation and computation of the bids, the Competent Authority, may ask bidders individually for clarification of their bids. The request for Clarification and the response shall be in writing but no change in the price or substance of the bid offered shall be permitted.

20. After evaluation, the work shall be awarded normally to the Agency fulfilling all the conditions of the contract and who has quoted the lowest rate as per financial bid after complying with the all the Acts / provisions stated / referred to for adherence in the tender.

21. The competent authority of AIIMS, Bathinda reserves all rights to accept or reject any/ all tender(s) without assigning any reason. It can also impose/relax any administrative term and condition/specifications of the tender enquiry after due discussion in pre-bid conference. This will be communicated and shown over the website of the Institute. No representation will be considered after pre-bid meeting and **bidders may ensure its queries only in pre-bid meeting**. AIIMS, Bathinda also reserves the right to reject any bid which in his opinion is non-responsive or violating any of the conditions/specifications without any liability to any loss whatsoever it may cause to the bidder in the process.

22. Tender must be submitted on the prescribed Tender Form otherwise tender will be cancelled straightway.

23. The tender form is not transferable.

24. Canvassing in any form is strictly prohibited and the tenderers who are found canvassing are liable to have their tenders rejected out rightly.

25. It is required by all concerned, namely the Bidders/Suppliers, as the case may be to observe highest standard of ethics during the procurement and execution of this Tender.

26. Installation at consignee's site should be free of cost immediately on arrival of equipment at consignee's site (for equipment).

27. In case the quality of goods supplied are not in conformity with the standard given in tender and as per the samples supplied or the supplies are found defective at any stage these goods shall immediately will be taken back by the supplier and will be replaced with the tender quality goods, without any delay. The competent authority reserves all rights to reject the goods if the same are not found in accordance with the required description / specifications and liquidates damages shall be charged in addition to the cost of re- tender. The supplier is required to provide the demonstration of equipment at AIIMS premises to the AIIMS representatives for its evaluation as per the specification & desired functionality standard. However, a submission of videography displaying functionality as per tender specification may also be considered by the AIIMS, representative.

28. It must be mentioned clearly whether bidder is a manufacturer/sole distributor/ sole agent for the items for which he is quoting.

- a. **Manufacturer** must add a certificate that item(s) is manufactured by them as per range of products.
- b. **Sole Manufacturers** must add a certificate that they are the sole manufacturer of the Item for which they are quoting in this tender enquiry & item is /are their proprietary Item in India. The rate certificate is also required from the sole manufactures that the Rates quoted are the same as they quote to other State/Centre Govt./reputed Private organisation and DGS&D rate for the similar item(s) and these are not higher than those quoted by them.
- c. **Authorized agents** must add authority letter from their Manufacturer/Principals on the letter head of the manufacturer/principals signed by a competent person and comes in proforma given in attach must duly supported by a notarised affidavit on Indian Non-Judicial Stamp Paper of Rs.100/- (Rupees One Hundred only) that they are quoting Rates on behalf of them. The authorization letter must give/mention the purpose for which it is allowed. The validity period of the authorization letter must be mentioned in the authority letter otherwise tender will be liable to rejection.

29. In case the bidder on whom the supply order has been placed, fails to make supplies within the delivery schedule and the purchaser has to resort risk purchase, the purchaser (AIIMS, Bathinda) may recover from the tender the difference between the cost calculated on the basis of risk purchase price and that calculated on the basis of rates quoted by tenderer. In case of repeated failure in supplying the order goods the supply order may be cancelled and bid security deposit will be forfeited.

30. The bidders should have furnished a copy of GST registration number, the State / U.T. of registration and the date of such registration. Tenders not complying with this condition will be rejected.

31. **Turnover provisions:** - (i) The tenderers should submit along with the tender, a photo state copy of the last three years Annual Accounts with Audit certificate by Chartered Accountant, Income Tax returns and a copy of current valid income tax clearance certificate (IT CC), otherwise bidder will not be considered for administrative evaluation (in evaluation of Technical bid) and will be declared **disqualified** in technical evaluation.

(ii) In case of bidder falls under Section 44AD/44ADA/44AE of Income Tax shall be required to submit turnover certificate verified by Chartered Accountant with his Registration number issued by Institute of Chartered Accountants of India.

(iii) In case of supplier is an Indian Agent, the firm can submit copies of purchase orders issued in favour of firm (*As the payment is made through LC directly to foreign manufacturer and equipment payment does not exist in the book of account of the supplier*) in support to its turnover whatever amount is getting short.

32. **Sample/demonstration:** - In case, the item required prior submission of sample/ performing demonstration, tenderer will have to submit sample/perform demonstration of the equipment/item to the competent authority of the institute, the bidder will have to born all the expenses for the same. Non submission of sample/non performing demonstration will **disqualify** the bidder in the technical bidding process and financial bid of the bidder will not be opened.

33. The tenderer hereby guarantees that the equipment/consumable supplied to the Institute (purchaser) under the Contract shall be of the best quality/latest version and workmanship and new in all respects and shall be strictly in accordance with the specification and particulars contained/ mentioned in the Tender Document. The kits/consumables at the time of receiving should have minimum 6 months shelves life (expiry). The tenderer will have further guarantees that the said equipment/consumable would continue to conform to the description and quality aforesaid for a period of five (5) years guarantee period (as per MoH&FW guidelines), from the date of installation of the said equipment/consumable to the purchaser and notwithstanding the fact that the Purchaser (Inspector) may have inspected and /or approved the said equipment, if during the aforesaid period of five years the said equipment/consumable be discovered not to conform to the description and quality as required as per specification or not giving satisfactory performance or have deteriorated, the decision of the Purchaser in that behalf shall be final and binding on the tenderer and the Purchaser shall be entitled to call upon the tenderer to rectify/replace the equipment/consumable or such portion there of as is found to be defective by the purchaser within a reasonable period or such specified period as may be allowed by the purchaser in his discretion on/an application made thereof by the tenderer and in such an event, the above mentioned warranty period shall apply to the equipment/consumable replaced from the date of replacement thereof. In case of failure of the tenderer to rectify or replace the equipment/consumable, within specified time, the purchaser shall be entitled to recover the cost with all expenses from the tenderer for such defective equipment.

34. Full description & specifications, make/brand and name of the manufacturing firm must be clearly mentioned in the tender, failing which, the tender will not be considered. The tenderer must also mention whether the goods are imported / indigenous. Descriptive literature / catalogues must be attached with the tender in original, failing which, tender may be disqualified.

35. **Force Majeure:** Any failure or omission to carryout of the provisions of this supply by the supplier shall not give right for any claim by supplier and purchaser to one against the other, if such failure or omission arise from an act of God which shall include all acts of natural calamities from civil strikes compliance with any statistics and or requisitions of the Government lockout and Strikes, riots, embargoes or from any political or other reasons beyond the suppliers control including war (whether declared or not) civil war or state of incarceration provided that notice of the occurrence of any event by either party to the other shall be within two weeks from the date of occurrence of such an event which could be attributed to force majeure. Any delay due to Force Majeure will not be attributable to the either of the parties.

36. The equipment installed should be up for 95% of the total warranty time. If the equipment is down for more than 5% suitable action shall be taken against the supplier including imposition of penalty as deemed fit.

37. If there is a close system the tenderer shall ensure and will have to submit an affidavit on Indian Non Judicial stamp paper of Rs.100/- along with technical bid that spare parts and consumables for these equipment's/instruments/item will be available at reasonable fixed rates for next 10 (ten) years, such rates should not be more than the rates supplied to institutes of national importance.

38. The successful Bidder shall at all times agree to indemnify and keep indemnified the purchaser against all losses, damages which may arise in respect of action/inactions of such Bidder or breach of any term of this tender by such Bidder. All claims regarding indemnity shall survive the termination of the contract with such Bidder.

39. In case the vendor fails to supply the spare parts or fails to provide the agreed maintenance during the prescribed period, as per the terms of contract, the purchaser is automatically entitled to procure the required parts and hire services from the market at the risk and cost of the vendor, such inability of bidder will entail forfeiture the security deposit. The purchaser also reserves the right to terminate the contract on immediate notice, if the vendor fails to comply with this clause for more than one instance.

40. **Liquidated damage/demerge:** - The time for the date of delivery/ dispatch stipulated in supply order shall be deemed to be the essence of the contract and if the supplier fails to deliver or dispatch any consignment within the period prescribed for such delivery or dispatch in the supply order, liquidated damages may be deducted from the bill @ 0.5% per week subject to maximum of 10% of the value of the delayed goods or services under the contract. The competent authority of the institute may also cancel the supply at the cost & liability of the supplier. In such a case, bid security of the supplier shall stand forfeited. The supply of equipment must be in single consignment, inclusive of all parts & accessories in adherence to the specification so as to make the equipment fully functional at the time of the installation. No installation repeat shall be signed in case of absence of any part as per the specification.

41. **Legal Jurisdiction:** -The Courts at Bathinda alone and no other Court will have the jurisdiction to try the matter, dispute or reference between the parties arising out of this tender/supply Order/contract.

Applicable Law:

42. The contract shall be governed by the laws and procedures established by Govt. of India, within the framework of applicable legislation and enactment made from time to time concerning such Commercial dealings /processing.

43. Any disputes are subject to exclusive jurisdiction of Competent Court and Forum in Bathinda/Chandigarh, Punjab India only.

44. Except as otherwise provided under this Contract for immediate termination of the Contract, in the event of a disputes which may be arising out of the execution of the tender contract, the matter will be referred to the Deputy Director (Administration). Appeal against the decision of the DDA will lie to the Director, AIIMS Bathinda and his decision shall be final and binding upon both the parties.

I / We hereby accept the terms and Conditions given in the tender

(Signature & Stamp of the bidder)

Note- Please sign each page of document including terms & conditions & tender

(B) Financial terms and conditions

1. Rates are strictly required to be offered/quoted on the prescribed "**Financial Bid format**". Financial bid submitted without prescribed format may not be considered and will be deemed improper subject to the condition that there is a requirement to mention other item which are not mentioned in the said format.
2. Rates quoted should be inclusive of all applicable taxes, packing, forwarding, postage and transportation charges at for AIIMS Bathinda (Site of installation/Use).
3. The supplier has to submit a notarised affidavit on Indian Non Judicial Stamp Paper of Rs.100/- that the bidder has not quoted the price higher than previously supplied to any government Institute/Organisation/reputed Private Organisation or DGS&D rate in recent past. Therefore, if at any stage it has been found that the supplier has quoted lower rates than those quoted in this tender; the Institute (the purchaser) would be given the benefit of lower rates by the Supplier and any excess payment if any, will become immediately payable to the AIIMS, Bathinda. If such affidavit is not submitted, tender will be out rightly rejected. (***Part of technical bid***)
4. If the price of the contracted articles is/ are controlled by the Government, in no circumstances the payment will be higher than the controlled rate.
5. Tender will be regarded as constituting an offer open to acceptance in whole or in part at the discretion of the competent authority of the institute for a period of 180 days (6 months) valid from the date of opening of the tender by the committee.
6. Order shall be issued for tentative annual requirement on actual need basis. Bills in triplicate for the items supplied by the selected firm(s), should be raised for payment. Payment shall be released after it is ensured that the items/quantity and quality of items supplied are to the entire satisfaction of this office and accepted. If any item is found to be defective, or not of the desired quality, the same shall be replaced immediately, for which no extra payment shall be made by AIIMS, Bathinda.
7. The corrections made by using fluid and overwriting will not be accepted and tender would be rejected.
8. **Tender Currencies:** The bidders are required to quote in Indian Rupees only.
9. **GST:** - If a bidder asks for GST to be paid extra, the rate and nature of tax applicable should be shown separately. The GST will be paid as per the rate at which it is liable to be assessed or has actually been assessed provided the transaction of sale is legally liable to GST and is payable as per the terms of the contract.
10. **Payment terms:** - The payment shall be made to the supplier on the satisfactory receipt of the goods ordered. Advance payment shall not be made under any circumstances. The payment shall be made to the supplier's A/C through NEFT/RTGS mode as per the details provided by the supplier.

NO DEMURRAGE / WHARFAGE CHARGES WILL BE PAYABLE BY THE INSTITUTE UNDER ANY CIRCUMSTANCES. NO ADVANCE PAYMENT WILL BE PAYABLE FOR CUSTOM CLEARANCE/ FREIGHT/INSURANCE ETC

Note: In case of any dispute regarding award of tender, decision of AIIMS Administration would be final.

I / We hereby accept the terms and Conditions given in the tender

(Signature & Stamp of the bidder)

Note- Please sign each page of document including terms & conditions & tender

TECHNICAL BID
(Documents to be attached in the “Technical Bid”)

1. Name & Address of the manufacturer and their authorised dealers/ distributors/Agency with phone number, email, name and telephone/mobile	
2. Specify your firm/company is a manufacturer/ authorised dealer/ distributor/ Agency	
3. Whether the signature on each page has been made by the bidder or not.	
4. Name, Address & designation of the authorized person (Sole proprietor/partner /Director)	
5. Have you previously supplied these items to any government/ reputed private organization? If yes, attach the relevant proof.	
6. Please provide a notarised affidavit on Indian Non Judicial stamp paper of Rs. 100/- that you have not quoted the price higher than previously supplied to any government Institute/Organisation/reputed Private Organisation or DGS&D rate in last one year. If you don't fulfil this criteria, your tender will be out rightly rejected.	
7. Please attach copy of last three years of Income Tax Return	
8. Turnover a. Please attach balance sheet (duly certified by Chartered Accountant) for last three (3) years (Attach copy of annual minimum turnover which should not be less than 25 lakh duly certified by the Chartered Accountant) b. The bidder falls under Section 44AD/44ADA/44AE of Income Tax Act shall be required to submit turnover certificate verified by Chartered Accountant with his Registration number issued by Institute of Chartered Accountants of India. c. Indian Agent can submit its copy of POs of LC cases, in support of its amount getting short in required turnover. d. Start-ups may submit its Start-up Registration for consideration (<i>Relaxation in turnover can be considered as the case may be, subject to fulfilment of other conditions. However, it will not mandatory</i>)	
9. PAN No. (Please attach copy)	
10. GST Registration Number. (Please attach copy)	
11. Acceptance of terms & conditions attached (Yes/No). Please sign each page of terms and conditions as token of acceptance and submit as part of tender document with technical bid. Otherwise your tender will be rejected.	
12. Power of Attorney/authorization for signing the bid documents (Not required in case of sole-proprietorship.)	
13. Please submit a notarised affidavit on Indian Non judicial stamp paper of Rs. 100/- that no case is pending with the police against the Proprietor/firm/partner or the Company (Agency). Indicate any convictions in the past against the Company/firm/partner.	
14. Please declare that proprietor/firm/company has never been black listed/debarred by any organization. An oath certificate to this effect may be enclosed on Rs.100 notarised stamp paper.	
15. Please submit two performance certificate from your two different customers to whom you have supplied such type of consumables in previous 3 years	
16. Details of the FD/DD/TD/CD of bid security (EMD) FD/DD/TD/CD No: Date: Payable at-	Detail of cost of Tender for Rs. 1180/- (if downloaded from website) DD No. Date: Payable at-

Undertaking

1. I/We have read and understood the contents of the Tender and agree to abide by the terms and conditions of this Tender.
2. I/We shall supply the items of requisite quality and quantity at given rate in timely manner.
3. I/We also confirm that in the event of my/our tender being accepted, I/we hereby undertake to furnish within 15 days, Bank Guarantee/ Performance Security after the issue of Purchase Order, as applicable, in the format to be provided by AIIMS Bathinda in addition to execution of a contract as pre-condition for obtaining the supply orders.
4. I/We further undertake that none of the Proprietor/Partners/Directors of the firm was or is Proprietor or Partner or Director of any firm with whom the Government have banned /suspended business dealings. I/We further undertake to report to the AIIMS Bathinda immediately after we are informed but in any case, not later 15 days, if any firm in which Proprietor/Partners/Directors are Proprietor or Partner or Director of such a firm which is banned/suspended in future during the currency of the Contract with you.
5. I/We undertake that the information given in this tender are true and correct in all respect and I/We hold the responsibility for the same.

(Signature of the Bidder)

Name:

Designation with Seal of the Firm:

MANUFACTURER's / PRINCIPAL's AUTHORIZATION FORM

(Clause 11 (c) of **other terms and conditions** of the tender)

To

The Administrative Officer,
All India Institute of Medical Sciences
Bathinda

Dear Sir,

TENDER:_____.

we,_____, who are established and reputable manufacturers of _____, having factories at_____and_____, hereby authorize Messrs._____(*name and address of agents*) to bid, negotiate and conclude the contract with you against Tender No._____for the above goods manufactured by us.

We hereby extend our full guarantee and warranty as per the conditions of tender contract for the goods offered for supply against this tender by the above firm.

The authorization is valid up to _____

Yours faithfully,

(Name) For and on behalf of Messrs. _____
(*Name of manufacturers*)/Principal.

BANK GUARANTEE FORM FOR PERFORMANCE SECURITY/ CMC SECURITY

To

Executive Director

All India Institute of Medical Sciences
Bathinda,
Mandi Dabwali Road,
Bathinda (Punjab)-249201

WHEREAS _____(Name and address of the supplier) (Hereinafter called “the supplier”) has undertaken, in pursuance of contract no _____ dated _____ to supply (description of goods and services) (herein after called “the contract”). AND WHEREAS it has been stipulated by you in the said contract that the supplier shall furnish you with a bank guarantee by a scheduled commercial bank recognised by you for the sum specified therein as security for compliance with its obligations in accordance with the contract; AND WHEREAS we have agreed to give the supplier such a irrevocable bank guarantee;

NOW THEREFORE we hereby affirm that we are guarantors and responsible to you unconditionally, on behalf of the supplier, up to a total of _____(Amount of the guarantee in words and figures), and we undertake to pay you, upon your first written demand declaring the supplier to be in default under the contract and without cavil or argument, any sum or sums within the limits of (amount of guarantee) as aforesaid, without your needing to prove or to show grounds or reasons for your demand or the sum specified therein.

We hereby waive the necessity of you to first demanding the said amount of guarantee from the supplier before raising the demand with us. You may directly raise the demand with us, without asking the supplier for the same.

We further agree that no change or addition to or other modification of the terms of the contract to be performed there under or of any of the contract documents which may be made between you and the supplier shall in any way release us from any liability under this guarantee and we hereby waive notice of any such change, addition or modification.

This guarantee will not be changed due to change in the constitution of the bank or the supplier.

This guarantee shall be valid up to 65 months from the date of satisfactory installation of the equipment i.e. up to --
----- (indicate date).

.....
(Signature with date of the authorized officer of the Bank)

.....
Name and designation of the officer

.....
Seal, name & address of the Bank and address of the Branch

Instruction for Online Bid Submission

The bidders are required to submit soft copies of their bids electronically on the CPP Portal, using valid Digital Signature Certificates. The instructions given below are meant to assist the bidders in registering on the CPP Portal, prepare their bids in accordance with the requirements and submitting their bids online on the CPP Portal.

More information useful for submitting online bids on the CPP Portal may be obtained at: <https://eprocure.gov.in/eprocure/app>.

REGISTRATION

- Bidders are required to enroll on the e-Procurement module of the Central Public Procurement Portal (URL: <https://eprocure.gov.in/eprocure/app>) by clicking on the link “Online bidder Enrollment” on the CPP Portal which is free of charge.
- As part of the enrolment process, the bidders will be required to choose a unique username and assign a password for their accounts.
- Bidders are advised to register their valid email address and mobile numbers as part of the registration process. These would be used for any communication from the CPP Portal.
- Upon enrolment, the bidders will be required to register their valid Digital Signature Certificate issued by any Certifying Authority recognized by CCA India (e.g. Sify / nCode / eMudhra etc.), with their profile.
- Only one valid DSC should be registered by a bidder. Please note that the bidders are responsible to ensure that they do not lend their DSC's to others which may lead to misuse.
- Bidder then logs in to the site through the secured log-in by entering their user ID / password and the password of the DSC / e-Token.

SEARCHING FOR TENDER DOCUMENTS

- There are various search options built in the CPP Portal, to facilitate bidders to search active tenders by several parameters. These parameters could include Tender ID, Organization Name, Location, Date, Value, etc. There is also an option of advanced search for tenders, wherein the bidders may combine a number of search parameters such as Organization Name, Form of Contract, Location, Date, Other keywords etc. to search for a tender published on the CPP Portal.
- Once the bidders have selected the tenders they are interested in, they may download the required documents / tender schedules. These tenders can be moved to the respective ‘My Tenders’ folder. This would enable the CPP Portal to intimate the bidders through SMS / email in case there is any corrigendum issued to the tender document.
- The bidder should make a note of the unique Tender ID assigned to each tender, in case they want to obtain any clarification / help from the Helpdesk.

PREPARATION OF BIDS

- Bidder should take into account any corrigendum published on the tender document before submitting their bids.
- Please go through the tender advertisement and the tender document carefully to understand the documents required to be submitted as part of the bid.

- Please note the Number of covers in which the bid documents have to be submitted, the number of documents - including the names and content of each of the document that need to be submitted. Any deviations from these may lead to rejection of the bid.
- Bidder, in advance, should get ready the bid documents to be submitted as indicated in the tender document / schedule and generally, they can be in PDF / XLS / RAR / DWF/JPG Tender No.: formats. Bid documents may be scanned with 100 dpi with black and white option which helps in reducing size of the scanned document.
- To avoid the time and effort required in uploading the same set of standard documents which are required to be submitted as a part of every bid, a provision of uploading such standard documents (e.g. PAN card copy, annual reports, auditor certificates etc.) has been provided to the bidders. Bidders can use “My Space” or “Other Important Documents” area available to them to upload such documents. These documents may be directly submitted from the “My Space” area while submitting a bid, and need not be uploaded again and again. This will lead to a reduction in the time required for bid submission process.

SUBMISSION OF BIDS

- Bidder should log into the site well in advance for bid submission so that they can upload the bid in time i.e. on or before the bid submission time. Bidder will be responsible for any delay due to other issues.
- The bidder has to digitally sign and upload the required bid documents one by one as indicated in the tender document.
- Bidder has to select the payment option as “offline” to pay the tender fee / EMD as applicable and enter details of the instrument.
- Bidder should prepare the EMD as per the instructions specified in the tender document. The original should be posted/couriered/given in person to the concerned official, latest by the last date of bid submission or as specified in the tender documents. The details of the DD/any other accepted instrument, physically sent, should tally with the details available in the scanned copy and the data entered during bid submission time. Otherwise the uploaded bid will be rejected.
- Bidders are requested to note that they should necessarily submit their financial bids in the format provided and no other format is acceptable. If the price bid has been given as a standard BOQ format with the tender document, then the same is to be downloaded and to be filled by all the bidders. Bidders are required to download the BOQ file, open it and complete the white coloured (unprotected) cells with their respective financial quotes and other details (such as name of the bidder). No other cells should be changed. Once the details have been completed, the bidder should save it and submit it online, without changing the filename. If the BOQ file is found to be modified by the bidder, the bid will be rejected.
- The server time (which is displayed on the bidders’ dashboard) will be considered as the standard time for referencing the deadlines for submission of the bids by the bidders, opening of bids etc. The bidders should follow this time during bid submission.
- The documents being submitted by the bidders would be encrypted using PKI encryption all techniques to ensure the secrecy of the data. The data entered cannot be viewed by unauthorized persons until the time of bid opening. The confidentiality of the bids is maintained using the secured Socket Layer 128 bit encryption technology. Data storage encryption of sensitive fields is done. Any bid document that is uploaded to the server is subjected to symmetric encryption using a system generated symmetric key
- Further this key is subjected to asymmetric encryption using buyers/bid opener’s public keys. Overall, the uploaded tender documents become readable only after the tender opening by the authorized bid openers.
- The uploaded tender documents become readable only after the tender opening by the authorized bid openers.

- On the successful and timely submission of bids (i.e. after Clicking “Freeze Bid Submission” in the portal), the portal will give a successful bid submission message & a bid Tender No. : summary will be displayed with the bid no. and the date & time of submission of the bid with all other relevant details.
- The bid summary has to be printed and kept as an acknowledgement of the submission of the bid. This acknowledgement may be used as an entry pass for any bid opening meetings.

ASSISTANCE TO BIDDERS

- Any queries relating to the tender document and the terms and conditions contained therein should be addressed to the Tender Inviting Authority for a tender or the relevant contact person indicated in the tender.
- Any queries relating to the process of online bid submission or queries relating to CPP Portal in general may be directed to the 24x7 CPP Portal Helpdesk number 0120-4200462, 0120- 4001002.

List of Items for which rate contract is sought with specification and the make wherever applicable

Sr.No	ITEMS NAME	Specification	Recommended Make
1	Abdominal Drain Kit including Drain tube and drainage bag	Size 28, Latex Free material, Medical Grade, Soft and Kink Resistance Material	All can apply
2	Abdominal Drain Kit including Drain tube and drainage bag	Size 32, Latex Free material, Medical Grade, Soft and Kink Resistance Material	All can apply
3	Abdominal sponge with X-Ray detectable thread woven into sponge.	Size 25x25 (12 ply)	All can apply
4	Abdominal sponge with X-Ray detectable thread woven into sponge.	Size 20x20 (12 ply)	All can apply
5	Absorbable Hemostatic Compressed Gelatin Sponge	Gelfoam-Sterile water insoluble, malleable porcine gelatin absorbable sponge Approved by USFDA/European CE Sizes: 8cmX6.25cmX10mm 2cmX6cmX7mm 8cmX12.5cmX10mm Should have European CE Four digit Genuine CE Certified/USFDA Approved	All can apply
6	Absorbable Monofilament Polyglecaprone 25 Undyed Surgical Suture	Size : 4-0, 3/8 Circle R C, 16mm, 70cm	Johnson & Johnson, B Braun, Covidian, Medtronic, Arthrex
7	Absorbable Monofilament Polyglecaprone 25 Undyed Surgical Suture	Size : 3-0, 3/8 Circle Cutting Prime, 25mm, 70cm	Johnson & Johnson, B Braun, Covidian, Medtronic, Arthrex
8	Absorbable Monofilament Polyglecaprone 25 Undyed Surgical Suture	Size : 3-0, 3/8 Circle Cutting Prime, 25mm, 45cm	Johnson & Johnson, B Braun, Covidian, Medtronic, Arthrex
9	Absorbable Monofilament Polyglecaprone 25 Undyed Surgical Suture	Size : 3-0, 3/8 Circle R C, 26mm, 70cm	Johnson & Johnson, B Braun, Covidian, Medtronic, Arthrex
10	Absorbable Monofilament Polyglecaprone 25 Undyed Surgical Suture	Size : 2-0, 1/2 Circle R.B., 30mm, 70cm	Johnson & Johnson, B Braun, Covidian,

			Medtronic, Arthrex
11	Absorbable Monofilament Polyglecaprone 25 Undyed Surgical Suture	Size : 1-0, 1/2 Circle R.B., 30mm, 70cm	Johnson & Johnson, B Braun, Covidian, Medtronic, Arthrex
12	Absorbable Monofilament Polyglecaprone 25 Undyed Surgical Suture	Size : 5-0, 3/8 Circle R C, 13mm, 45cm	Johnson & Johnson, B Braun, Covidian, Medtronic, Arthrex
13	Absorbable Monofilament Polyglecaprone 25 Undyed Surgical Suture	Size : 5-0, 3/8 Circle R C, 16mm, 45cm	Johnson & Johnson, B Braun, Covidian, Medtronic, Arthrex
14	Absorbable Surgical Sutures Catgut (Plain) with Needle	Size : 3-0, Absorbable Surgical Sutures Plain without needle, mm,152cm	Johnson & Johnson, B Braun, Covidian, Medtronic, Arthrex
15	Absorbable Surgical Sutures Catgut (Plain) with Needle	Size : 2-0, Absorbable Surgical Sutures Plain without needle, mm,152cm	Johnson & Johnson, B Braun, Covidian, Medtronic, Arthrex
16	Absorbable Surgical Sutures Catgut (Plain) with Needle	Size : 0, Absorbable Surgical Sutures Plain without needle, mm, 152cm	Johnson & Johnson, B Braun, Covidian, Medtronic, Arthrex
17	Absorbable Surgical Sutures Catgut (Plain) with Needle	Size : 1, Absorbable Surgical Sutures Plain without needle, mm, 152cm	Johnson & Johnson, B Braun, Covidian, Medtronic, Arthrex
18	Absorbable Surgical Sutures Catgut (Plain) with Needle	Size : 2, Absorbable Surgical Sutures Plain without needle, mm, 152cm	Johnson & Johnson, B Braun, Covidian, Medtronic, Arthrex
19	Absorbable Surgical Sutures Catgut (Cromic) with Needle	Size : 0, Chromic-1/2 Circle R B Heavy, 40mm, 76cm	Johnson & Johnson, B Braun, Covidian,

			Medtronic, Arthrex
20	Absorabable Surgical Sutures Catgut (Cromic) with Needle	Size : 5-0, Chromic-3/8 Circle R C , 12mm, 76cm	Johnson & Johnson, B Braun, Covidian, Medtronic, Arthrex
21	Absorabable Surgical Sutures Catgut (Cromic) with Needle	Size : 3-0, Chromic-1/2 Circle R C , 12mm, 76cm	Johnson & Johnson, B Braun, Covidian, Medtronic, Arthrex
22	Absorabable Surgical Sutures Catgut (Cromic) with Needle	Size : 1, Chromic-1/2 Circle R C , 50mm, 76cm	Johnson & Johnson, B Braun, Covidian, Medtronic, Arthrex
23	Absorabable Surgical Sutures Catgut (Cromic) with Needle	Size : 3-0, Chromic-3/8 Circle Cutting, 16mm, 76cm	Johnson & Johnson, B Braun, Covidian, Medtronic, Arthrex
24	Absorabable Surgical Sutures Catgut (Cromic) with Needle	Size : 2-0, Chromic-1/2 Circle R B & 1/2 Circle R C DA, 36mm, 152cm	Johnson & Johnson, B Braun, Covidian, Medtronic, Arthrex
25	Absorabable Surgical Sutures Catgut (Cromic) with Needle	Size : 2, Chromic-1/2 Circle R B , 65mm, 100cm	Johnson & Johnson, B Braun, Covidian, Medtronic, Arthrex
26	Absorabable Surgical Sutures Catgut (Cromic) with Needle	Size : 0, Chromic-1/2 Circle Taper cut Heavy, 40mm, 100cm	Johnson & Johnson, B Braun, Covidian, Medtronic, Arthrex
27	Absorabable Surgical Sutures Catgut (Cromic) with Needle	Size : 4-0, Chromic-3/8 Circle Cutting, 16mm, 76cm	Johnson & Johnson, B Braun, Covidian, Medtronic, Arthrex
28	Absorabable Surgical Sutures Catgut (Cromic) with Needle	Size : 5-0, Chromic-3/8 Circle R B , 16mm, 76cm	Johnson & Johnson, B Braun, Covidian,

			Medtronic, Arthrex
29	Absorbable, Barbed sutures for knotless tissue closure	3-0, 40 mm, 1/2 Circle, Reverse Cutting, taper point, 60 cm	Johnson & Johnson, B Braun, Covidian, Medtronic, Arthrex
30	Absorbable, Barbed sutures for knotless tissue closure	2-0, 40 mm, 1/2 Circle, Reverse Cutting, taper point, 60 cm	Johnson & Johnson, B Braun, Covidian, Medtronic, Arthrex
31	Absorbable, Barbed sutures for knotless tissue closure	1, 40 mm, 1/2 Circle, Reverse Cutting, taper point, 60 cm	Johnson & Johnson, B Braun, Covidian, Medtronic, Arthrex
32	Absorbable, Barbed sutures for knotless tissue closure	3-0, 36 mm, 1/2 Circle, Reverse Cutting, taper point, 60 cm	Johnson & Johnson, B Braun, Covidian, Medtronic, Arthrex
33	Absorbable, Barbed sutures for knotless tissue closure	2-0, 36 mm, 1/2 Circle, Reverse Cutting, taper point, 60 cm	Johnson & Johnson, B Braun, Covidian, Medtronic, Arthrex
34	Absorbable, Barbed sutures for knotless tissue closure	1, 36 mm, 1/2 Circle, Reverse Cutting, taper point, 60 cm	Johnson & Johnson, B Braun, Covidian, Medtronic, Arthrex
35	Adhesive Bandage	Adhesive Bandage 39reatha. size 0.5" x 3-4", Sticky on both ends with small non-sticky absorbent pad.	All can apply
36	Adhesive Bandage	Adhesive Bandage size Round, 39reatha. 2 x 2 cm, Sticky at periphery and non-sticky absorbent pad at centre.	All can apply
37	Adhesive Bandage	Adhesive Bandage Square shape 39reatha. size 1" x 1", Sticky at periphery and non-sticky absorbent pad at centre.	All can apply

38	AMBU BAG ADULT	<ol style="list-style-type: none"> 1. IT MUST BE Autoclavable. 2. Capacity of bag should be 1.5 Ltrs. And a Variation of 1000 ml wil be accepted. 3. Ambu Bag Should be latex free,made up of Silicon, and should retain sensitivity and should be Resistant to rough use. 4. Should be supplied with a carry pouch. 5. Should be FDA,CE,or BIS Approved product. 6. Should be Supplied With a Carry Pouch. 7. Manufacture should be ISo certified For Quality Standards. 	All can apply
39	AMBU BAG PEDIATRICS	<ol style="list-style-type: none"> 1. Self Inflation bag made of Silicon. 2. Capacity of Bag Should be 0.5 ltr. 3. Facility for oxygen Reservior bag. 4 Should have an oxygen reservior bag. 5. Pressure limiting valve should not exceed 30-40 cms H2O. 6. Mask size Should be children/infant and made from Silicon 	All can apply
40	ANATOMICAL FACE MASK (ALL SIZES)		All can apply
41	Ankle Brace (medium)		All can apply
42	Aneurysm clips, Yasargil type Titanium	<p>Temporary Yasargil aneurysm clips (Standard) 7 (±0.5) mm Straight</p> <p>Temporary Yasargil aneurysm clips (Standard) 9 (±0.5) mm straight</p> <p>Temporary Yasargil aneurysm clips (Standard) 11 (±0.5) mm straight</p> <p>Temporary Yasargil aneurysm clips (Standard) 7 (±0.5) mm Curved</p> <p>Temporary Yasargil aneurysm clips (Standard) 9 (±0.5) mm curved</p> <p>Temporary Yasargil aneurysm clips (Standard) 11 (±0.5) mm curved</p> <p>Permanent Yasargil Aesculap aneurysm clips</p> <p>Yasargil standard 15.0 mm straight clip</p> <p>Yasargil standard 17.5 mm straight clip</p> <p>Yasargil standard 20.0 mm straight clip</p> <p>Yasargil standard 15.0 mm curved clip</p> <p>Yasargil standard 10.0 mm curved clip</p> <p>Yasargil standard 6.0 mm curved clip</p> <p>Yasargil standard 8.0 mm curved clip</p> <p>Yasargil standard 8.0 mm right angled clip</p> <p>Yasargil standard 10.0 mm right angled clip</p> <p>Yasargil standard 9.0/14.1 mm fenestratedclip</p> <p>Yasargil standard 12.0/17.0 mm fenestrated clip</p> <p>Yasargil standard 9.0/15.7 mm fenestrated clip</p> <p>Yasargil standard 7.5/6.7 mm right angled fenestrated clip</p> <p>Yasargil Mini 3.0 mm straight clip</p>	European CE four digit genuine CE certified/USFDA

		Yasargil Mini 5.0 mm straight clip	
		Yasargil Mini 7.0 mm straight clip	
		Yasargil Mini 2.8 mm curved clip	
		Yasargil Mini 4.0 mm curved clip	
		Yasargil Mini 5.0 mm curved clip	
		Yasargil Mini 6.6 mm curved clip	
43	Aneurysm clips, Yasargil type	7 (±0.5) mm Straight	All can apply
44	Aneurysm clips, Yasargil type <u>Titanium</u> Temporary Yasargil aneurysm clips (mini-clips)	4 (±0.5) mm straight	All can apply
		7 (±0.5) mm straight	
45	Aneurysm asargil Permanent clips (Standard) <u>Titanium</u>	9 (±0.5) mm straight	All can apply
		11 (±0.5) mm straight	
		7 (±0.5) mm Curved	
		9 (±0.5) mm curved	
		11 (±0.5) mm curved	
46	Arm pouch sling (large)		
47	ARTERIAL CANNULA 20 G	Sizes-20 G, Should be USFDA/CE Approved	All can apply
48	ARTERIAL CANNULA 22 G	Sizes-22 G, Should be USFDA/CE Approved	All can apply
49	ARKANASE STONE	FROM PATHOLOGY	
50	Baby Drape for Surgical Incision	A) Translucent Soft Polyfilm B) Size : 1.2 X 1.2 M C) Incise Area : 25 X 20 CM	G- Surgiwear Ltd , 3 M Kimberly
51	BAINS CIRCUIT	1. Coaxial Bain Circiut with a length of at least 180 cm. 2. Diameter-Inner Tube 7mm. 3. 2 liter reservior Bag 4. APL Value. 5 1.5 meters extension of the inner tube with a 15mm OD connector which connects to be the common gas outley of the anaesthesia. 6. Straight and right angle connector with a pot for ends tidal gas monitering	All can Apply
52	band - aid (round type)		All can apply
53	Black Silk Reel	1-0,	Johnson & Johnson, B Braun, Covidian, Medtronic, Arthrex
54	Black Silk Reel	2-0,	Johnson & Johnson, B Braun, Covidian, Medtronic, Arthrex
55	Black Silk Reel	3-0,	Johnson & Johnson, B Braun, Covidian, Medtronic, Arthrex

56	BLOOD SET		Romson Polymed BD Emerald
57	Bone Biopsy needle(jamshedi)	FOR BONE MARROW BIOPSY, TRANSPEDICULAR VERTEBRAL BODY BIOPSY/INTERVENTIO 10 G	ALL CAN APPLY
58	Bone Biopsy needle(jamshedi)	FOR BONE MARROW BIOPSY, TRANSPEDICULAR VERTEBRAL BODY BIOPSY/INTERVENTIO 11 G	ALL CAN APPLY
59	Bone wax	Bone wax- specifications: sterile bone wax for bone hemostasis made of bees wax, paraffin and isopropyl palmitate. 2.5 g Box of 12 pieces should have European CE four digit genuine CE certified/USFDA approved	All can apply
60	BOTOX 50units	botulinum toxin type a, vial of 50units	All can apply
61	Botox 100 units	botulinum toxin type a, vial of 100 unit	All can apply
62	Burn dressing Infected Wound (Nano crystalline silver dressing with Silcryst technology having sustained release of silver 70-100 ppm for 72 hours, made of Rayon polyester mesh sandwiched between Polyethylene layers binded with ultrasonic welds effective against MRSA & VRE & Superbug.USFDA/CE approved)	10cm x 10cm	All Can Apply
		20cm x 40cm	
		40cm x 40cm	
		10cm x 120cm	
63	Burn dressing- low adherent, absorbent wound dressing (A low adherent, absorbent wound dressing with polyester wound contact layer & central cotton / viscose highly absorbent layer; and an outer hydrophobic non-woven layer lowering risk of exudate strike-through & risk of fibre shed or new tissue cell growth from the wound into the absorbent pad. USFDA/CE approved)	10cm x10cm	All Can Apply
		20cm x 10cm	
		50cm x 7m	
64	Bone marrow biopsy needles 10G, 11G (disposable/nondisposable each)		
65	DCR burr 4.0 mm 15 degree		All can apply (compatible with Saber Drill

			Stryker with Core Console)
66	Burr for ear surgery (diamond,coarse diamond and cutting)	0.5	All can apply (compatible with Saber Drill Stryker with Core Console)
67	Burr for ear surgery (diamond,coarse diamond and cutting)	1.0	All can apply (compatible with Saber Drill Stryker with Core Console)
68	Burr for ear surgery (diamond,coarse diamond and cutting)	1.5	All can apply (compatible with Saber Drill Stryker with Core Console)
69	Burr for ear surgery (diamond,coarse diamond and cutting)	2.0	All can apply (compatible with Saber Drill Stryker with Core Console)
70	Burr for ear surgery (diamond,coarse diamond and cutting)	2.5	All can apply (compatible with Saber Drill Stryker with Core Console)
71	Burr for ear surgery (diamond,coarse diamond and cutting)	3.0	All can apply (compatible with Saber Drill Stryker with Core Console)
72	Burr for ear surgery (diamond,coarse diamond and cutting)	3.5	All can apply (compatible with Saber Drill Stryker with Core Console)
73	Burr for ear surgery (diamond,coarse diamond and cutting)	4.0	All can apply (compatible with Saber Drill Stryker with Core Console)
74	Burr for ear surgery(diamond,coarse diamond and cutting)	4.5	All can apply (compatible with Saber Drill Stryker with Core Console)
75	Burr for ear surgery(diamond,coarse diamond and cutting)	5.0	All can apply (compatible with Saber Drill Stryker with Core Console)
76	Burr for ear surgery(diamond,coarse diamond and cutting)	5.5	All can apply (compatible with Saber Drill Stryker with Core Console)
77	Burr for ear surgery(diamond,coarse diamond and cutting)	6.0	All can apply (compatible with Saber Drill Stryker with Core Console)

78	Burr for ear surgery(diamond,coarse diamond and cutting)	6.5	All can apply (compatible with Saber Drill Stryker with Core Console)
79	Burr for ear surgery(diamond,coarse diamond and cutting)	7.0	All can apply (compatible with Saber Drill Stryker with Core Console)
80	Burr for stapes surgery and ossicular drilling	0.4 mm	All can apply (compatible with XomedMedtronic skeeter machine)
81	Burr for stapes surgery and ossicular drilling	0.6 mm	All can apply (compatible with Xomed Medtronic skeeter machine)
82	Burr for stapes surgery and ossicular drilling	0.8 mm	All can apply (compatible with Xomed Medtronic skeeter machine)
83	Burr for stapes surgery and ossicular drilling	1.0 mm	All can apply (compatible with Xomed Medtronic skeeter machine)
84	Burr for stapes surgery and ossicular drilling	1.2 mm	All can apply (compatible with Xomed Medtronic skeeter machine)
85	BURETT SET		All can apply
86	4" bandage	Should be 100 % cotton, Length 3.5m	All can apply
87	6 " bandage	Should be 100 % cotton, Length 3.5m	All can apply
88	CAESARIAN DRAPE	Cesarean / Abdominal Fluid Collection Drape, 100 in. x 72 in. x 120 in. 15 in. x 13 in. adhesive incise area 360 – degree fluid collection pouch, foam band with suction port Tube holders, Armboard covers	All can apply, must have European CE four digit genuine CE certified/USFDA/ ISO 13485 approved
89	C arm cover	Sterile Packing (A) C - ARM COVER WITH TWO PART (B) CONTENT : ONE PAIR Clear transparent, plastic polyethylene material	All can apply
90	Catgut 3-0		All can apply
91	CASSETTERS		All can apply
92	Catgut 4-0 round body needle		All can apply
93	CATHETER MOUNT	Catheter Mount with a port to pass bronchoscope	All can apply
94	Cautery Tip Cleaner	Intra-operative cleaning of diathermy clip	All can apply

			B_Braun Romson
95	central line triple lumen 7 F	(1).Biocompatible Polyurethane Central Venous Catheters(CVC) for insertion by the Seldinger Technique. (2). Suitable Radio-Opaque material Should be incorporated into the CVC to Visualizwe the entire Length of the Catheter on radiography. (3). The CVC is to be supplied in a complete Sterile Sealed Packed which includes Puncture needle, guild-Wire, Dilator and the Central venousCatheter. (4). Catheter Should be at least 15 cm in Length. (5). All Components should Have a shelf life of at least 5 year at the time of Delivery	
96	Central Line Double lumen with Y needle and Nitinol guide wire 8 fr with 15 cm /20cm catheter with tecoflex material		All can apply
97	Central Line Triple lumen with Y needle and Nitinol guide wire 8.5 fr with 16cm / 20cm catheter with tecoflex material		All can apply
98	Central Venous Catheters	Size: 4.5 Fr., 5 cm Should have USFDA or European CE	All can apply
99	Central Venous Catheters	Size: 4 Fr., 6 cm Should have USFDA or European CE	All can apply
100	Chemical Absorbent pads		All can apply
101	Chest tube 16f		All can apply
102	Chest tube 20f		All can apply
103	Chest tube 24 f		All can apply
104	Chest tube 28fr		All can apply
105	Chest tube 32 fr		All can apply
106	Chorionic Villus Sampling Set	single use, flexible, 2-3 mm wide, long 20-25 cm long, Echo tip Stylet for visibility under ultrasound and Fr 5.3-5.7	All can apply
107	Clip Applicator: Medium Large clip applicator dismantable rotating size: 10mm, length 36cm, for Titanium clips with ratchet to lock the jaw holding the clip.		All can apply
108	Clip Applicator: Large clip applicator dismantable rotating size: 10mm, length 36cm, for Titanium Clips with ratchet to lock the jaw holding the clip.		All can apply
109	CLOSED SUCTION SYSTEM		
110	Coblation Wand	LW	Compatible with Smith & Nephew

			Coblation machine
111	Coblation Wand	MLW	Compatible with Smith & Nephew Coblation machine
112	Coblation Wand	Precise max	Compatible with Smith & Nephew Coblation machine
113	Coblation Wand	Malleable wand	Compatible with Smith & Nephew Coblation machine
114	Coblation Wand	Evac 70	Compatible with Smith & Nephew Coblation machine
115	choanal atresia 4.0 mm burr		All can apply (compatible with Saber Drill Stryker with Core Console)
116	Collagen sheets		All can apply
117	Connecting tubes for pressure injector (double head)		All can apply
118	Connecting tubes for pressure injector (single head)		All can apply
119	CONNECTOR - RIGHT ANGLE	All Size	All can apply
120	CONNECTOR -STRAIGHT	All Size	All can apply
121	Cotton Roll - non absorbent	100 gm Pkt	All can apply
122	Cotton Roll - non absorbent	200 gm Pkt	All can apply
123	Cotton Roll - non absorbent	300 gm Pkt	All can apply
124	Cotton Roll - non absorbent	400 gm Pkt	All can apply
125	Cotton Roll - non absorbent	500 gm Pkt	All can apply
126	Cotton Soft Roll 4 Inches	Non-woven absorbent cotton	All can apply
127	Cotton Soft Roll 6 Inches	Non-woven absorbent cotton	All can apply
128	cotton buds		
129	Cornual cannulation set for hysteroscopic fallopian tube cannulation	with outer & inner cathetersn and guide wire and obturator. Outer catheter should be curved, made of polyehtylene, 4.5-5.0 Fr, 35-40 cm in length. Should have an adapter to fix guide wire in position, guide wire 35-40 cm in length. Obturator should be made of stainless steel. Inner Ctheter should have markings 1cm apart, 2.5-3.0 Frand 50-55 cm in length. Lock for irrigationport.	All can apply
132	CSE SET		All can apply
133	CT Contrast (Ionic) (100 ml)		All can apply
134	CT Contrast (Ionic) (50 ml)		All can apply
135	Tongue depressor (Disposable)		All can apply
136	CT Contrast (Non-Ionic) (20 ml)		All can apply

137	CT/MR films (Size 14" x 17")		All can apply
138	cyanoacrylate glue		All can apply
139	Cytobrush / endocervical brush		All can apply
140	Denham Pin 4.5 mm		All can apply
141	Catgut 1-0 Round body		All can apply
142	CENTER LINE 26 GAUGE		All can apply
143	CENTER LINE 24 GAUGE		All can apply
144	CENTER LINE 22 GAUGE		All can apply
145	Denham Pin 6.5mm		All can apply
146	Dehydrated compressed non-absorbable hydroxylated polyvinyl acetate Ear wick		Medronics, Eon
147	Dehydrated compressed non-absorbable hydroxylated polyvinyl acetate nasal pack 8 cms with airway		Medronics, Eon
148	Dehydrated compressed non-absorbable hydroxylated polyvinyl acetate nasal pack 8 cms with String		Medronics, Eon
149	Dermaroller 1.5 mm	Needle size – 1.5 mm, titanium 192 needles,	All can apply
150	Disposable biopsy punches 1 mm		All can apply
151	Disposable biopsy punches 1.5 mm		All can apply
152	Disposable biopsy punches 3 mm		All can apply
153	Disposable biopsy punches 4 mm		All can apply
154	Disposable biopsy punches 5 mm		All can apply
155	Disposable monopolar cautery leads with controls		All can apply
156	Disposable Monopolar Handswitch Pencile with PTFE	Button Switch Pencil with Easy clean TM electro-surgical tip with PTFE, ISO Certified	All can apply
157	Disposable LAPAROSCOPIC TROCER	10mm	All can apply
158	Disposable LAPAROSCOPIC TROCER	6mm	All can apply
159	Disposable LAPAROSCOPIC TROCER Optiview	10mm	All can apply
160	Disposable Laproscopy Monopolar Electrode with PTFE	Standard Blade, 33/45cm with PTFE, USFDA/ European CE	All can apply

161	Disposable Surgical Gown	Non woven 3 layer EO sterile surgical disposable gown. Fabric should be Alcohol Repellant (AATCC193-2012 Level 8) and Anti Static. Individually packed with 2 paper towels. Size XL (137 * 160 cm)	All can apply
162	Surgical gown (Medium size)	For standing surgical procedures, breathable gown, Raglan sleeves, AAMI level 3 liquid barrier protection, Abrasion resistant meeting ASTM D4966 standard, Laser ignition resistant L1 GSM 60-77	All can apply
163	Surgical gown (Large size)	For standing surgical procedures, breathable gown, Raglan sleeves, AAMI level 3 liquid barrier protection, Abrasion resistant meeting ASTM D4966 standard, Laser ignition resistant L1 GSM 60-77	All can apply
164	Disposable Sheet	Should be It should be Sterile & ETO Green Indicator,Size-120 x 210cm	All can apply
165	Drill Bit sizes (2.5, mm) with quick coupling		All can apply
166	Drill Bit sizes (2.7 mm) with quick coupling		All can apply
167	Drill Bit sizes (4.5mm) with quick coupling		All can apply
168	Drill Bit sizes (1.5mm) with quick coupling		All can apply
169	Drill Bit sizes (3.2 mm) with quick coupling		All can apply
170	Dressing - Perforated Transparent Adhesive Polyurethane Dressing with Soft silicone wound contact layer, leaves no residue and does not dry out with usage up to 14 days, CE/USFDA approved.	Size: 5 cm x 7 cm	All can apply
		Size: 10 cm x 18 cm	All can apply
		Size: 17 cm x 25 cm	All can apply
		Size: 7.5 cm x 10 cm	All can apply
171	Dural Substitute (Collagen)	Collagen based dural graft. Made from ultra pure collagen. Available in various sizes 2.5x2.5 cms to 10x10 cms	All can apply
172	Dural Substitute (Poly-L-Lactic acid)	Poly-L-Lactic acid, absorbable in 6 months, thickness: 01.-0.5 mm, various sizes: 15 mm x 20 mm	All can apply
173	Dural Substitute (Poly-L-Lactic acid)	Poly-L-Lactic acid, absorbable in 6 months, thickness: 01.-0.5 mm, various sizes: 20 mm x 30 mm	All can apply
174	Dural Substitute (Poly-L-Lactic acid)	Poly-L-Lactic acid, absorbable in 6 months, thickness: 01.-0.5 mm, various sizes: 30 mm x 40 mm	All can apply
175	Dural Substitute (Poly-L-Lactic acid)	Poly-L-Lactic acid, absorbable in 6 months, thickness: 01.-0.5 mm, various sizes: 40 mm x 60 mm	All can apply
176	Dural Substitute (Poly-L-Lactic acid)	Poly-L-Lactic acid, absorbable in 6 months, thickness: 01.-0.5 mm, various sizes: 60 mm x 60 mm	All can apply
177	Dural Substitute (Poly-L-Lactic acid)	Poly-L-Lactic acid, absorbable in 6 months, thickness: 01.-0.5 mm, various sizes: 60 mm x 80 mm	All can apply

178	Dural Substitute (Poly-L-Lactic acid)	Poly-L-Lactic acid, absorbable in 6 months, thickness: 01.-0.5 mm, various sizes: 60 mm x 140 mm	All can apply
179	Dural Substitute (Poly-L-Lactic acid)	Poly-L-Lactic acid, absorbable in 6 months, thickness: 01.-0.5 mm, various sizes: 80 mm x 80mm	All can apply
180	Dural Substitute (Poly-L-Lactic acid)	Poly-L-Lactic acid, absorbable in 6 months, thickness: 01.-0.5 mm, various sizes: 80 mm x 120 mm	All can apply
181	Dural Substitute (Poly-L-Lactic acid)	Poly-L-Lactic acid, absorbable in 6 months, thickness: 01.-0.5 mm, various sizes: 100 mm x 150 mm	All can apply
182	Dural Substitute (Poly-L-Lactic acid)	Poly-L-Lactic acid, absorbable in 6 months, thickness: 01.-0.5 mm, various sizes: 150 mm x 150 mm	All can apply
183	Ear irrigation syringe		All can apply
184	Easy fix (Cannula)		
185	ECG Electrodes		
186	ECG ELECTRODES (PACKET OF 100)		
187	ECG Machine Paper	Compatible with EDAN, Model-ES 1201	All can apply
188	ECG Machine Paper	Compatible with EDAN, Model-ES 1200	All can apply
189	Eye shield		
190	Endobag for morcellation of fibroids	with 2 separate ports for camera and morellator, and can be tied at neck to prevent spillage of material	All can apply
191	Endotracheal tube for nerve monitoring	All sizes	All can apply
192	ENDOTRACHEAL TUBE SIZE 3.0		All can apply
193	ENDOTRACHEAL TUBE SIZE 3.5		All can apply
194	ENDOTRACHEAL TUBE SIZE 4.0		All can apply
195	ENDOTRACHEAL TUBE SIZE 4.5		All can apply
196	ENDOTRACHEAL TUBE SIZE 5.0		All can apply
197	ENDOTRACHEAL TUBE SIZE 5.5		All can apply
198	ENDOTRACHEAL TUBE SIZE 6.0		All can apply
199	ENDOTRACHEAL TUBE SIZE 6.5		All can apply
200	ENDOTRACHEAL TUBE SIZE 7.0		All can apply
201	ENDOTRACHEAL TUBE SIZE 7.5		All can apply
202	ENDOTRACHEAL TUBE SIZE 8.0		All can apply
203	ENDOTRACHEAL TUBE SIZE 8.5		All can apply

204	ENDOTRACHEAL TUBE WITH SUBGLOTTIC SUCTION SIZE 7.0		All can apply
205	ENDOTRACHEAL TUBE WITH SUBGLOTTIC SUCTION SIZE 7.5		All can apply
206	ENDOTRACHEAL TUBE WITH SUBGLOTTIC SUCTION SIZE 8		All can apply
207	Epistaxis Balloons		Smith Medical (Portex), Covidien, Anthony Products Inc., Summit Medical
208	External Nasal Spints		Smith Medical (Portex), Covidien, Anthony Products Inc., Summit Medical
209	Blade Electrode with PTFE	Standard Blade Electrode, 2.5-inch with PTFE , 10% BIS / ISO Certified	All can apply
210	Latex Free Silk - Like Adhesive Tape for Endotracheal Tube Fixation	0.5",Should have ISO 10993 and and HCIPT certificate (For Skin irritation test)	All can apply
211	Latex Free Silk - Like Adhesive Tape for Endotracheal Tube Fixation	1",Should have ISO 10993 and and HCIPT certificate (For Skin irritation test)	All can apply
212	Latex Free Silk - Like Adhesive Tape for Endotracheal Tube Fixation	2",Should have ISO 10993 and and HCIPT certificate (For Skin irritation test)	All can apply
213	Latex Free Silk - Like Adhesive Tape for Endotracheal Tube Fixation	3",Should have ISO 10993 and and HCIPT certificate (For Skin irritation test)	All can apply
214	EPIDURAL SET	<ol style="list-style-type: none"> 1. Epidural mini pack with 0.2 micron Filter 16/18G needle,17-19G Catheter & LOR syringe, with Catheter Connector, Threading Assist Device 2. With Neddle, Catheter & LOR 3. Epidural Line label Catheter Guide. 4. Must have Polyester Closed Tip with 3 LKateral eye with in 4mm & 200mm from Tip with BS 6196. 5. Standard Catheter Size 19 gauze 6. OD 1.1mm Length 915mm 7. Touhy Neddle 16G, 18G with Lenght 80mm 8. Catheter Securement Device(Lockitplus)for Prevention of Cathehter Migration. 9. US FDA/European CE (Full Quality Assurance)/BIS compliant 	All can apply
215	Eshmarch Bandage		All can apply
216	Ethilon 2-0		All can apply
217	Ethilon 3-0 cutting		All can apply
218	Ethilon 4-0		All can apply
219	5-0 Ethibond		All can apply
220	Eye shield		All can apply

221	Non-sterile, Latex, Examination Gloves	Size: Small	All can apply
		Size: Medium	
		Size: Large	
		Size: XL	
222	Nitril Powder Free, Latex free, Examination Gloves	Size: Small	All can apply
		Size: Medium	
		Size: Large	
		Size: XL	
223	Polymer Coated ,Powder Free,Latex Free, Nitril Examination gloves in White and Blue		ALL CAN APPLY
224	Powder Free Bismuth based Radiation Protection Gloves <0.1mm	Should have good tactile feel during interventional procedures	Product should be USFDA approved or four digit notifying genuine European CE
225	ESR stand - westergren		All can apply
226	ESR stand - wintrobe		All can apply
227	Face shields		All can apply
228	FIBER CAST 4 INCH		All can apply
229	FIBER CAST 6 INCH		All can apply
230	FIRST AID BOX		All can apply
231	FLEXOMETALIC TUBE SIZE 7		All can apply
232	FLEXOMETALIC TUBE SIZE 7.5		All can apply
233	FLEXOMETALIC TUBE SIZE 8		All can apply
234	Foleys Catheter 3 way	Size: 14 Fr. Made of premium quality latex, hydrogel coated, irrigation channel must not get blocked with moderate traction	All with ISO/BIS Standard can apply
235	Foleys Catheter 3 way	Size: 16 Fr. Made of premium quality latex, hydrogel coated, irrigation channel must not get blocked with moderate traction	All with ISO/BIS Standard can apply
236	Foleys Catheter 3 way	Size: 18 Fr. Made of premium quality latex, hydrogel coated, irrigation channel must not get blocked with moderate traction	All with ISO/BIS Standard can apply
237	Foleys Catheter 3 way	Size: 20 Fr. Made of premium quality latex, hydrogel coated, irrigation channel must not get blocked with moderate traction	All with ISO/BIS Standard can apply
238	Foleys Catheter 3 way	Size: 22 Fr. Made of premium quality latex, hydrogel coated, irrigation channel MUST NOT GET BLOCKED with moderate traction (Sample will be asked)	All with ISO/BIS Standard can apply
239	Foleys Catheter 3 way	Size: 24 Fr. Made of premium quality latex, hydrogel coated, irrigation channel must not get blocked with moderate traction	All with ISO/BIS Standard can apply
240	Foleys Catheter 2 way	Size: 6 Fr. Made of premium quality latex, hydrogel coated	All with ISO/BIS Standard can apply

241	Foleys Catheter 2 way	Size: 8 Fr Made of premium quality latex, hydrogel coated	All with ISO/BIS Standard can apply
242	Foleys Catheter 2 way	Size: 10 Fr Made of premium quality latex, hydrogel coated	All with ISO/BIS Standard can apply
243	Foleys Catheter 2 way	Size: 12 Fr Made of premium quality latex, hydrogel coated	All with ISO/BIS Standard can apply
244	Foleys Catheter 2 way	Size: 14 Fr Made of premium quality latex, hydrogel coated	All with ISO/BIS Standard can apply
245	Foleys Catheter 2 way	Size: 16 Fr Made of premium quality latex, hydrogel coated	All with ISO/BIS Standard can apply
246	Foleys Catheter 2 way	Size: 18 Fr Made of premium quality latex, hydrogel coated	All with ISO/BIS Standard can apply
247	Foleys Catheter 2 way	Size: 20 Fr Made of premium quality latex, hydrogel coated	All with ISO/BIS Standard can apply
248	Foleys Catheter 2 way	Size: 22 Fr Made of premium quality latex, hydrogel coated	All with ISO/BIS Standard can apply
249	Foleys Catheter 2 way	Size: 24 Fr Made of premium quality latex, hydrogel coated	All with ISO/BIS Standard can apply
250	Latex Foleys Catheter 2 way		all can apply, should have European CE
251	Formaline Tablet	1000 mg Pack of 100 Tab.	All can apply
252	FNAC HANDLE		
253	Gauze Swab	1. Size - 5 cm x 5cm x 12 Ply 2. It should be sterilized 3. Should have 5 swab in one pack. 4. With X-Ray detectable thread in woven the gauze to promote safety. 5. Soft and highly absorbent gauze to increase efficiency.	All can apply
254	Gauze Swab	1. Size - 7.5 cm x 7.5cm x 12 Ply 2. It should be sterilized 3. Should have 5 swab in one pack. 4. With X-Ray detectable thread in woven the gauze to promote safety. 5. Soft and highly absorbent gauze to increase efficiency	All can apply
255	Gauze Swab	1. Size - 10 cm x 10cm x 12 Ply 2. It should be sterilized 3. Should have 5 swab in one pack. 4. With X-Ray detectable thread in woven the gauze to promote safety 5. Soft and highly absorbent gauze to increase efficiency.	All can apply
256	Gauze Swab with X-Ray detectable thread	1. Size - 5 cm x 5cm x 12 Ply 2. It should be sterilized 3. Should have 5 swab in one pack. 4. X-Ray detectable thread securely woven into gauze to promote safety. 5. Soft and highly absorbent gauze to increase efficiency	All can apply

257	Gauze Swab with X-Ray detectable thread	<ol style="list-style-type: none"> 1. Size - 7.5 cm x 7.5cm x 12 Ply 2. It should be sterilized 3. Should have 5 swab in one pack. 4. X-Ray detectable thread securely woven into gauze to promote safety. 5. Soft and highly absorbent gauze to increase efficiency 	All can apply
258	Gauze Swab with X-Ray detectable thread	<ol style="list-style-type: none"> 1. Size - 10 cm x 10 cm x12 Ply 2. It should be sterilized 3. Should have 5 swab in one pack. 4. X-Ray detectable thread securely woven into gauze to promote safety. 5. Soft and highly absorbent gauze to increase efficiency 	All can apply
259	Gigli wire		All can apply
260	Gigli Saw		All can apply
261	GLUCOMETER STRIPS (I BOX)		All can apply
262	Glucosticks for Blood Glucose Measurement	One glucometer must be provided on FOC basis for every 300 glucosticks	J&J, Vertex Health,Roche Diabetec Care
263	Goody's T tube ventilation tubes		All can apply
264	Guedel's oropharyngeal airway with Colour Coded Bite	Sizes 000	All can apply
265	Guedel's oropharyngeal airway with Colour Coded Bite	Sizes 00	All can apply
266	Guedel's oropharyngeal airway with Colour Coded Bite	Sizes 0	All can apply
267	Guedel's oropharyngeal airway with Colour Coded Bite	Sizes 1	All can apply
268	Guedel's oropharyngeal airway with Colour Coded Bite	Sizes 2	All can apply
269	Guedel's oropharyngeal airway with Colour Coded Bite	Sizes 3	All can apply
270	Guedel's oropharyngeal airway with Colour Coded Bite	Sizes 4	All can apply

271	GYNAECOLOGY (ELBOW LENGTH) LATEX SURGICAL GLOVESSTERILE POWDER FREE	Material : Natural Rubber Latex Colour : Creamy White Design : Hand Specific, Beaded Cuff, Micro rough textured Powder Content : 2 mg / dm ² Extractable ProteinLevel : <50 micro gram/dm ² Sterilization : Ethylene Oxide / Gamma irradiated as per customer requirement Labeling : Shall comply with the corresponding labeling specification and customer requirement. Shelf Life : 3 years from the date of manufacture. Storage condition : Shall be stored in cool dry place and away from direct light	All can apply
272	HIV Kit	AAMI LEVEL 4 Breathable & Fluid Resistant Gown with Bacterial filtration efficacy >= 99% with NFPA & CPSC-1610, Fluid shield mask (N95 surgical Mask, Protective Glass (Safe-View), Full coverage knee high boot (Hi Guard) with plastic Film coating over tri layer fabric & adhesive foam traction strips , Tri layer SMS fabric tie neck surgical Hood, Surgical cap	Romson Polymed BD Emerald
273	Hand port for laproscopic surgery with double ring		All can apply with European CE four digit genuine CE certified/USFDA approved,
274	Hegars Dilators	All Sizes (Set to be quoted)	All can apply
275	Hydrocolloid Dressing (Sterile soft non-woven material with absorbent pad in the middle and the rest border area is with the special latex free adhesive and air and water vapour permeable. Dressing should be European CE approved.)	10 x 20 cm 10 x 10 cm 15 x 15 cm 20 x 20 cm 15 x 20 cm 12.5 x 12, 5 cm 17.5 x 17.5 cm 13 x 20 cm 5 x 20 cm	All Can Apply
276	Hydrofiber Dressings with Ionic Silver, EDTA & BEC for Wounds suspected of Biofilm	Stich Bonded Hydrofiber Dressings with 1.2% w/w Impregnated Ionic Silver , Ethylene-Di-Amine Tetra Acetic, Benzothienium Chloride capable of Bio-Film Destruction and Reformation with Sustained on demand Broad Spectrum Antimicrobial & Bactericidal efficacy for Chronically Infected wounds having High Exudate management capabilities recommended for Low to High Exuding Wounds and capable of Locking in Exudates in Gel Form 10X10	All can apply
277	Incise Drape	Incise drape comprised of polyester, breathable, low memory backing, coated with Pressure Sensitive Acrylate, 15 cm x 20 cm 1040- 61 cm x 35 cm, US-FDA/ BIS / CE four digit/ ISO Approved	All can apply
278	Incise Drape	Incise drape comprised of polyester, breathable, low memory backing, coated with Pressure Sensitive Acrylate, 1050 -91 cm x 45 cm, US-FDA/ BIS / CE four digit/ ISO Approved	All can apply

279	Instrument Table cover	Size-size 183cm x 240cm High barrier reinforced laminate of polypropylene nonwoven and a polyethylene film across the entire drape material. It should be low-linting, non-breathable with an adhesive area, Containing hypoallergenic acrylate type adhesive covered with a silicone coated paper liner and should also comply with the requirements of ISO 13485:2003 and ISO 9001:2008. It Should be EPD Certified	All can apply
280	Intravenous Cannula	Sizes-14G, Made of Polyurethane and Latex Free, should have sharp needle technology.	All can apply
281	Intravenous Cannula	Sizes-16 G, Made of Polyurethane and Latex Free, should have sharp needle technology.	All can apply
282	Intravenous Cannula	Sizes-18 G, Made of Polyurethane and Latex Free, should have sharp needle technology.	All can apply
283	Intravenous Cannula	Sizes-20 G, Made of Polyurethane and Latex Free, should have sharp needle technology.	All can apply
284	Intravenous Cannula	Sizes-22 G, Made of Polyurethane and Latex Free, should have sharp needle technology.	All can apply
285	Intravenous Cannula	Sizes-24 G, Made of Polyurethane and Latex Free, should have sharp needle technology.	All can apply
286	Intra Uterine Insemination [IUI] Catheter	Should be 13 - 17 cm in length Should be madeup of non toxic medical grade polypropylene Smooth rounded tip	Sterimed, Romson, Bardia, Suture India
287	Intra Uterine Insemination [IUI] Catheter	Two piece catheter , outer piece made up of non toxic medical grade polyethylene, French 5- 5.5, Length 17- 22 cm, Inner catheter of stainless steel with curved tip with adjustable silicon positioner.	Sterimed, Romson, Bardia, Suture India
288	Intra Uterine Insemination Catheter-Curved tip with Inner Cannula		All can apply
289	I D Band	Hospital patient identification wrist band made of soft synthetic rubber or silicone Size: Adult	All can apply
290	I D Band	Hospital patient identification wrist band made of soft synthetic rubber or silicone Size: Pediatric	
291	Iodinated Incise Drapes	Incise Drape which is Antimicrobial, strong, conformable and breathable Iodophor impregnated Polyester film coated with hypoallergenic adhesive for superior adhesion. Compatible with Povidone Iodine & CHG Preps. Iodine from the drape should be presen in the deepest Skin layer (1000 micron). Should be Latex Free. 56 cm * 45 cm (Adhesive Area). It Should be Gamma Sterilize with USFDA / ISO Approved	All can apply
292	I.V. Cannula Transparent air permissable wash proof fixator		All can apply
293	I. V. Cannula with Safety Needle Guard	Size-18 G, Made of Polyurethane and Latex Free, should have sharp needle technology.	All can apply
294	I. V. Cannula with Safety Needle Guard	Size-20G, Made of Polyurethane and Latex Free, should have sharp needle technology.	All can apply
295	I. V. Cannula with Safety Needle Guard	Size-22 G, Made of Polyurethane and Latex Free, should have sharp needle technology.	All can apply
296	I. V. Cannula with Safety Needle Guard	Size-26 G, Made of Polyurethane and Latex Free, should have sharp needle technology.	All can apply

297	I. V. Cannula with Safety Needle Guard	Size-24 G, Made of Polyurethane and Latex Free, should have sharp needle technology.	All can apply
298	Glass beads (kg)		All can apply
299	Grossing Tool Kit		All can apply
300	HME FILTERS		All can apply
301	I/V Cannulas (3-way)		All can apply
302	Infant feeding tube 10 fr		All can apply
303	Infant feeding tube 5 fr		All can apply
304	Infant feeding tube 6 fr		All can apply
305	Infant feeding tube 7fr		All can apply
306	Infant feeding tube 8 fr		All can apply
307	Infant feeding tube 9fr		All can apply
308	Insulin syringe		All can apply
309	iv drip set		All can apply
310	iv drip set Paediatric		All can apply
311	IV EXTENSION 10 CMS		All can apply
312	IV EXTENSION 100 CMS		All can apply
313	JR CIRCUIT		All can apply
314	Karman's cannula	Disposable & Sterile packed in sizes from 4mm to 12mm diameter color codeed by size(adaptor kit required) Depth marking in centimeters printed on cannula Approximately 24 cm in length made of medical grade,Latex free polypropelene plastic	All can apply
315	Karman Cannula Plain	Size Required: 4-12 fr.	Sterimed, Romson, Bardia, Suture India
316	Knee o drape		
317	Laparoscopic Camera cover	Made of polyethylene sleeve and paper leader. Distal end of PE sleeve has perforations and an adhesive strip. for tying the end around the cable Or having ring at one end.	All can apply
318	leucoplast		All can apply
319	Lignocaine 10% spray		All can apply
320	LIGNOCAINE 4 % PLAIN		All can apply
321	Lignocaine jelly 2 %		All can apply
322	Lignocaine with Adr (2% , 1:80,000) bottles		All can apply
323	Lignocaine without Adr (2%) bottles		All can apply
324	Laprosopic Maryland's Forceps	Three part laparoscopic autoclavable KELLY/ Maryland Dissecting and Grasping Forcep, 360 degree rotational sheath, with connector pin for unipolar coagulation, size 5 mm, length 30 cm, long, double action jaws, with ergonomic plastic handle with larger contact area at the finger ring to avoid pressure sores, can be dismantled with the press of a button. 5 in number	All can apply

325	Laprosopic Maryland's Forceps	Three part laparoscopic autoclavable KELLY/ Maryland Dissecting and Grasping Forcep, 360 degree rotational sheath, with connector pin for unipolar coagulation, size 3 mm, length 20 - 26 cm, long, double action jaws, with ergonomic plastic handle with larger contact area at the finger ring to avoid pressure sores, can be dismantled with the press of a button. 5 in number	All can apply
326	Laprosopic Maryland's Forceps	Three part laparoscopic autoclavable KELLY/ Maryland Dissecting and Grasping Forcep, 360 degree rotational sheath, with connector pin for unipolar coagulation, size 3 mm, length 20 cm, long, double action jaws, with ergonomic plastic handle with larger contact area at the finger ring to avoid pressure sores, can be dismantled with the press of a button. 5 in number	All can apply
327	Laparoscopic Grasping Forceps	Three part laparoscopic autoclavable CROCE-OLMI Grasping Forcep, 360 degree rotational sheath, size 3 mm, length 20 cm, long, double action jaws, ergonomic metal handle with plastic finger rings with larger contact area at the finger ring to avoid pressure sores, can be dismantled with the press of a button.	All can apply
328	Laparoscopic Bowel Grasping Forceps	Three part laparoscopic autoclavable Bowel Grasping Forcep, double action jaws, fenestrated, 360 degree rotational sheath, size 3 mm, length 20 cm, long, double action jaws, ergonomic metal handle with plastic finger rings with larger contact area at the finger ring to avoid pressure sores, can be dismantled with the press of a button.	All can apply
329	Laparoscopic Right Angled Dissecting Forceps	Three part laparoscopic autoclavable Right Angled Dissecting and Grasping Forcep, double action jaws, , 360 degree rotational sheath, size 3 mm, length 20 cm, long, double action jaws, ergonomic metal handle with plastic finger rings with larger contact area at the finger ring to avoid pressure sores, can be dismantled with the press of a button.	All can apply
330	Laparoscopic Scissors	Three part laparoscopic autoclavable Curved METZENBAUM Scissors, 360 degree rotational sheath, with connector pin for unipolar coagulation, size 3 mm, length 20 cm, long, double action jaws, with ergonomic plastic handle with larger contact area at the finger ring to avoid pressure sores, can be dismantled with the press of a button	All can apply
331	Laparoscopic Needle Holder	Micro needle holder with tungsten carbide insert, dismantling into three parts namely, outer tube, handle and inserts, ergonomic pistol handle, with disengageable ratchet, jaw curved to left, size: 3 mm, length: 20cm for use with suture material size: 0/0 to 7/0. Right curved tip. Left curved tip One coaxial.	All can apply
332	Laparoscopic Grasping Forceps	Three part laparoscopic autoclavable CROCE-OLMI Grasping Forcep, 360 degree rotational sheath, size 5 mm, length 30 cm, long, double action jaws, ergonomic metal handle with plastic finger rings with larger contact area at the finger ring to avoid pressure sores, can be dismantled with the press of a button.	All can apply
333	Laparoscopic Grasping Forceps	Three part laparoscopic autoclavable CROCE-OLMI Grasping Forcep, 360 degree rotational sheath, size 3 mm, length 20 - 26 cm, long, double action jaws, ergonomic metal handle with plastic finger rings with larger contact area at the finger ring to avoid pressure sores, can be	All can apply

		dismantled with the press of a button.	
334	Laparoscopic Bowel Grasping Forceps	Three part laparoscopic autoclavable Bowel Grasping Forcep, double action jaws, fenestrated, 360 degree rotational sheath, size 5 mm, length 30 – 36 cm, long, double action jaws, ergonomic metal handle with plastic finger rings with larger contact area at the finger ring to avoid pressure sores, can be dismantled with the press of a button.	All can apply
335	Laparoscopic Bowel Grasping Forceps	Three part laparoscopic autoclavable Bowel Grasping Forcep, double action jaws, fenestrated, 360 degree rotational sheath, size 3 mm, length 20 - 26 cm, long, double action jaws, ergonomic metal handle with plastic finger rings with larger contact area at the finger ring to avoid pressure sores, can be dismantled with the press of a button.	All can apply
336	Laparoscopic Right Angled Dissecting Forceps	Three part laparoscopic autoclavable Right Angled Dissecting and Grasping Forcep, double action jaws, , 360 degree rotational sheath, size 5 mm, length 30 33 cm, long, double action jaws, ergonomic metal handle with plastic finger rings with larger contact area at the finger ring to avoid pressure sores, can be dismantled with the press of a button.	All can apply
337	Laparoscopic Right Angled Dissecting Forceps	Three part laparoscopic autoclavable Right Angled Dissecting and Grasping Forcep, double action jaws,, 360 degree rotational sheath, size 3 mm, length 26 cm, long, double action jaws, ergonomic metal handle with plastic finger rings with larger contact area at the finger ring to avoid pressure sores, canbe dismantled with the press of a button.	All can apply
338	Laparoscopic Heavy Grasping Forceps	Three part laparoscopic autoclavable MANHES Grasping Forcep with ratchet, Tiger Jaws, 2X4 teeth, 360 degree rotational sheath, with connector pin for unipolar coagulation, size 5 mm, length 30 cm, long, double action jaws, with ergonomic plastic handle with larger contact area at the finger ring to avoid pressure sores, can be dismantled with the press of a button	All can apply
339	Laparoscopic Scissors	Three part laparoscopic autoclavable Curved METZENBAUM Scissors, 360 degree rotational sheath, with connector pin for unipolar coagulation, size 3 mm, length 20 cm, long, double action jaws, with ergonomic plastic handle with larger contact area at the finger ring to avoid pressure sores, can be dismantled with the press of a button	All can apply
340	Laparoscopic Needle Holder	Micro needle holder with tungsten carbide insert, dismantling into three parts namely, outer tube, handle and inserts, ergonomic pistol handle, with disengageable ratchet, jaw curved to left, size: 3 mm, length: 20cm for use with suture material size: 0/0 to 7/0. Right curved tip. Left curved tip One coaxial.	All can apply
341	Laparoscopic Grasping Forceps	Three part laparoscopic autoclavable CROCE-OLMI Grasping Forcep, 360 degree rotational sheath, size 5 mm, length 30 cm, long, double action jaws, ergonomic metal handle with plastic finger rings with larger contact area at the finger ring to avoid pressure sores, can be dismantled with the press of a button.	All can apply

342	Laparoscopic Grasping Forceps	Three part laparoscopic autoclavable CROCE-OLMI Grasping Forcep, 360 degree rotational sheath, size 3 mm, length 20 - 26 cm, long, double action jaws, ergonomic metal handle with plastic finger rings with larger contact area at the finger ring to avoid pressure sores, can be dismantled with the press of a button.	All can apply
343	Laparoscopic Bowel Grasping Forceps	Three part laparoscopic autoclavable Bowel Grasping Forcep, double action jaws, fenestrated, 360 degree rotational sheath, size 5 mm, length 30 – 36 cm, long, double action jaws, ergonomic metal handle with plastic finger rings with larger contact area at the finger ring to avoid pressure sores, can be dismantled with the press of a button.	All can apply
344	Laparoscopic Bowel Grasping Forceps	Three part laparoscopic autoclavable Bowel Grasping Forcep, double action jaws, fenestrated, 360 degree rotational sheath, size 3 mm, length 20 - 26 cm, long, double action jaws, ergonomic metal handle with plastic finger rings with larger contact area at the finger ring to avoid pressure sores, can be dismantled with the press of a button.	All can apply
345	Laparoscopic Right Angled Dissecting Forceps	Three part laparoscopic autoclavable Right Angled Dissecting and Grasping Forcep, double action jaws, , 360 degree rotational sheath, size 5 mm, length 30 33 cm, long, double action jaws, ergonomic metal handle with plastic finger rings with larger contact area at the finger ring to avoid pressure sores, can be dismantled with the press of a button.	All can apply
346	Laparoscopic Right Angled Dissecting Forceps	Three part laparoscopic autoclavable Right Angled Dissecting and Grasping Forcep, double action jaws, , 360 degree rotational sheath, size 3 mm, length 26 cm, long, double action jaws, ergonomic metal handle with plastic finger rings with larger contact area at the finger ring to avoid pressure sores, can be dismantled with the press of a button.	All can apply
347	Laparoscopic Heavy Grasping Forceps	Three part laparoscopic autoclavable MANHES Grasping Forcep with ratchet, Tiger Jaws, 2X4 teeth, 360 degree rotational sheath, with connector pin for unipolar coagulation, size 5 mm, length 30 cm, long, double action jaws, with ergonomic plastic handle with larger contact area at the finger ring to	All can apply
348		avoid pressure sores, can be dismantled with the press of a button.	
349	Laparoscopic Heavy Grasping Forceps	Three part laparoscopic autoclavable MANHES Grasping Forcep with ratchet, Tiger Jaws, 2X4 teeth, 360 degree rotational sheath, with connector pin for unipolar coagulation, size 3 mm, length 20 - 26 cm, long, double action jaws, with ergonomic plastic handle with larger contact area at the finger ring to avoid pressure sores, can be dismantled with the press of a button.	All can apply
350	Laparoscopic Scissors	Three part laparoscopic autoclavable Curved METZENBAUM Scissors, 360 degree rotational sheath, with connector pin for unipolar coagulation, size 5 mm, length 30 cm, long, double action jaws, with ergonomic plastic handle with larger contact area at the finger ring to avoid pressure sores, can be dismantled with the press of a button.	All can apply

351	Laparoscopic Scissors	Three part laparoscopic autoclavable Curved METZENBAUM Scissors, 360 degree rotational sheath, with connector pin for unipolar coagulation, size 3 mm, length 20 - 26 cm, long, double action jaws, with ergonomic plastic handle with larger contact area at the finger ring to avoid pressure sores, can be dismantled with the press of a button.	All can apply
352	Dissecting Electrodes Laparoscopy	Dissecting-Electrode with exchangeable electrode L- tip, autoclavable, ergonomic handling, size 5 mm, length 30 cm, with connector pin for unipolar coagulation	All can apply
353	Dissecting Electrodes Laparoscopy	Dissecting-Electrode with exchangeable electrode L- tip, autoclavable, ergonomic handling, size 3 mm, length 20 - 26 cm, with connector pin for unipolar coagulation	All can apply
354	Injection Needle Laparoscopic	Injection needle, LUER-lock, diameter 1.2 mm, size 5 mm, length 30 cm	All can apply
355	Suction / Irrigation Laproscopic Cannula	simple 2 way up and down suction cannula with Long 30/26cms cm. 3 mm.	All can apply
356	Laparoscopic Needle Holder	Macro needle holder with tungsten carbide insert, dismantling into three parts namely, outer tube, handle and inserts, ergonomic pistol handle, with disengageable ratchet, jaw curved to left, size: 5mm, length: 30cm for use with suture material size: 0/0 to 7/0. Right curved tip. Left curved tip One coaxial.	All can apply
357	Laparoscopic Needle Holder	Macro needle holder with tungsten carbide insert, dismantling into three parts namely, outer tube, handle and inserts, ergonomic pistol handle, with disengageable ratchet, jaw curved to left, size: 3mm, length: 20 - 26cm- for use with suture material size: 0/0 to 7/0. Right curved tip. Left curved tip One coaxial.	All can apply
358	Laparoscopic Bipolar Forceps	Three part laparoscopic Bipolar Coagulating Grasping Forceps with overload tissue protection, Wide jaws, with connector pin for bipolar coagulation, 360 degree rotational sheath, size 5 mm, length 30 – 36 cm, long, single action jaws, ergonomic Plastic handle with larger contact area, O can be dismantled with the press of a button;with Bipolar HF Connecting Cable	All can apply
359	Laparoscopic Bipolar Forceps	Three part laparoscopic Bipolar Coagulating Grasping Forceps with overload tissue protection, Wide jaws, with connector pin for bipolar coagulation, 360 degree rotational sheath, size 3 mm, length 20 - 26 cm, long, single action jaws, ergonomic Plastic handle with larger contact area, O can be dismantled with the press of a button; with Bipolar HF Connecting Cable	All can apply
360	Cannula (Laparoscopic)	Cannula size: 5-5.5 mm diameter ; should have multifunctional valve to prevent damage of sharp instruments and tip lens while passing through the cannula valve. It should have stopcock for CO2 insufflation. Trocar should have pyramidal tip with pin holes near the tip for safety outlet of CO2 gas	All can apply
361	Cannula (Laparoscopic)	Cannula size: 3.5 mm diameter for 3 mm Laparoscopic Instruments ; should have multifunctional valve to prevent damage of sharp instruments and tip lens while passing through the cannula valve. It should have stopcock for CO2 insufflation. Trocar should have pyramidal tip with pin holes near the tip for safety outlet of CO2 gas.	All can apply

362	Laparoscopic Spring Loaded Silo	10 mm	All can apply
363	Laparoscopic Spring Loaded Silo	5mm	All can apply
364	Laparoscopic Myoma Screw/Spiral Myoma Hook		All can apply
365	Laryngeal Mask Airway SIZE 4		All can apply
366	Laryngeal Mask Airway SIZE 2		All can apply
367	Laryngeal Mask Airway SIZE 2.5		All can apply
368	Laryngeal Mask Airway SIZE 3		All can apply
369	Laryngeal Mask Airway SIZE 5		All can apply
370	Laryngeal Keel (Silicon)		Arthrocare ENT, Boston Medical Products, Medtronic
371	Laryngeal Mould (Silicon)		Invotec, Boston Medical Products, Medtronic
372	Long knee brace (large)		All can apply
373	LP needles (18 -G)		All can apply
374	L MOULD		All can apply
375	LEATHER STROP		All can apply
376	Liga Clips (Vascular Clips)	Size 200 1 BOX=36 Cartridges, ,Bidder must have USFDA/European CE certifications.	All can apply
377	Liga Clips (Vascular Clips)	Size 100 1 BOX=36 Cartridges, ,Bidder must have USFDA/European CE certifications.	All can apply
378	Liga Clips (Vascular Clips)	Size 75 1 BOX=36 Cartridges, ,Bidder must have USFDA/European CE certifications.	All can apply
379	Liga Clips (Vascular Clips)	Size 50 1 BOX=36 Cartridges, ,Bidder must have USFDA/European CE certifications.	All can apply
380	Lignocaine without ADR (2%) bottles		All can apply
381	Mackintosh		All can apply
382	Magnetic Needle Counter box/Block needle counter with magnet	Sturdy plastic container keeps track of used disposable surgical sharps during procedure with magnet configurations. Counter separates in half for dual usage in different areas. Safe blade removal feature reduces risk of injury	All can apply
383	Mangeshikar Uterine Manipulator		All can apply

384	Mattress Protector	<p>01. It should be reusable Medical Grade textile material.</p> <p>02. It should have Breathability, Impermeable and spill proof to protect mattress and top surface</p> <p>03. It should be supper soft medical grade textile material with skin friendly feature.</p> <p>04. It should have Antimicrobial, Anti rust, odour free and infection free.</p> <p>05. It should able to fit quickly fit.</p> <p>06. It should be Ultra thin and should have dust mite barrier to avoid allergens to the patients.</p> <p>07. It should have membrane protection quality to provide superior hygiene.</p> <p>08. It should have 4 times absorption depending upon the weight of mattress'</p> <p>09. It should be Washable 100+ times and gives elasticity that allows perfect adaptation of body movements.</p> <p>10. Size - 4 ft x 6 ft approx (Need to be made as per requirement).</p> <p>11. It should atleast Four colours.</p>	All Can Apply
385	MAYO TROLLY COVER	TROLLY COVER MATERIAL:25 MICRON THICK PE HYGIENE FILM STERILE ETO EXPOSED SIZE : 110 X 100 CM	All can apply
386	mersilk 3-0 cutting		
387	Meso needle	30 guage, 4mm length, Stainless steel AISI 304 cannula and polypropilene connection for syringe	
388	Metal Ligation clips(with laparoscopic applier)	Ligation clip for Blood vessels Ligation, made of Titanium, small size,clip applier to be provided free of cost	All can apply
389	Metal Ligation clips(with laparoscopic applier)	Ligation clip for Blood vessels Ligation, made of Titanium, medium size,clip applier to be provided free of cost	All can apply
390	Metal Ligation clips(with laparoscopic applier)	Ligation clip for Blood vessels Ligation, made of Titanium, Large size,clip applier to be provided free of cost	All can apply
391	Metal Ligation clips(with open applier)	Ligation clip for Blood vessels Ligation, made of Titanium, small size,clip applier to be provided free of cost	All can apply
392	Metal Ligation clips(with open applier)	Ligation clip for Blood vessels Ligation, made of Titanium, medium size,clip applier to be provided free of cost	All can apply
393	Metal Ligation clips(with open applier)	Ligation clip for Blood vessels Ligation, made of Titanium, Large size,clip applier to be provided free of cost	All can apply
394	MICROLARYNGEAL TUBE SIZE 5.5		All can apply
395	MICROLARYNGEAL TUBE SIZE 6		All can apply
396	micropore tape 2"		All can apply
397	micropore tape 4"		All can apply
398	Microdebrider Blades	4 mm, 0 Degree	All can apply Compatible with Medtronic machine with the certification from the original company regarding usage warranty
399	Microdebrider Blades	3.5 mm, 0 Degree	
400	Microdebrider Blades	2.9 mm, 0 Degree	
401	Microdebrider Blades	4 mm, 12 Degree	
402	Microdebrider Blades	3.5 mm, 12 Degree	
403	Microdebrider Blades	2.9 mm, 12 Degree	
404	Microdebrider Blades	4 mm, 15 Degree	
405	Microdebrider Blades	3.5 mm, 15 Degree	

406	Microdebrider Blades	2.9 mm, 15 Degree	
407	Microdebrider Blades	4 mm, 40 Degree (Sinus)	
408	Microdebrider Blades	3.5 mm, 40 Degree (Sinus)	
409	Microdebrider Blades	2.9 mm, 40 Degree (Sinus)	
410	Microdebrider Blades	4 mm, 40 Degree adenoid (RAD)	
411	Microdebrider Blades	3.5 mm, 40 Degree adenoid (RAD)	
412	Microdebrider Blades	2.9 mm, 40 Degree adenoid (RAD)	
413	Microdebrider Blades	4 mm, 60 Degree (Sinus)	
414	Microdebrider Blades	3.5 mm, 60 Degree (Sinus)	
415	Microdebrider Blades	2.9 mm, 60 Degree (Sinus)	
416	Microdebrider Blades	4 mm, 120 Degree	
417	Microdebrider Blades	3.5 mm, 120 Degree	
418	Microdebrider Blades	2.9 mm, 120 Degree	
419	Microdebrider Blades	4 mm, 90 Degree	
420	Microdebrider Blades	3.5 mm, 90 Degree	
421	Microdebrider Blades	2.9 mm, 90 Degree	
422	Microdebrider sinus sheathed burr round 4.5, 3.2 and 2.9 mm	4.5 mm, 0 Degree	
423	Microdebrider sinus sheathed burr round 4.5, 3.2 and 2.9 mm	3.2 mm, 0 Degree	
424	Microdebrider sinus sheathed burr round 4.5, 3.2 and 2.9 mm	Assorted all size 2.9 mm, 0 Degree	
425	Microdebrider diamond sheathed burr 5 mm	5 mm, 15 Degree	
426	Microdebrider diamond sheathed burr 5 mm	5 mm, 70 Degree	
427	Microdebrider diamond skull base burr sheathed burr 3.2 mm and 3.0 mm frontal	3.2 mm, 15 Degree	
428	Microdebrider diamond skull base burr sheathed burr 3.2 mm and 3.0 mm frontal	3.0 mm, 15 Degree	
429	Microdebrider diamond skull base burr sheathed burr 3.2 mm and 3.0 mm frontal	3.2 mm, 40 Degree	
430	Microdebrider diamond skull base burr sheathed burr 3.2 mm and 3.0 mm frontal	3.0 mm, 40 Degree	
431	Mini Plates (Titanium)	6 Hole and 2.5 mm Thickness	AO, Stryker, KLS Martin
432	microscope drape for zeiss vario		All can apply
433	miniplates 4 hole 1.5 to 2.0 mm thickness		AO, Stryker, KLS martin

434	miniplates Screws 1.5 mm and 2.0 mm * 6.0 mm and 8.0 mm		AO, Stryker, KLS martin
435	MONOFILAMENT POLYAMIDE STERILISED SURGICAL SUTURES, WITHOUT NEEDLE	Size : 2-0, MONOFILAMENT POLYAMIDE STERILISED SURGICAL SUTURES WITHOUT NEEDLE 2 X 76CM	Johnson & Johnson, B Braun, Covidian, Medtronic, Arthrex
436	MONOFILAMENT POLYAMIDE STERILISED SURGICAL SUTURES WITHOUT NEEDLE	Size : 0, MONOFILAMENT POLYAMIDE STERILISED SURGICAL SUTURES WITHOUT NEEDLE 2 X 76CM	Johnson & Johnson, B Braun, Covidian, Medtronic, Arthrex
437	MONOFILAMENT POLYAMIDE STERILISED SURGICAL SUTURES WITHOUT NEEDLE	Size : 1, MONOFILAMENT POLYAMIDE STERILISED SURGICAL SUTURES WITHOUT NEEDLE 2 X 76CM	Johnson & Johnson, B Braun, Covidian, Medtronic, Arthrex
438	MONOFILAMENT POLYAMIDE STERILISED SURGICAL SUTURES WITHOUT NEEDLE	Size : 2, MONOFILAMENT POLYAMIDE STERILISED SURGICAL SUTURES WITHOUT NEEDLE 2 X 76CM	Johnson & Johnson, B Braun, Covidian, Medtronic, Arthrex
439	Montgomery T tube silicon	All sizes 4 to 14	all CE/USFDA approved companies
440	Mouth Gag		All can apply
441	Mouth Masks		All can apply
442	MRI Integral Tube with Check Valve	1-96" Low Pressure Connector Tube With T-Connector And Check Valve	All can apply
443	MR contrast (Gadolinium) 10 ml		All can apply
444	N 95 mask		All can apply
445	NASAL PRONGS WITH ETCO2		All can apply
446	Nasal splint (Aluminium splint)	All sizes	all can apply
447	Nasopharyngeal Airway(NPA)Size 5.0	Airway with color coded Swivel connector	All can apply
448	Nasopharyngeal Airway(NPA)Size 5.5		
449	Nasopharyngeal Airway(NPA)Size 6.0		
450	Nasopharyngeal Airway(NPA)Size 6.5		
451	Nasopharyngeal Airway(NPA)Size 7.0		
452	Nasopharyngeal Airway(NPA)Size 7.5		

453	Nasopharyngeal Airway(NPA)Size 8.0		
454	NEBULISER MASK WITH TUBING PEDIATRIC		All can apply
455	NEBULISER TUBING		All can apply
456	Needle 16 Gauge		All can apply
457	Needle 18 Gauge		All can apply
458	Negative Pressure Wound Therapy	Small Foam PU Dressing – 7.5 * 10 * 3 cm, 400 – 600 Micron, 1 Adhesive PU Drape, 1 Drainage Tube	All can apply'
459	Negative Pressure Wound Therapy	Medium Foam PU Dressing – 12.5 * 18 * 3 cm., 400-600 Micron, 2 Adhesive PU Drape, 1 Drainage Tube	All can apply'
460	Negative Pressure Wound Therapy	Large Foam PU Dressing – 15 * 26 * 3 cm., 400 – 600 Micron, 3 Adhesive PU Drape, 1 Drainage Tube	All can apply'
461	Negative Pressure Wound Therapy	XL Large Foam PU Dressing – 30 * 60 * 2 cm., 400 – 600 Micron, 4 Adhesive PU Drape, 1 Drainage Tube.	All can apply'
462	Negative Pressure Wound Therapy PVA White Foam	Small 10 * 15 * 1 cm., 200 – 450 Micron.	All can apply'
463	Negative suction chest drainage bottle, system	One bottle	All can apply
464	Negative suction chest drainage bottle, system	Two bottles	All can apply
465	Negative suction chest drainage bottle, system	Three bottles	All can apply
466	Negative suction drain no 12		All can apply
467	Negative suction drain no 14		All can apply
468	Non Absorbable Monofilament Polypropylene Surgical Suture	Size : 3-0, 3/8 Circle Cutting, 22mm, 70cm	Johnson & Johnson, B Braun, Covidian, Medtronic, Arthrex
469	Non Absorbable Monofilament Polypropylene Surgical Suture	Size : 0, 1/2 Circle Taper cut, 25mm, 70cm	Johnson & Johnson, B Braun, Covidian, Medtronic, Arthrex
470	Non Absorbable Monofilament Polypropylene Surgical Suture	Size : 2-0, 1/2 Circle Taper cut, 25mm, 70cm	Johnson & Johnson, B Braun, Covidian, Medtronic, Arthrex
471	Non Absorbable Monofilament Polypropylene Surgical Suture	Size : 3-0, 1/2 Circle R B DA, 25mm, 70cm	Johnson & Johnson, B Braun, Covidian, Medtronic, Arthrex
472	Non Absorbable Monofilament Polypropylene Surgical Suture	Size : 6-0, 3/8 Circle Silim Blade Cutting, 15mm, 70cm	Johnson & Johnson, B

			Braun, Covidian, Medtronic, Arthrex
473	Non Absorbable Monofilament Polypropylene Surgical Suture	Size : 3-0, 1/2 Circle R B, 25mm, 90cm	Johnson & Johnson, B Braun, Covidian, Medtronic, Arthrex
474	Non Absorbable Monofilament Polypropylene Surgical Suture	Size : 6-0, 3/8 Circle R B DA, 13mm, 70cm	Johnson & Johnson, B Braun, Covidian, Medtronic, Arthrex
475	Non Absorbable Monofilament Polypropylene Surgical Suture	Size : 0, 1/2 Circle R B (Heavy), 30mm, 70cm	Johnson & Johnson, B Braun, Covidian, Medtronic, Arthrex
476	Non Absorbable Monofilament Polypropylene Surgical Suture	Size : 4-0, 1/2 Circle Taper cut DA, 17mm, 70cm	Johnson & Johnson, B Braun, Covidian, Medtronic, Arthrex
477	Non Absorbable Monofilament Polypropylene Surgical Suture	Size : 3-0, 1/2 Circle R B, 25mm, 70cm	Johnson & Johnson, B Braun, Covidian, Medtronic, Arthrex
478	Non Absorbable Monofilament Polypropylene Surgical Suture	Size : 1, 1/2 Circle R B (Heavy), 30mm, 70cm	Johnson & Johnson, B Braun, Covidian, Medtronic, Arthrex
479	Non Absorbable Monofilament Polypropylene Surgical Suture	Size : 2-0, 1/2 Circle R B, 30mm, 70cm	Johnson & Johnson, B Braun, Covidian, Medtronic, Arthrex
480	Non Absorbable Monofilament Polypropylene Surgical Suture	Size : 0, 1/2 Circle R B, 30mm, 70cm	Johnson & Johnson, B Braun, Covidian, Medtronic, Arthrex
481	Non Absorbable Monofilament Polypropylene Surgical Suture	Size : 1, 1/2 Circle R B (Heavy), 40mm, 35cm	Johnson & Johnson, B

			Braun, Covidian, Medtronic, Arthrex
482	Non Absorbable Monofilament Polypropylene Surgical Suture	Size : 4-0, 1/2 Circle R B, 16mm, 70cm	Johnson & Johnson, B Braun, Covidian, Medtronic, Arthrex
483	Non Absorbable Monofilament Polypropylene Surgical Suture	Size : 4-0, 1/2 Circle Taper cut DA, 17mm, 90cm	Johnson & Johnson, B Braun, Covidian, Medtronic, Arthrex
484	Non Absorbable Monofilament Polypropylene Surgical Suture	Size : 4-0, 3/8 Circle Cutting, 16mm, 70cm	Johnson & Johnson, B Braun, Covidian, Medtronic, Arthrex
485	Non Absorbable Monofilament Polypropylene Surgical Suture	Size : 6-0, 3/8 Circle R C, 12mm, 45cm	Johnson & Johnson, B Braun, Covidian, Medtronic, Arthrex
486	Non Absorbable Monofilament Polypropylene Surgical Suture	Size : 4-0, 3/8 Circle R C, 12mm, 45cm	Johnson & Johnson, B Braun, Covidian, Medtronic, Arthrex
487	Non Absorbable Monofilament Polypropylene Surgical Suture	Size : 5-0, 3/8 Circle R C, 12mm, 70cm	Johnson & Johnson, B Braun, Covidian, Medtronic, Arthrex
488	Non Absorbable Monofilament Polypropylene Surgical Suture	Size : 5-0, 3/8 Circle R B, 16mm, 70cm	Johnson & Johnson, B Braun, Covidian, Medtronic, Arthrex
489	Non Absorbable Monofilament Polypropylene Surgical Suture	Size : 5-0, 3/8 Circle R B DA, 16mm, 70cm	Johnson & Johnson, B Braun, Covidian, Medtronic, Arthrex
490	Non Absorbable Monofilament Polypropylene Surgical Suture	Size : 1, 1/2 Circle R C Heavy, 45mm, 100cm	Johnson & Johnson, B

			Braun, Covidian, Medtronic, Arthrex
491	Non Absorbable Monofilament Polypropylene Surgical Suture	Size : 3-0, 1/2 Circle R B, 20mm, 70cm	Johnson & Johnson, B Braun, Covidian, Medtronic, Arthrex
492	Non Absorbable Monofilament Polypropylene Surgical Suture	Size : 3-0, StraighTaper cututting, 60mm, 70cm	Johnson & Johnson, B Braun, Covidian, Medtronic, Arthrex
493	Non Absorbable Monofilament Polypropylene Surgical Suture	Size : 0, 1/2 Circle Taper cut Heavy, 30mm, 90cm	Johnson & Johnson, B Braun, Covidian, Medtronic, Arthrex
494	Non Absorbable Monofilament Polypropylene Surgical Suture	Size : 1, 1/2 Circle Taper cut Heavy, 30mm, 100cm	Johnson & Johnson, B Braun, Covidian, Medtronic, Arthrex
495	Non Absorbable Monofilament Polypropylene Surgical Suture	Size : 2-0, 1/2 Circle Taper cut DA, 17mm, 70cm	Johnson & Johnson, B Braun, Covidian, Medtronic, Arthrex
496	Non Absorbable Monofilament Polypropylene Surgical Suture	Size : 2-0, 1/2 Circle RB, 30mm, 75cm	Johnson & Johnson, B Braun, Covidian, Medtronic, Arthrex
497	Non Absorbable Monofilament Polypropylene Surgical Suture	Size : 4-0, 1/2 Circle Taper cut, 17mm, 90cm	Johnson & Johnson, B Braun, Covidian, Medtronic, Arthrex
498	Non Absorbable Monofilament Polypropylene Surgical Suture	Size : 4-0, 3/8 Circle Cutting, 16mm, 70cm	Johnson & Johnson, B Braun, Covidian, Medtronic, Arthrex
499	Non Absorbable Monofilament Polypropylene Surgical Suture	Size : 6-0, 3/8 Circle RC, 12mm, 70cm	Johnson & Johnson, B

			Braun, Covidian, Medtronic, Arthrex
500	Non Absorbable Monofilament Polypropylene Surgical Suture	Size : 5-0, 3/8 Circle RC, 12mm, 90cm	Johnson & Johnson, B Braun, Covidian, Medtronic, Arthrex
501	Non Absorbable Monofilament Polypropylene Surgical Suture	Size : 8-0, 3/8 Circle T P DA, 6mm, 60cm	Johnson & Johnson, B Braun, Covidian, Medtronic, Arthrex
502	Non Absorbable Monofilament Polypropylene Surgical Suture	Size : 8-0, 3/8 Circle T P DA, 6.5mm, 60cm	Johnson & Johnson, B Braun, Covidian, Medtronic, Arthrex
503	Non Absorbable Monofilament Polypropylene Surgical Suture	Size : 8-0, 3/8 Circle T P DA, 8mm, 45cm	Johnson & Johnson, B Braun, Covidian, Medtronic, Arthrex
504	Non Absorbable Monofilament Polypropylene Surgical Suture	Size : 8-0, 3/8 Circle T P DA, 8mm, 60cm	Johnson & Johnson, B Braun, Covidian, Medtronic, Arthrex
505	Non Absorbable Monofilament Polypropylene Surgical Suture	Size : 8-0, 3/8 Circle T P DA, 8mm, 75cm	Johnson & Johnson, B Braun, Covidian, Medtronic, Arthrex
506	Non Absorbable Monofilament Polypropylene Surgical Suture	Size : 8-0, 3/8 Circle Antiglare T P DA, 8mm, 60cm	Johnson & Johnson, B Braun, Covidian, Medtronic, Arthrex
507	Non Absorbable Monofilament Polypropylene Surgical Suture	Size : 8-0, 3/8 Circle T P DA, 9mm, 60cm	Johnson & Johnson, B Braun, Covidian, Medtronic, Arthrex
508	Non Absorbable Monofilament Polypropylene Surgical Suture	Size : 7-0, 3/8 Circle T P DA, 6mm, 60cm	Johnson & Johnson, B

			Braun, Covidian, Medtronic, Arthrex
509	Non Absorbable Monofilament Polypropylene Surgical Suture	Size : 7-0, 3/8 Circle T P DA, 8mm, 60cm	Johnson & Johnson, B Braun, Covidian, Medtronic, Arthrex
510	Non Absorbable Monofilament Polypropylene Surgical Suture	Size : 7-0, 3/8 Circle T P DA, 9.3mm, 75cm	Johnson & Johnson, B Braun, Covidian, Medtronic, Arthrex
511	Non Absorbable Monofilament Polypropylene Surgical Suture	Size : 7-0, 3/8 Circle Antiglare/ Visi Black T P DA, 9mm, 60cm	Johnson & Johnson, B Braun, Covidian, Medtronic, Arthrex
512	Non Absorbable Monofilament Polypropylene Surgical Suture	Size : 7-0, 3/8 Circle T P DA, 9.3mm, 60cm	Johnson & Johnson, B Braun, Covidian, Medtronic, Arthrex
513	Non Absorbable Monofilament Polypropylene Surgical Suture	Size : 6-0, 3/8 Circle T P DA, 9mm, 45cm	Johnson & Johnson, B Braun, Covidian, Medtronic, Arthrex
514	Non Absorbable Monofilament Polypropylene Surgical Suture	Size : 6-0, 3/8 Circle T P DA, 13mm, 75cm	Johnson & Johnson, B Braun, Covidian, Medtronic, Arthrex
515	Non Absorbable Monofilament Polypropylene Surgical Suture	Size : 6-0, 3/8 Circle T P DA, 13mm, 45cm	Johnson & Johnson, B Braun, Covidian, Medtronic, Arthrex
516	Non Absorbable Monofilament Polypropylene Surgical Suture	Size : 6-0, 3/8 Circle Antiglare T P DA, 13mm, 60cm	Johnson & Johnson, B Braun, Covidian, Medtronic, Arthrex
517	Non Absorbable Monofilament Polypropylene Surgical Suture	Size : 6-0, 3/8 Circle Antiglare T P DA, 13mm, 75cm	Johnson & Johnson, B

			Braun, Covidian, Medtronic, Arthrex
518	Non Absorbable Monofilament Polypropylene Surgical Suture	Size : 6-0, 1/2 Circle T P DA, 13mm, 90cm	Johnson & Johnson, B Braun, Covidian, Medtronic, Arthrex
519	Non Absorbable Monofilament Polypropylene Surgical Suture	Size : 5-0, 1/2 Circle T P DA, 13mm, 75cm	Johnson & Johnson, B Braun, Covidian, Medtronic, Arthrex
520	Non Absorbable Monofilament Polypropylene Surgical Suture	Size : 5-0, 1/2 Circle T P DA, 13mm, 45cm	Johnson & Johnson, B Braun, Covidian, Medtronic, Arthrex
521	Non Absorbable Monofilament Polypropylene Surgical Suture	Size : 5-0, 1/2 Circle T P DA, 13mm, 60cm	Johnson & Johnson, B Braun, Covidian, Medtronic, Arthrex
522	Non Absorbable Monofilament Polypropylene Surgical Suture	Size : 5-0, 3/8 Circle Antiglare T P DA, 13mm, 60cm	Johnson & Johnson, B Braun, Covidian, Medtronic, Arthrex
523	Non Absorbable Monofilament Polypropylene Surgical Suture	Size : 5-0, 1/2 Circle T P DA (Pledget 3mm x 3mm x 1.5mm), 3mm,75cm	Johnson & Johnson, B Braun, Covidian, Medtronic, Arthrex
524	Non Absorbable Monofilament Polypropylene Surgical Suture	Size : 5-0, 1/2 Circle T P DA, 16mm, 90cm	Johnson & Johnson, B Braun, Covidian, Medtronic, Arthrex
525	Non Absorbable Monofilament Polypropylene Surgical Suture	Size : 4-0, 1/2 Circle T P DA, 13mm, 60cm	Johnson & Johnson, B Braun, Covidian, Medtronic, Arthrex
526	Non Absorbable Monofilament Polypropylene Surgical Suture	Size : 4-0, 1/2 Circle T P DA (Pledget 3mm x 3mm x 1.5mm), 13mm,60cm	Johnson & Johnson, B

			Braun, Covidian, Medtronic, Arthrex
527	Non Absorbable Monofilament Polypropylene Surgical Suture	Size : 4-0, 1/2 Circle T P DA, 16mm, 90cm	Johnson & Johnson, B Braun, Covidian, Medtronic, Arthrex
528	Non Absorbable Monofilament Polypropylene Surgical Suture	Size : 4-0, 1/2 Circle T P DA, 17 mm, 90cm	Johnson & Johnson, B Braun, Covidian, Medtronic, Arthrex
529	Non Absorbable Monofilament Polypropylene Surgical Suture	Size : 4-0, 1/2 Circle Taper cut (Pledget 3mm x 3mm x 1.5mm), 17 mm,90cm	Johnson & Johnson, B Braun, Covidian, Medtronic, Arthrex
530	Non Absorbable Monofilament Polypropylene Surgical Suture	Size : 4-0, 1/2 Circle T P DA, 26mm, 90cm	Johnson & Johnson, B Braun, Covidian, Medtronic, Arthrex
531	Non Absorbable Monofilament Polypropylene Surgical Suture	Size : 3-0, 1/2 Circle T P DA, 17 mm, 90cm	Johnson & Johnson, B Braun, Covidian, Medtronic, Arthrex
532	Non Absorbable Monofilament Polypropylene Surgical Suture	Size : 3-0, 1/2 Circle T P, 26mm, 75cm	Johnson & Johnson, B Braun, Covidian, Medtronic, Arthrex
533	Non Absorbable Monofilament Polypropylene Surgical Suture	Size : 3-0, 1/2 Circle Taper cut D A, 26mm, 90cm	Johnson & Johnson, B Braun, Covidian, Medtronic, Arthrex
534	Non Absorbable Monofilament Polypropylene Surgical Suture	Size : 2-0, 1/2 Circle Taper cut D A, 26mm, 90cm	Johnson & Johnson, B Braun, Covidian, Medtronic, Arthrex
535	Non Absorbable Monofilament Polypropylene Surgical Suture	Size : 2-0, 1/2 Circle T P D A, 30mm, 90cm	Johnson & Johnson, B

			Braun, Covidian, Medtronic, Arthrex
536	Non Absorbable Surgical Sutures Polybutylated Coated Polyester	Size : Green 2, 1/2 Circle Taper cut Heavy, 45mm, 100cm	Johnson & Johnson, B Braun, Covidian, Medtronic, Arthrex
537	Non Absorbable Surgical Sutures Polybutylated Coated Polyester	Size : Green 5, 1/2 Circle T B Heavy, 55mm, 100cm	Johnson & Johnson, B Braun, Covidian, Medtronic, Arthrex
538	Non Absorbable Monofilament Polyamide Surgical Sutures	Size : 2-0, 1/2 Circle R C, 36mm, 75cm	Johnson & Johnson, B Braun, Covidian, Medtronic, Arthrex
539	Non Absorbable Monofilament Polyamide Surgical Sutures	Size : 1, 1/2 Circle R C, 38mm, 75cm	Johnson & Johnson, B Braun, Covidian, Medtronic, Arthrex
540	Non Absorbable Monofilament Polyamide Surgical Sutures	Size : 5-0, 3/8 Circle R C, 16mm, 70cm	Johnson & Johnson, B Braun, Covidian, Medtronic, Arthrex
541	Non Absorbable Monofilament Polyamide Surgical Sutures	Size : 4-0, 3/8 Circle Cutting, 16mm, 70cm	Johnson & Johnson, B Braun, Covidian, Medtronic, Arthrex
542	Non Absorbable Monofilament Polyamide Surgical Sutures	Size : 3-0, 3/8 Circle Cutting, 26mm, 70cm	Johnson & Johnson, B Braun, Covidian, Medtronic, Arthrex
543	Non Absorbable Monofilament Polyamide Surgical Sutures	Size : 8-0, 3/8 Circle RB micro point, 6mm, 38cm	Johnson & Johnson, B Braun, Covidian, Medtronic, Arthrex
544	Non Absorbable Monofilament Polyamide Surgical Sutures	Size : 3-0, 3/8 Circle R C, 26mm, 70cm	Johnson & Johnson, B

			Braun, Covidian, Medtronic, Arthrex
545	Non Absorbable Monofilament Polyamide Surgical Sutures	Size : 9-0, 3/8 Circle RB micro point, 6mm, 38cm	Johnson & Johnson, B Braun, Covidian, Medtronic, Arthrex
546	Non Absorbable Monofilament Polyamide Surgical Sutures	Size : 10-0, 3/8 Circle RB micro point, 6mm, 30cm	Johnson & Johnson, B Braun, Covidian, Medtronic, Arthrex
547	Non Absorbable Monofilament Polyamide Surgical Sutures	Size : 6-0, 3/8 Circle Cutting, 10mm, 70cm	Johnson & Johnson, B Braun, Covidian, Medtronic, Arthrex
548	Non Absorbable Monofilament Polyamide Surgical Sutures	Size : 2-0, 3/8 Circle R C, 45mm, 70cm	Johnson & Johnson, B Braun, Covidian, Medtronic, Arthrex
549	Non Absorbable Monofilament Polyamide Surgical Sutures	Size : 2-0, 3/8 Circle R C, 45mm, 110cm	Johnson & Johnson, B Braun, Covidian, Medtronic, Arthrex
550	Non Absorbable Monofilament Polyamide Surgical Sutures	Size : 1, 1/2 Circle R C Heavy, 45mm, 100cm	Johnson & Johnson, B Braun, Covidian, Medtronic, Arthrex
551	Non Absorbable Monofilament Polyamide Surgical Sutures	Size : 0 (Loop), 1/2 Circle R B, 40mm, 150cm	Johnson & Johnson, B Braun, Covidian, Medtronic, Arthrex
552	Non Absorbable Monofilament Polyamide Surgical Sutures	Size : 0, 1/2 Circle R B Heavy, 40mm, 100cm	Johnson & Johnson, B Braun, Covidian, Medtronic, Arthrex
553	Non Absorbable Monofilament Polyamide Surgical Sutures	Size : 1, 1/2 Circle R B Heavy, 40mm, 100cm	Johnson & Johnson, B

			Braun, Covidian, Medtronic, Arthrex
554	Non Absorable Monofilament Polyamide Surgical Sutures	Size : 3-0, StraighTaper cututting, 60 mm, 70 cm	Johnson & Johnson, B Braun, Covidian, Medtronic, Arthrex
555	Non Absorable Monofilament Polyamide Surgical Sutures	Size : 0, StraighTaper cututting, 60 mm, 70 cm	Johnson & Johnson, B Braun, Covidian, Medtronic, Arthrex
556	Non Absorable Monofilament Polyamide Surgical Sutures	Size : 2-0, StraighTaper cututting, 60 mm, 70 cm	Johnson & Johnson, B Braun, Covidian, Medtronic, Arthrex
557	Non Absorable Monofilament Polyamide Surgical Sutures	Size : 4-0, 3/8 Circle Cutting, 16mm, 35cm	Johnson & Johnson, B Braun, Covidian, Medtronic, Arthrex
558	NON STERILE BLACK BRAIDED SILK	Size : 2, NON STERILE BLACK BRAIDED SILK (6 REELS X 25 METERS),25 Mtr	Johnson & Johnson, B Braun, Covidian, Medtronic, Arthrex
559	NON STERILE BLACK BRAIDED SILK	25 Mtr Size : 0, NON STERILE BLACK BRAIDED SILK (6 REELS X 25 METERS),	Johnson & Johnson, B Braun, Covidian, Medtronic, Arthrex
560	NON STERILE BLACK BRAIDED SILK	Size : 1, NON STERILE BLACK BRAIDED SILK (6 REELS X 25 METERS),25 Mtr	Johnson & Johnson, B Braun, Covidian, Medtronic, Arthrex
561	NON STERILE BLACK BRAIDED SILK	Size : 3-0, NON STERILE BLACK BRAIDED SILK (6 REELS X 25 METER),25 Mtr	Johnson & Johnson, B Braun, Covidian, Medtronic, Arthrex
562	NON STERILE BLACK BRAIDED SILK	Size : 2-0, NON STERILE BLACK BRAIDED SILK (6 REELS X 25 METER),25 Mtr	Johnson & Johnson, B

			Braun, Covidian, Medtronic, Arthrex
563	Non Absorbable Black Braided Silk Surgical Suture	Size : 4-0, 3/8 Circle Cutting, 16mm, 76cm	Johnson & Johnson, B Braun, Covidian, Medtronic, Arthrex
564	Non Absorbable Black Braided Silk Surgical Suture	Size : 3-0, 3/8 Circle Cutting, 16mm, 76cm	Johnson & Johnson, B Braun, Covidian, Medtronic, Arthrex
565	Non Absorbable Black Braided Silk Surgical Suture	Size : 2-0, 1/2 Circle R C, 36mm, 75cm	Johnson & Johnson, B Braun, Covidian, Medtronic, Arthrex
566	Non Absorbable Black Braided Silk Surgical Suture	Size : 1, 1/2 Circle R C, 45mm, 75cm	Johnson & Johnson, B Braun, Covidian, Medtronic, Arthrex
567	Non Absorbable Black Braided Silk Surgical Suture	Size : 0, 3/8 Circle R B, 30mm, 76cm	Johnson & Johnson, B Braun, Covidian, Medtronic, Arthrex
568	Non Absorbable Black Braided Silk Surgical Suture	Size : 3-0, 3/8 Circle R C, 26mm, 76cm	Johnson & Johnson, B Braun, Covidian, Medtronic, Arthrex
569	Non Absorbable Black Braided Silk Surgical Suture	Size : 6-0, 3/8 Circle R B, 13mm, 76cm	Johnson & Johnson, B Braun, Covidian, Medtronic, Arthrex
570	Non Absorbable Black Braided Silk Surgical Suture	Size : 2-0, 3/8 Circle R C, 45mm, 76cm	Johnson & Johnson, B Braun, Covidian, Medtronic, Arthrex
571	Non Absorbable Black Braided Silk Surgical Suture	Size : 0, 3/8 Circle R C, 45mm, 76cm	Johnson & Johnson, B

			Braun, Covidian, Medtronic, Arthrex
572	Non Absorbable Black Braided Silk Surgical Suture	Size : 4-0, 1/2 Circle R B, 16mm, 76cm	Johnson & Johnson, B Braun, Covidian, Medtronic, Arthrex
573	Non Absorbable Black Braided Silk Surgical Suture	Size : 2-0, 1/2 Circle R C, 50mm, 76cm	Johnson & Johnson, B Braun, Covidian, Medtronic, Arthrex
574	Non Absorbable Black Braided Silk Surgical Suture	Size : 4-0, 1/2 Circle R B, 20mm, 76cm	Johnson & Johnson, B Braun, Covidian, Medtronic, Arthrex
575	Non Absorbable Black Braided Silk Surgical Suture	Size : 5-0, 3/8 Circle R B, 20mm, 76cm	Johnson & Johnson, B Braun, Covidian, Medtronic, Arthrex
576	Non Absorbable Black Braided Silk Surgical Suture	Size : 2-0, StraighTaper cututting, 60mm, 76cm	Johnson & Johnson, B Braun, Covidian, Medtronic, Arthrex
577	Non Absorbable Black Braided Silk Surgical Suture	Size : 2-0, 1/2 Circle R B, 30mm, 76cm	Johnson & Johnson, B Braun, Covidian, Medtronic, Arthrex
578	Non Absorbable Black Braided Silk Surgical Suture	Size : 2-0, 1/2 Circle R B, 30mm, 76cm	Johnson & Johnson, B Braun, Covidian, Medtronic, Arthrex
579	Non Absorbable Black Braided Silk Surgical Suture	Size : 0, 1/2 Circle R B, 30mm, 76cm	Johnson & Johnson, B Braun, Covidian, Medtronic, Arthrex
580	Non Absorbable Black Braided Silk Surgical Suture	Size : 2-0, 1/2 Circle Taper cut, 17mm, 76cm	Johnson & Johnson, B

			Braun, Covidian, Medtronic, Arthrex
581	Non Absorbable Black Braided Silk Surgical Suture	Size : 2-0, 1/2 Circle Taper cut, 25mm, 76cm	Johnson & Johnson, B Braun, Covidian, Medtronic, Arthrex
582	Nokar needle		All can apply
583	Nylon 10-0		All can apply
584	Neubauer chamber		All can apply
585	O2 CYLINDER FLOW METER		All can apply
586	Operating Microscope DRAPE (Trvato/Vario 900 & Leica OH 6)	OPERATING MICROSCOPE DRAPE WITH Three PAIR LENS COVER STERILE : EO ETO EXPOSED SIZE : 100 X 160CM	All can apply
587	OT Caps (Packet of 100 caps)		All can apply
588	Paraffin Gauze dressing medicated (Tulle Gras Paraffin Gauz dressing with Leano weave technology & broad spectrum activity 0.5%, effective against broad spectrum of Gram positive and Gram negative bacteria)	10cm x 30cm	All can apply
		15cm x 1m Roll	All can apply
		10 cm x 10 cm	All can apply
589	Paraffin Gauze dressing (Tulle Gras Paraffin Gauz dressing with Leano weave technology)	10cm x 10cm Tins	All can apply
		15cm X2m Roll	All can apply
590	PCN Dilator Set	6 Fr – 18 Fr	All can apply, must have European CE four digit genuine CE certified/USFDA approved
591	PCNL radiopaque dilator set	6 fr to 30 fr with 2 fr increments (amplatz type) with cobra catheter	all can apply, should have European 4 digit notification/ FDA approved
592	PCNL puncture needle 2 piece	16 cm , 18 G needle , diamond tip	All can apply, must have European CE four digit genuine CE certified/USFDA approved
593	PCN puncture needle	18G, 10 cm long bevelled tip	All can apply, must have European CE four digit genuine CE

			certified/USFDA approved
594	PCN puncture needle	18G, 11 cm long bevelled tip	All can apply, must have European CE four digit genuine CE certified/USFDA approved
595	PCN puncture needle	18G, 12 cm long bevelled tip	All can apply, must have European CE four digit genuine CE certified/USFDA approved
596	PCNL ALLIGATOR FORCEP	10 AND 12 FR, BOTH jaw opens	All can apply
597	Petrie plate (small, medium, large) each		All can apply
598	Percutaneous Set 7.0		All can apply
599	Percutaneous Set 7.5		All can apply
600	Percutaneous Set 8		All can apply
601	Philadelphia collar		All can apply
602	Pipelle's Endometrial suction curette	3.1 mm outer diameter With internal piston Disposable & sterilely packed Made of medical grade, latex free polypropelene plastic	BD, Cook, Vygon, Bard
603	Polydioxone thread MONO 25G	single PDO filament which are smooth and made without barbs, biodegradable, non toxic, non pyrogenic thread	All can apply
604	Polydioxone thread MONO 27G	single PDO filament which are smooth and made without barbs, biodegradable, non toxic, non pyrogenic thread	All can apply
605	Polydioxone thread MONO 29G	single PDO filament which are smooth and made without barbs, biodegradable, non toxic, non pyrogenic thread of needle length 30mm	All can apply
606	Polydioxone thread MONO 29G	single PDO filament which are smooth and made without barbs, biodegradable, non toxic, non pyrogenic thread of needle length 50mm	All can apply
607	Polydioxone thread MONO 29G	single PDO filament which are smooth and made without barbs, biodegradable, non toxic, non pyrogenic thread of needle length 40mm	All can apply
608	Polydioxone thread MONO 30G	single PDO filament which are smooth and made without barbs, biodegradable, non toxic, non pyrogenic thread of needle length 30mm	All can apply
609	Polydioxone thread MONO 30G	single PDO filament which are smooth and made without barbs, biodegradable, non toxic, non pyrogenic thread of needle length 40mm	All can apply
610	Polydioxone thread COG 19G	single PDO filament which are smooth and made with barbs, biodegradable, non toxic, non pyrogenic thread	All can apply
611	Polydioxone thread COG 21G	single PDO filament which are smooth and made with barbs, biodegradable, non toxic, non pyrogenic thread of needle length 90mm	All can apply

612	Polydioxone thread COG 21G	single PDO filament which are smooth and made with barbs, biodegradable, non toxic, non pyrogenic thread of needle length 60mm	All can apply
613	Polydioxone thread SCREW 25G	screwed single or pair OF PDO filaments which are smooth and made without barbs, biodegradable, non toxic, non pyrogenic thread of needle length 60mm	All can apply
614	Polydioxone thread SCREW 27G	screwed single or pair OF PDO filaments which are smooth and made without barbs, biodegradable, non toxic, non pyrogenic thread of needle length 40mm	All can apply
615	Polydioxone thread SCREW 29G	screwed single or pair OF PDO filaments which are smooth and made without barbs, biodegradable, non toxic, non pyrogenic thread of needle length 30mm	All can apply
616	Polydioxone thread SCREW 29G	screwed single or pair OF PDO filaments which are smooth and made without barbs, biodegradable, non toxic, non pyrogenic thread of needle length 40mm	All can apply
617	Polydioxone thread SCREW 29G	screwed single or pair OF PDO filaments which are smooth and made without barbs, biodegradable, non toxic, non pyrogenic thread of needle length 50mm	All can apply
618	Polydioxone thread SCREW 30G	screwed single or pair OF PDO filaments which are smooth and made without barbs, biodegradable, non toxic, non pyrogenic thread of needle length 30mm	All can apply
619	Polydioxone thread SCREW 30G	screwed single or pair OF PDO filaments which are smooth and made without barbs, biodegradable, non toxic, non pyrogenic thread of needle length 40mm	All can apply
620	Polydioxone thread Cog Double Loc 23G	single PDO filament which are smooth and made with barbs, biodegradable, non toxic, non pyrogenic thread	All can apply
621	Polydioxone thread Cog Double Loc 25G	single PDO filament which are smooth and made with barbs, biodegradable, non toxic, non pyrogenic thread	All can apply
622	Polymer Ligation clips(with laparoscopic applier)	Ligation clip for Locking system for Blood vessels , made of radiolucent, non absorable,non conducting polymer Large size,clip applier to be provided free of cost	All can apply
623	Polypropylene Mesh	20 x 30 cm, Bidder must have European CE fourdigit genuine CE certified/USFDA approved	All can apply
624	Polypropylene Mesh	30 x 30 cm, Bidder must have European CE four digit genuine CE certified/USFDA approved	All can apply
625	POP Bandage	3 Inches, POP Powder 60 to 100% by weight, on woven gauze (1 to 10% by weight) and ISO 13485 certified.	All can apply
626	POP Bandage	4 Inches, POP Powder 60 to 100% by weight, on woven gauze (1 to 10% by weight) and ISO 13485 certified.	All can apply
627	POP Bandage	6 Inches, POP Powder 60 to 100% by weight, on woven gauze (1 to 10% by weight) and ISO 13485 certified.	All can apply
628	Post op film dressing 10 x 20 cm		All can apply
629	Post op film dressing 10 x 30 cm		All can apply

630	Powdered sterile surgical govles 6.5		All can apply
631	Powdered sterile surgical govles 7		All can apply
632	Powdered sterile surgical govles 7.5		All can apply
633	Powdered sterile surgical govles 8		All can apply
634	PPE kits		All can apply
635	Pressure injector Syringe	190 ml	All can apply
636	Pressure bags		All can apply
637	PRESSURE MONITORING LINE M -M 200 CMS		All can apply
638	PRESSURE MONITORING LINE M-F 200 CMS		All can apply
639	Pressure Ulcer dressing- Sacrum Shape silicon adhesive hydrocellular dressing (Silicone Gel Adhesive Hydrocellular Foam Dressing Sacrum consist of Triple layered structure consisting of Breathable polyurethane top film. USFDA/CE Approved)	16.8cm x 17.1cm	All Can Apply
		21.6cm x 23cm	
		18 x 18 cm	
		23 x 23 cm	
640	Pressure ulcer Dressing -Multipurpose Silicone Gel Adhesive Hydrocellular Foam Dressing (Silicone Gel Adhesive Hydrocellular Foam Dressing butterfly shape consist of Triple layered structure consisting of Breathable polyurethane top film, USFDA/ CE approved)	23 x 23.2 cm	All Can Apply
641	PLASTER RUBBER APRON		All can apply
642	5-0 Prolene double needle		All can apply
643	7-0 Prolene double needle		All can apply
644	9-0 Prolene		All can apply
645	QUINCKE SPINAL NEEDLE 23 G		All can apply
646	QUINCKE SPINAL NEEDLE 25 G		All can apply
647	QUINCKE SPINAL NEEDLE 26 G		All can apply
648	RAE TUBE NORTH POLE SIZE 6		All can apply
649	RAE TUBE NORTH POLE SIZE 6.5		All can apply

650	RAE TUBE SOUTH POLE SIZE 5		All can apply
651	RAE TUBE SOUTH POLE SIZE 5.5		All can apply
652	RAE TUBE SOUTH POLE SIZE 6		All can apply
653	RAE TUBE SOUTH POLE SIZE 6.5		All can apply
654	Reducers with working length more than 8 cm metallic laproscopic ports of 5 and 10mm	for laparoscopic ports	All can apply with European CE four digit genuine CE certified/USFDA approved,
655	Red Rubber Catheter		All can apply
656	Red Top vacutainers		All can apply
657	Reinforced Skin closure strips (Non-invasive skin closure strips with sterile, breathable, non-woven rayon backed microporous material reinforced with filaments for high tensile strength, all size Quote separately)	25mm x 125mm	All can apply
		12mm x 50mm	All can apply
		12mm x 100mm	All can apply
		6mm x 38mm	All can apply
		6mm x 75mm	All can apply
		6mm x 100mm	All can apply
		3mm x 75mm	All can apply
658	ROM Hinged knee brace, long (large)		All can apply
659	RYLE TUBE 14 G		All can apply
660	RYLE TUBE 16 G		All can apply
661	Ryles tube 10		All can apply
662	Ryles tube 12		All can apply
663	Ryles tube 6		All can apply
664	Ryles tube 8		All can apply
665	Safety goggles		All can apply
666	Sahli's apparatus		All can apply
667	Sanitary Pad	Size: XL	All can apply
		Size: XXL	
		Size: Medium	
		Size: Large	
668	Sanitisers		
669	Scalp vein cannula		
670	Secufix uterine manipulator	silicon cup, to be fixed with secufix uterine manipulator	All can apply
671	Silicone thyroplasty implants		All CE/FDA approved companies
672	Silicone tracheal stents	plain and with supported	all CE/USFDA approved companies
673	Self-Adhesive Absorbent Surgical Dressing with Self- adhesive absorbent	6cmx8cm	All can apply
		9cmx10cm	
		10cmx15cm	

	surgical dressing with soft silicone adhesive wound contact layer designed for exuding wounds with polyurethane foam as backing material water proof, bacterial proof, viral proof. Wound Pad absorption layer made up of Polycrylate fibres & Polyester fibres with high exudate absorption & retention capacity. Wound Pad comes with Flex Cut technology for high dressing flexibility that support early patient surgical site mobility post surgery. Wound pad Acquisition & spreading layer made up of Polyethylene/Polypropylene fibres. A protective release liner made up of Polyethylene film.	10cmx20cm, 10cmx25cm 10cmx30cm 10cmx35cm	
674	Shanz Pin (cortical & cancellous) 1.5		All can apply
675	Shanz Pin (cortical & cancellous) 2.5		All can apply
676	Shanz Pin (cortical & cancellous) 3.5		All can apply
677	Shanz Pin (cortical & cancellous) 4.5		All can apply
678	Shanz Pin (cortical & cancellous) 5.5		All can apply
679	Shoe Cover		All can apply
680	Shoulder immobilizer, consisting of a sling around neck and arm and a separate strap around chest (large)		All can apply
681	SIMPLE COTTON ROLL(500MG)		All can apply
682	Silicone Balloon HSG Catheter		All can apply
683	skimmer blades 2.9 mm for larynx 13 cm	15 degree	All can apply (compatible with Saber Drill Stryker with Core Console)
684	skimmer blades 2.9 mm for larynx 18 cm	15 degree	All can apply (compatible with Saber Drill Stryker with Core Console)
685	skimmer blades 2.9 mm for larynx 22 cm	15 degree	All can apply (compatible with

			Saber Drill Stryker with Core Console)
686	skimmer blades 2.9 mm for larynx 27 cm	15 degree	All can apply (compatible with Saber Drill Stryker with Core Console)
687	Skin Incision Marker	It should be non-toxic, non-smearing with non-irritating	All can apply
688	Skin Stapler	1 Box = 5/6 Pieces, Bidder must have USFDA/European CE / ISO 13485 Certifications. Quote rate for single stapler	All can apply
689	Slide racks		All can apply
690	Slide tray		All can apply
691	Spirit lamp		All can apply
692	Sodium fluoride vacutainers (Grey Top)		All can apply
693	SOFT COTTON ROLL 4 INCH		All can apply
694	SOFT COTTON ROLL 6 INCH		All can apply
695	SPOT ROUND BANDAGES		All can apply
696	Spinal Needle 20 Gauge		All can apply
697	Steinmann Pin 4.5 mm		All can apply
698	Steinmann Pin 6.5 mm		All can apply
699	Steri-Drape Medium Drape Sheet	Size -size 183cm x 183cm with Adhesive liner High barrier reinforced laminate of polypropylene nonwoven and a polyethylene film across the entire drape material. It should be low-linting, non-breathable with an adhesive area, Containing hypoallergenic acrylate type adhesive covered with a silicone coated paper liner and should also comply with the requirements of ISO 13485:2003 and ISO 9001:2008. It Should be EPD Certified	All can apply
700	Steri-Drape Adhesive Drape	Size-size 91.5cm x 100cm with adhesive liner pack of Two Sheet in 1 Sterile pack High barrier reinforced laminate of polypropylene nonwoven and a polyethylene film across the entire drape material. It should be low-linting, non-breathable with an adhesive area, Containing hypoallergenic acrylate type adhesive covered with a silicone coated paper liner and should also comply with the requirements of ISO 13485:2003 and ISO 9001:2008. It Should be EPD Certified	All can apply
701	Sterile Syringes with needles (10 ml)		All can apply
702	Sterile Syringes with needles (20 ml)		All can apply
703	Sterile Syringes with needles (2ml)		All can apply
704	Sterile Syringes with needles (5ml)		All can apply
705	STOPWATCH		All can apply
706	STOCKINETTE 3 INCH		All can apply
707	STOCKINETTE 5 INCH		All can apply

708	Suction cannula 10 fr		All can apply
709	Suction cannula 12 fr		All can apply
710	Suction cannula 6fr		All can apply
711	Suction cannula 8fr		All can apply
712	Suction catheter	Size: 6 Fr.	All can apply
713	Suction catheter	Size: 8 Fr.	All can apply
714	Suction catheter	Size: 10 Fr.	All can apply
715	Suction catheter	Size: 12 Fr.	All can apply
716	Suction catheter	Size: 14 Fr.	All can apply
717	Suction catheter	Size: 16 Fr.	All can apply
718	Suction catheter	Size: 18 Fr.	All can apply
719	Suction tube set		All can apply
720	SUPER PROTECTION DOUBLE PAIR GLOVES LATEX SURGICAL STERILE POWDERFREE	Material : Natural Rubber Latex Colour : Coloured (Inner Glove) & White (Outer Glove) Design : Hand Specific, Micro rough textured, Beaded Cuff Powder Content : 2mg max per one piece of gloves Extractable Protein Level : < 50 micro gram/dm ² . Sterilization : Ethylene Oxide / Gamma irradiated as per customer requirement Labeling : Shall comply with the corresponding labeling specification and customer requirement. Shelf Life : 3 years from the date of manufacture. Storage condition : Shall be stored in cool dry place and away from direct light.	All can apply
721	Surgical Blade	Size: 10	All can apply
		Size: 11	All can apply
		Size: 12	All can apply
		Size: 15	All can apply
		Size: 22	All can apply
		Size: 23	All can apply
		Size: 24	All can apply
722	Surgical Cap		All can apply
723	Surgical spirit (100 ml)		All can apply
724	Sythenic Absorbable Coated Polyglactin 910 Suture	Size : 0, 1/2 Circle R B, 40mm, 90cm	Johnson & Johnson, B Braun, Covidian, Medtronic, Arthrex
725	Sythenic Absorbable Coated Polyglactin 910 Suture	Size : 1, 1/2 Circle R B Heavy, 40mm, 90cm	Johnson & Johnson, B Braun, Covidian, Medtronic, Arthrex
726	Sythenic Absorbable Coated Polyglactin 910 Suture	Size : 2-0, 1/2 Circle R B, 40mm, 90cm	Johnson & Johnson, B Braun, Covidian,

			Medtronic, Arthrex
727	Sythenic Absorbable Coated Polyglactin 910 Suture	Size : 3-0, 1/2 Circle R B, 20mm, 70cm	Johnson & Johnson, B Braun, Covidian, Medtronic, Arthrex
728	Sythenic Absorbable Coated Polyglactin 910 Suture	Size : 1, 1/2 Circle R C. OS Needle, 40mm, 90cm	Johnson & Johnson, B Braun, Covidian, Medtronic, Arthrex
729	Sythenic Absorbable Coated Polyglactin 910 Suture	Size : 0, 1/2 Circle R C, OS Needle, 36mm, 90cm	Johnson & Johnson, B Braun, Covidian, Medtronic, Arthrex
730	Sythenic Absorbable Coated Polyglactin 910 Suture	Size : 2-0, 1/2 Circle R C 40mm, 90cm	Johnson & Johnson, B Braun, Covidian, Medtronic, Arthrex
731	Sythenic Absorbable Coated Polyglactin 910 Suture	Size : 3-0, 1/2 Circle R C 40mm, 90cm	Johnson & Johnson, B Braun, Covidian, Medtronic, Arthrex
732	Sythenic Absorbable Coated Polyglactin 910 Suture	Size : 4-0, 3 /8 Circle RC, 16mm, 70cm	Johnson & Johnson, B Braun, Covidian, Medtronic, Arthrex
733	Synthetic Absorbable Monofilament Polydioxanone Surgical Suture	Size : 2-0, 1/2 Circle R B, 30mm, 70cm	Johnson & Johnson, B Braun, Covidian, Medtronic, Arthrex
734	Synthetic Absorbable Monofilament Polydioxanone Surgical Suture	Size : 3-0, 1/2 Circle R B, 30mm, 70cm	Johnson & Johnson, B Braun, Covidian, Medtronic, Arthrex
735	Synthetic Absorbable Monofilament Polydioxanone Surgical Suture	Size : 1-0, 1/2 Circle R B, 30mm, 70cm	Johnson & Johnson, B Braun, Covidian,

			Medtronic, Arthrex
736	Synthetic Absorbable Monofilament Polydioxanone Surgical Suture	Size : 1, 1/2 Circle R B, 45mm, 90cm	Johnson & Johnson, B Braun, Covidian, Medtronic, Arthrex
737	Synthetic Absorbable Monofilament Polydioxanone Surgical Suture	Size : 4-0, 1/2 Circle R B, 20mm, 70cm	Johnson & Johnson, B Braun, Covidian, Medtronic, Arthrex
738	Synthetic Absorbable Monofilament Polydioxanone Surgical Suture	Size : 1-0, 1/2 Circle R B (Heavy), 40mm, 90cm	Johnson & Johnson, B Braun, Covidian, Medtronic, Arthrex
739	Synthetic Absorbable Monofilament Polydioxanone Surgical Suture	Size : 1, 1/2 Circle R B (Heavy), 40mm, 90cm	Johnson & Johnson, B Braun, Covidian, Medtronic, Arthrex
740	Synthetic Absorbable Monofilament Polydioxanone Surgical Suture	Size : 1 LOOP, 1/2 Circle R B (Heavy), 50mm, 150cm	Johnson & Johnson, B Braun, Covidian, Medtronic, Arthrex
741	Synthetic Absorbable Monofilament Polydioxanone Surgical Suture	Size : 1-0, 1/2 Circle R B (Heavy), 50mm, 150cm	Johnson & Johnson, B Braun, Covidian, Medtronic, Arthrex
742	Synthetic Absorbable Monofilament Polydioxanone Surgical Suture	Size : 1, 1/2 Circle or Needle, 40mm, 90cm	Johnson & Johnson, B Braun, Covidian, Medtronic, Arthrex
743	Synthetic Absorbable Monofilament Polydioxanone Surgical Suture	Size : 5-0, 1/2 Circle R B (DA), 13mm, 70cm	Johnson & Johnson, B Braun, Covidian, Medtronic, Arthrex
744	SUTUPACK	Size : 2, Black Braided Silk Sutures without needled Size 2, 2X75cm,	Johnson & Johnson, B Braun, Covidian,

			Medtronic, Arthrex
745	SYNTHETIC ABSORBABLE SURGICAL SUTURE USP MONOFILAMENT POLIGLECAPRONE 25 DYED(VIOLET) STERILISED SURGICAL SUTURES	2—0-1/2 Circle RB Dyed Violet 30, 76 cms	Johnson & Johnson, B Braun, Covidian, Medtronic, Arthrex
746	SYNTHETIC ABSORBABLE SURGICAL SUTURE USP MONOFILAMENT POLIGLECAPRONE 25 DYED(VIOLET) STERILISED SURGICAL SUTURES	0-1/2 Circle RB Dyed Violet 30,76cms	Johnson & Johnson, B Braun, Covidian, Medtronic, Arthrex
747	SYNTHETIC ABSORBABLE SURGICAL SUTURE USP MONOFILAMENT POLIGLECAPRONE 25 DYED(VIOLET) STERILISED SURGICAL SUTURES	0- 1/2 Circle RB Dyed Violet 40,76cms	Johnson & Johnson, B Braun, Covidian, Medtronic, Arthrex
748	SYNTHETIC ABSORBABLE SURGICAL SUTURE USP MONOFILAMENT POLIGLECAPRONE 25 DYED(VIOLET) STERILISED SURGICAL SUTURES	1-1/2 Circle RB Dyed Violet 40,76cms	Johnson & Johnson, B Braun, Covidian, Medtronic, Arthrex
749	SYNTHETIC ABSORBABLE SURGICAL SUTURE USP MONOFILAMENT POLIGLECAPRONE 25 DYED(VIOLET) STERILISED SURGICAL SUTURES	2-0-1/2 Circle R B 40,76cms	Johnson & Johnson, B Braun, Covidian, Medtronic, Arthrex
750	SYNTHETIC ABSORBABLE SURGICAL SUTURE USP MONOFILAMENT POLIGLECAPRONE 25 DYED(VIOLET) STERILISED SURGICAL SUTURES	0-1/2 Circle R B Heavy 40,76cms	Johnson & Johnson, B Braun, Covidian, Medtronic, Arthrex
751	Synthetic nonabsorbable, braided, sterile, Poly (ethylene terephthalate.)surgical suture	no 2, 1/2 Circle OS, 36mm, 4X27", green	Johnson & Johnson, B Braun, Covidian, Medtronic, Arthrex
752	Synthetic nonabsorbable, braided, sterile, Poly (ethylene terephthalate.)surgical suture	no 5, 1/2 Circle OS, 40mm, 4X30", green	Johnson & Johnson, B Braun,

			Covidian, Medtronic, Arthrex
753	Synthetic nonabsorbable, braided, sterile, Poly (ethylene terephthalate.)surgical suture	no 2, 1/2 Circle OS, 36mm, 4X27", white	Johnson & Johnson, B Braun, Covidian, Medtronic, Arthrex
754	Synthetic nonabsorbable, braided, sterile, Poly (ethylene terephthalate.)surgical suture	no 5, 1/2 Circle OS, 40mm, 4X30", white	Johnson & Johnson, B Braun, Covidian, Medtronic, Arthrex
755	Synthetic long chain ultra-high molecular weight polyethylene (UHMWPE) core with a braided jacket of polyester and UHMWPE	no 2	Johnson & Johnson, B Braun, Covidian, Medtronic, Arthrex
756	Synthetic long chain ultra-high molecular weight polyethylene (UHMWPE) core with a braided jacket of polyester and UHMWPE	no 5	Johnson & Johnson, B Braun, Covidian, Medtronic, Arthrex
757	Syringe 10 ml (box of 100)		All can apply
758	Syringe 2 ml (box of 100)		All can apply
759	Syringe 20 ml (box of 100)		All can apply
760	Syringe 5 ml (box of 100)		All can apply
761	Syringe 50 ml (box of 100)		All can apply
762	Spirit swabs boxes		All can apply
763	Surgical gloves 6		All can apply
764	Surgical gloves 6.5		All can apply
765	Surgical gloves 7		All can apply
766	Surgical gloves 7.5		All can apply
767	Surgical gloves 8		All can apply
768	Staining rinsing Glass rods		All can apply
769	Thin Triple layer with Self Adherent Border soft Silicone dressing layer, Thin flexible Absorbent Foam and backing Polyurethane Backing film as Water, Bacterial and Viral Barrier. With Soft silicone Wound contact layer with usage upto 7 days	Size: 4 cm x 5 cm	All can apply
		Size: 5 cm x 12.5 cm	
		Size: 7.5 cm x 7.5 cm	
		Size: 10 cm x 10 cm	
		Size: 15 cm x 15 cm	
770	TEFLON AND TITANIUM TOTAL OSSICULAR		Grace medical, EON meditech, Audio

	RECONSTRUCTION PROSTHESIS		
771	TEFLON AND TITANIUM PARTIAL OSSICULAR RECONSTRUCTION PROSTHESIS		Grace medical, EON meditech, Audio
772	Teflon & Titanium Stapes Piston	All sizes	BOSTON MEDICAL PRODUCTS, eMold
773	THERMOMETER		
774	Titanium microsurgery wire suture	3-0	All CE/FDA approved companies
		4-0	
		5-0	
		6-0	
775	Titanium Clips: Titanium clips medium large & large, box with 16 sterile cartridges, 10 clips each For use with clip applicator.		All can apply
776	Tissue Paper (packets)		All can apply
777	Tissue roll (Laboratory)		All can apply
778	Tongue depressor (Disposable)		All can apply
779	Tourniquet		All can apply
780	Tracheostomy tube size	Plain Size 3.0	Portex, medtronic, traco
781	Tracheostomy tube size	Plain Size 3.5	Portex, medtronic, traco
782	Tracheostomy tube size	Plain Size 4.0	Portex, medtronic, traco
783	Tracheostomy tube size	Plain Size 4.5	Portex, medtronic, traco
784	Tracheostomy tube size	Plain Size 5.0	Portex, medtronic, traco
785	Tracheostomy tube size	Plain Size 5.5	Portex, medtronic, traco
786	Tracheostomy tube size	Plain Size 6.0	Portex, medtronic, traco
787	Tracheostomy tube size	Plain Size 6.5	Portex, medtronic, traco
788	Tracheostomy tube size	Plain Size 7.0	Portex, medtronic, traco
789	Tracheostomy tube size	Plain Size 7.5	Portex, medtronic, traco
790	Tracheostomy tube size	Cuffed Size 3.0	Portex, medtronic, traco
791	Tracheostomy tube size	Cuffed Size 3.5	Portex, medtronic, traco
792	Tracheostomy tube size	Cuffed Size 4.0	Portex, medtronic, traco
793	Tracheostomy tube size	Cuffed Size 4.5	Portex, medtronic, traco
794	Tracheostomy tube size	Cuffed Size 5.0	Portex, medtronic, traco
795	Tracheostomy tube size	Cuffed Size 5.5	Portex, medtronic, traco

796	Tracheostomy tube size	Cuffed Size 6.0	Portex, medtronic, tracoe
797	Tracheostomy tube size	Cuffed Size 6.5	Portex, medtronic, tracoe
798	Tracheostomy tube size	Cuffed Size 7.0	Portex, medtronic, tracoe
799	Tracheostomy tube size	Cuffed Size 7.5	Portex, medtronic, tracoe
800	Tracheostomy tube size	Cuffed Size 8.0	Portex, medtronic, tracoe
801	Tracheostomy tube size	Cuffed Size 8.5	Portex, medtronic, tracoe
802	Tracheostomy tube size	Cuffed Size 9.0	Portex, medtronic, tracoe
803	Tracheostomy tube size	Cuffed Size 9.5	Portex, medtronic, tracoe
804	Tracheostomy tube size	Cuffed Size 10.0	Portex, medtronic, tracoe
805	Tracheostomy tube size	Double Lumen with fenestrations 4.0	Portex, Tracoe, Covidien
806	Tracheostomy tube size	Double Lumen with fenestrations 4.5	Portex, Tracoe, Covidien
807	Tracheostomy tube size	Double Lumen with fenestrations 5.0	All with ISO/BIS Standard can apply
808	Tracheostomy tube size	Double Lumen with fenestrations 5.5	All with ISO/BIS Standard can apply
809	Tracheostomy tube size	Double Lumen with fenestrations 6.0	All with ISO/BIS Standard can apply
810	Tracheostomy tube size	Double Lumen with fenestrations 6.5	All with ISO/BIS Standard can apply
811	Tracheostomy tube size	Double Lumen with fenestrations 7.0	All with ISO/BIS Standard can apply
812	Tracheostomy tube size	Double Lumen with fenestrations 7.5	All with ISO/BIS Standard can apply
813	Tracheostomy tube size	Double Lumen with fenestrations 8.0	All with ISO/BIS Standard can apply
814	Tracheostomy tube size	Double Lumen with fenestrations 8.5	All with ISO/BIS Standard can apply
815	Tracheostomy tube size	Double Lumen with fenestrations 9.0	All with ISO/BIS Standard can apply
816	Tracheostomy tube size	Double Lumen with fenestrations 9.5	All with ISO/BIS Standard can apply
817	Tracheostomy tube size	Double Lumen with fenestrations 10.0	All with ISO/BIS Standard can apply
818	Tracheostomy tube size	Long tube with adjustable flange 4.0	Portex, Bivona/smith, medtronics
819	Tracheostomy tube size	Long tube with adjustable flange 4.5	Portex, Bivona/smith, medtronics

820	Tracheostomy tube size	Long tube with adjustable flange 5.0	Portex, Bivona/smith, medtronics
821	Tracheostomy tube size	Long tube with adjustable flange 5.5	Portex, Bivona/smith, medtronics
822	Tracheostomy tube size	Long tube with adjustable flange 6.0	Portex, Bivona/smith, medtronics
823	Tracheostomy tube size	Long tube with adjustable flange 6.5	Portex, Bivona/smith, medtronics
824	Tracheostomy tube size	Long tube with adjustable flange 7.0	Portex, Bivona/smith, medtronics
825	Tracheostomy tube size	Long tube with adjustable flange 7.5	Portex, Bivona/smith, medtronics
826	Tracheostomy tube size	Long tube with adjustable flange 8.0	Portex, Bivona/smith, medtronics
827	Tracheostomy tube size	Long tube with adjustable flange 8.5	Portex, Bivona/smith, medtronics
828	Tracheostomy tube size	Long tube with adjustable flange 9.0	Portex, Bivona/smith, medtronics
829	Tracheostomy tube size	Long tube with adjustable flange 9.5	Portex, Bivona/smith, medtronics
830	Tracheostomy tube size	Long tube with adjustable flange 10.0	Portex, Bivona/smith, medtronics
831	Tracheostomy tubes cuffed with 2 inner cannula.	Size: 4 mm, USFDA Approved	All can apply
832	Tracheostomy tubes cuffed with 2 inner cannula.	Size: 6 mm, USFDA Approved	All can apply
833	Tracheostomy tubes cuffed with 2 inner cannula.	Size: 8 mm, USFDA Approved	All can apply
834	Tracheostomy tubes cuffed with 2 inner cannula.	Size: 10 mm, USFDA Approved	All can apply
835	Tracheostomy tube size with subglottic Suction line	Plain Size 6.0	Portex, medtronic, traco
836	Tracheostomy tube size with subglottic Suction line	Plain Size 6.5	Portex, medtronic, traco
837	Tracheostomy tube size with subglottic Suction line	Plain Size 7.0	Portex, medtronic, traco
838	Tracheostomy tube size with subglottic Suction line	Plain Size 7.5	Portex, medtronic, traco
839	Tracheostomy tube size with subglottic Suction line	Cuffed Size 3.0	Portex, medtronic, traco
840	Tracheostomy tube size with subglottic Suction line	Cuffed Size 3.5	Portex, medtronic, traco
841	Tracheostomy tube size with subglottic Suction line	Cuffed Size 4.0	Portex, medtronic, traco
842	Tracheostomy tube size with subglottic Suction line	Cuffed Size 4.5	Portex, medtronic, traco

843	Tracheostomy tube size with subglottic Suction line	Cuffed Size 5.0	Portex, medtronic, traco
844	Tracheostomy tube size with subglottic Suction line	Cuffed Size 5.5	Portex, medtronic, traco
845	Tracheostomy tube size with subglottic Suction line	Cuffed Size 6.0	Portex, medtronic, traco
846	Tracheostomy tube size with subglottic Suction line	Cuffed Size 6.5	Portex, medtronic, traco
847	Tracheostomy tube size with subglottic Suction line	Cuffed Size 7.0	Portex, medtronic, traco
848	Tracheostomy tube size with subglottic Suction line	Cuffed Size 7.5	Portex, medtronic, traco
849	Tracheostomy tube size with subglottic Suction line	Cuffed Size 8.0	Portex, medtronic, traco
850	Tracheostomy tube size with subglottic Suction line	Cuffed Size 8.5	Portex, medtronic, traco
851	Tracheostomy tube size with subglottic Suction line	Cuffed Size 9.0	Portex, medtronic, traco
852	Tracheostomy tube size with subglottic Suction line	Cuffed Size 9.5	Portex, medtronic, traco
853	Tracheostomy tube size with subglottic Suction line	Cuffed Size 10.0	Portex, medtronic, traco
854	TRANSDUCER for arterial and central line		All can apply
855	tricut blades 4.0 mm, 22 cm	15 degree	All can apply (compatible with Saber Drill Stryker with Core Console)
856	tricut blades 4.0 mm, 27 cm	15 degree	All can apply (compatible with Saber Drill Stryker with Core Console)
857	tricut blades 4.0 mm, 37 cm	15 degree	All can apply (compatible with Saber Drill Stryker with Core Console)
858	tricut blades 4.0 mm, 45 cm	15 degree	All can apply (compatible with Saber Drill Stryker with Core Console)
859	TROCAR & CANNULA (Disposable) Cannula size: 12 to 13.5 mm diameter; should have multifunctional valve to prevent damage of sharp instruments and tip lens while passing through the cannula valve. It should have stopcock for CO2 insufflation. Trocar should have pyramidal		All can apply

	tip with pin holes near the tip for safety outlet of CO2 gas. The working length of the cannula should be 110 or more mm		
860	TROCAR & CANNULA (Disposable) Cannula size: 11 mm to 12 mm diameter; should have multifunctional valve to prevent damage of sharp instruments and tip lens while passing through the cannula valve. It should have stopcock for CO2 insufflation. Trocar should have pyramidal tip with pin holes near the tip for safety outlet of CO2 gas. The working length of the cannula should be 105 mm. (± 5 mm)		All can apply
861	Cannula size: 11 mm to 12 mm diameter; should have multifunctional valve to prevent damage of sharp instruments and tip lens while passing through the cannula valve. It should have stopcock for CO2 insufflation. Trocar should have pyramidal tip with pin holes near the tip for safety outlet of CO2 gas. The working length of the cannula should be 105 mm. (± 5 mm) Reducer, 11/5 mm		All can apply
862	Transparent Dressings (Single, Sterile, Transparent, Semipermeable, water, bacterial & viral proof thin conformable polyurethane film; coated with water repellent hypoallergic pressure sensitive Acrylate adhesive with grid pattern with MVTR design.	6cm x 7cm, 5cm x 5.7cm, 7cm x 9cm, 8.5cm x 11.5 cm, 10cm x 12cm 10cm x 25cm 15cm x 20cm 20cm x 30cm	All can apply
863	Transparent Dressings with non adherent and waterproof Pad(Single,	5cm x 7cm, 6cm x 10cm, 9cm x 10.5cm,	All can apply

	Sterile, Transparent, Semipermeable, water, bacterial & viral proof thin conformable polyurethane film; coated with water repellent hypoallergic pressure sensitive Acrylate adhesive with unique paper window frame delivery design. ISO-13485/2016	9cm x 10cm,	
		9cm x 15cm,	
		9cm x 20cm,	
		9cm x 25cm	
		9cm x 35cm	
864	Transpore tape		
865	Triple Layer Surgical Mask	Non-woven filter with Tie String.	All can apply
		1 st layer -- 20gsm spunbound 2 nd layer -- 30gsm spunbound 3 rd layer-20gsm spunbound	
866	3 WAY STOP COCKS		
867	Umbilical Cotton Tape	75 cm x 3 mm	All can apply
868	Umbilical cord clamp		All can apply
869	Ureteric Catheter 3 Fr	3 Fr 70cm Long both end open	Devon, cook , boston or other with European CE four digit genuine CE certified/USFDA approved
870	Ureteric Catheter 4 Fr	4 Fr 70cm Long both end open	Devon, cook , boston or other with European CE four digit genuine CE certified/USFDA approved
871	Ureteric Catheter 5 Fr	5 Fr 70cm Long both end open	Devon, cook , boston or other with European CE four digit genuine CE certified/USFDA approved
872	Ureteric Catheter 6 Fr	6 Fr 70cm Long both end open	Devon, cook , boston or other with European CE four digit genuine CE certified/USFDA approved
873	Urine/Stool collection containers (30ml)		
874	Urobag	capacity of bag 2 litre, tube length 100-120 cm, it should be smooth and kink resistant should have Efficient non-return valve with top outlet, should have Moulded handle, should have tapered connector which must snugly fit into outlet of foleys catheter, the tube must not get hard in extreme cold temperature.	All can apply

875	Urometer	capacity of bag 2-3 litre with separate measuring container, tube length 100-120 cm, it should be smooth and kink resistant should have Efficient non-return valve with top outlet, should have Moulded handle, should have tapered connector which must snugly fit into outlet of foleys catheter, the tube must not get hard in extreme cold temperature.	All can apply
876	USG jellies		
877	USG Print rolls		
878	Ventilation Tubes (Grommet)		All can apply
879	Veress Needle (disposable) Pneumoperitoneum needle with spring loaded blunt inner cannula, LUER-Lock, diameter 2.1mm, working length 10- 18cms.		All can apply
880	Vacuum Suction Drain Set, having Bellow Unit, Spare Perforated Tube (Kink Resistant), Perforated Tube with Curved Needle, Connecting Tube with Clamp & Y Connector,	6 Fr	All can apply
		8 Fr	
		10 Fr	
		12 Fr	
		14 Fr	
		16 Fr	
18 Fr			
881	Washers for 10 mm & 5mm metallic laproscopic port		All can apply with European CE four digit genuine CE certified/USFDA approved,
882	Wound Care Hydrocellular Foam Dressing (Silicone Gel Adhesive Hydrocellular Foam Dressing consist of Triple layered structure consisting of Breathable polyurethane top film. USFDA/ CE approved)	7.5x7.5cm	All Can Apply
		10x10cm	
		15 cms x 15 cm	
		12.5x12.5cm	
		17.5x17.5cm	
		21 x 21 cm	
		22.5 x22.5 cm	
		10x20 cm	
		10x25 cm	
10x30 cm			
883	Yankauer Suction catheter Set	Yankauer cannula with end and side eyes Non-collapsible suction tube (Length 2 – 3 Mtr.)	All can apply
884	ZIG-ZAG COTTON ROLL		All can apply
885	SURGICAL SUCTION TIP 25PCS/PKT	AUTOCLAVABLE Dental Surgical Aspirator Blue Suction Tips (1/16" Diameter)	All can apply
886	CHLORHEXIDINE MOUTH WASH (500 ML)	2% Chlorhexidine gluconate for oral cavity Irrigation	All can apply
887	LACRIMAL STENT	All Size	All CE/USFDA approved Company
888	Fibrin glue (Human Fibrin Sealant)	Two component material consisting of fibrinogen and thrombin (Thrombin 1 ml and Fibrinogen 1 ml with triple lumen tip).	European CE four digit genuine

			CE certified/USFDA
889	Fibrin glue (Human Fibrin Sealant)	Two component material consisting of fibrinogen and thrombin with bovine/synthetic aprotinin. 2ml/4ml	European CE four digit genuine CE certified/USFDA
890	Latex free adhesive crepe bandage	10 cm, length 4 mtr	All can apply
891	Latex free adhesive crepe bandage	8 cm, length 4 mtr	All can apply
892	Combined Spinal Epidural kit (16/18G) with pencil point spinal needle. CSE should have needle through needle technique with a locking mechanism and having 1 cm marking on the epidural needle starting at 3 cm from tip for depth assessment.		All can apply
893	Arch-Bar & Ligation Needle		
894	ET Tube Fixation	A pre-cut tape for firm and critical securement of Endotracheal Tubes in high moisture applications and damp areas. It is water-resistant, hypoallergenic, has bi-directional elastic stretch, conformable and not made with natural rubber latex. Size – 25.4 * 5.4 cm	All can apply
895	Central Venous Catheter Dressing with antimicrobial action	7 cm x 8.5 cm 2% w/w gel pad contain CHG, Should have USFDA	All can apply
896	Central Venous Catheter Dressing with antimicrobial action	8.5 cm x 11.5 cm 2% w/w gel pad contain CHG with antimicrobial activity up to 10 days Should have USFDA/ISO 10993 certificate	All can apply
897	Central Venous Catheter Dressing with antimicrobial action	10cm x 10.5 cm 2% w/w gel pad contain CHG with antimicrobial activity up to 10 days, Should have USFDA/ISO 10993 certificate	All can apply
898	Y-connector		All can apply
899	Y-Extension Tube Dual Check Valve	150 CM	All can apply
900	Abdominal Drain Kit including Drain tube and drainage bag	Size 16, Latex Free material, Medical Grade, Soft and Kink Resistance Material	All can apply
901	Abdominal Drain Kit including Drain tube and drainage bag	Size 18, Latex Free material, Medical Grade, Soft and Kink Resistance Material	All can apply
902	Abdominal Drain Kit including Drain tube and drainage bag	Size 20, Latex Free material, Medical Grade, Soft and Kink Resistance Material	All can apply
903	Abdominal Drain Kit including Drain tube and drainage bag	Size 22, Latex Free material, Medical Grade, Soft and Kink Resistance Material	All can apply
904	Abdominal Drain Kit including Drain tube and drainage bag	Size 24, Latex Free material, Medical Grade, Soft and Kink Resistance Material	All can apply

905	Disposable Monopolar Handswitch Pencile with PTFE	Button Switch Pencil with Easy clean™ electro-surgical tip with PTFE, ISO Certified	All can apply
906	Disposable Monopolar Handswitch Pencile with PTFE	Standard Blade, 33/45cm with PTFE, USFDA/ European CE	All can apply
907	Disposable Monopolar Handswitch Pencile with PTFE	J-Hook, 33/45cm standard with PTFE, USFDA/ European CE	All can apply
908	Disposable Monopolar Handswitch Pencile with PTFE	Curved Blade, 33/45cm split stem with PTFE, USFDA/ European CE	All can apply
909	Reusable Monopolar Foot control Cord	Reusable Monopolar Foot control Cord, USFDA/ European CE	All can apply
910	Electrode with PTFE	Bayonet Blade Electrode Modified, USFDA/ European CE	All can apply
911	Electrode with PTFE	Ball Electrode, 5-inch, (10%) BIS / ISO Certified	All can apply
912	Blade Electrode with PTFE	Standard Blade Electrode, 2.5-inch with PTFE, 10% BIS / ISO Certified	All can apply
913	Blade Electrode with PTFE	Blade Electrode Modified with PTFE Insulation, 2.5/2.75-inch, 10% BIS / ISO Certified	All can apply
914	Suction Coagulator	Disposable Monopolar Suction Coagulator Hand Control/Foot Control, 6" (15.2 cm) cannula, 10ft. (3.0 m) cord, French Size 8, US FDA Approved / European CE	All can apply
915	Suction Coagulator	Disposable Monopolar Suction Coagulator Hand Control/Foot Control, 6" (15.2 cm) cannula, 10ft. (3.0 m) cord, French Size 10, US FDA Approved/ European CE	All can apply
916	Suction Coagulator	Disposable Monopolar Suction Coagulator Hand Control/Foot Control, 6" (15.2 cm) cannula, 10ft. (3.0 m) cord, French Size 12, US FDA Approved/ European CE	All can apply
917	Absorbable Hemostatic Compressed Gelatin Sponge	Absorbable gelatin sponge formaldehyde free. sizes 7cmx5cmx1mm	European CE four digit genuine CE certified/USFDA approved
918	Absorbable Hemostatic Compressed Gelatin Sponge	Absorbable gelatin sponge formaldehyde free. sizes 20cmx7cmx1mm	European CE four digit genuine CE certified/USFDA approved
919	Asepto Syringe	syringe bulb capacity - 80 ml, syringe barrel capacity - 60 ml	All can apply
920	Bone wax	Bone wax- specifications: sterile bone wax for bone hemostasis made of bees wax, paraffin and isopropyl palmitate. 2.5 g Box of 12 pieces should have European CE four digit genuine CE certified/USFDA approved	All can apply
921	Optically guided bladeless trocar 5 mm – 6 mm	Optically guided bladeless trocar 5mm – 6 mm with bilateral tissue separators, optical tip to eliminate blind entry, clear ribbed cannula to enhance abdominal wall retention, recessed	All can apply
922	Optically guided bladeless trocar 10mm – 11 mm	Optically guided bladeless trocar 10 mm - 11mm with bilateral tissue separators, length 100mm, optical tip to eliminate blind entry, clear ribbed cannula, recessed stopcock valve, funnel shaped housing, duckbill secondary seal, integrated universal seal that eliminates the use of reducer.	All can apply

923	Optically guided bladeless trocar 11 mm - 12 mm	Optically guided bladeless trocar 11 mm -12mm with bilateral tissue separators, length 150mm, optical tip to eliminate blind entry, clear ribbed cannula, recessed stopcock valve, funnel shaped housing, duckbill secondary seal, integrated universal seal that eliminates the use of reducer.	All can apply
924	Optically guided bladeless trocar 5 mm	Optically guided bladeless trocar 5 mm with bilateral tissue separators, length 150mm, optical tip to eliminate blind entry, clear ribbed cannula, recessed stopcock valve, funnel shaped housing, duckbill secondary seal, integrated universal seal that eliminates the use of reducer.	All can apply
925	Absorbable hemostatic matrix, absorbable flowable gelatin and thrombin hemostatic matrix	Flowable gelatin matrix	European CE four digit genuine CE certified/USFDA
926	Hemostatic matrix endoscopic applicator, 30- 40 cm endoscopic applicator for hemostatic matrix	endoscopic applicator	All can apply
927	CVP manometer set		All can apply
928	Port Closure Suture	Needle Description: 1/2 circle reverse cutting (heavy) Needle Dimension: 23 portt mm Suture Type and Length: Polygalactin 910 No. 1 70 cm braided 35 cm Suture Size: 1 No of foils per box 12	All can Apply
929	Elastic Adhesive Bandage - skin coloured - >2.5mtr unscratched & >5mtr stretchable length	4"	
930	Band AID (Medicated Flexible fabric) –Strip	3/4" x 3"	
931	Cotton Bandage Roll 9 mtr length of densely Woven & unstarched individually packed in paper	6 inch	
932	Cotton Bandage Roll 9 mtr length of densely Woven & unstarched individually packed in paper	4 inch	
933	Cotton crepe Bandage	5 cm x 4 m	
934	Cotton crepe Bandage	7.5 cm x 4 m	
935	Cotton crepe Bandage	10 cm x 4 m	
936	Cotton crepe Bandage	15 cm x 4	
937	Stockinette (cotton, to be used for plater application)	5 cm x 10 m	
938	Stockinette (cotton, to be used for plater application)	7.5 cm x 10 m	
939	Stockinette (cotton, to be used for plater application)	10 cm x 10	

940	POP –Cloth bandage comprised of woven lino gauze, impregnated with Plaster of Paris, activated with water for setting, with optimal creamy effect for better mold-ability and smooth finish, setting achieved within 4-8 minutes and gaining cast strength / weight bearing within 24 hrs to maximum of 48 hrs. 4” x 2.7 mtr 6”x2.7 mtr	4” x 2.7 mtr and 6”x2.7 mtr	
941	Synthetic sheet wadding for plaster cast (sofrolls)	2"	
942	Synthetic sheet wadding for plaster cast (sofrolls)	4"	
943	Synthetic sheet wadding for plaster cast (sofrolls)	6"	
944	Fibreglass plaster bandages	4"	
945	Fibreglass plaster bandages	6"	
946	Neurosurgical patties- Radio opaque with identifier thread (Pack of 10)		
947	Zigzag Cotton rolls	500 gm	
948	Absorbent Cotton Roll - Layered	1000 gms	
949	Elastic Fixing roll for wide area fixation of wound dressing (elastocrepe)	10cm x 10m	
950	Elastic Fixing roll for wide area fixation of wound dressing (elastocrepe)	15cm x10m	
951	Long knee brace, suitably sturdy to immobilise knee from mid thigh to mid leg, with velcro straps over thigh, legs and knee (small, medium, large and extra large sizes)		
952	Arm pouch sling, suitable for immobilisation of upper limb, adjustable strap, foamed shoulder pad, soft, sturdy, breathable and wrinkleproof cloth (small, medium, large and extra large sizes)		
953	Shoulder immobilizer, separate sling for forearm and an adjustable strap for chest and arm, foamed shoulder pad, soft, sturdy, breathable and wrinkleproof cloth (small,		

	medium, large and extra large sizes)		
954	Single, Sterile, Transparent, Semi-permeable, water and bacteria proof, thin conformable polyurethane film with one half laminated with Soft cloth breathable backing for enhanced grip on challenging PIV applications. Has a long slit to conform around the PIV hub in Pediatrics.	5.0 cm x 5.7 cm	
955	Single, Sterile, Transparent, Semi-permeable, water and bacteria proof, thin conformable polyurethane film with one half laminated with Soft cloth breathable backing for enhanced grip on challenging PIV applications. Has a long slit to conform around the PIV hub in Adults.	7.0 cm x 8.5 cm	
956	Single, Sterile, Transparent, Semi-permeable, water and bacteria proof, polyurethane film which provides Bacterial and Viral Barrier coated with Acrylate hypoallergenic adhesive with window frame delivery and having a non adherent compressed rayon fiber absorbent pad for very good absorbent.	5 cm x 7 cm	
957	Single, Sterile, Transparent, Semi-permeable, water and bacteria proof, polyurethane film which provides Bacterial and Viral Barrier coated with Acrylate hypoallergenic adhesive with window frame delivery and having a non adherent compressed rayon fiber absorbent pad for very good absorbent.	9 cm x 20 cm	
958	Single, Sterile, Transparent, Semi-permeable, water and bacteria proof, polyurethane film which provides Bacterial and Viral Barrier coated with Acrylate hypoallergenic adhesive with window frame	9 cm x 30 cm	

	delivery and having a non adherent compressed rayon fiber absorbent pad for very good absorbent.		
959	Non-adherent absorbent pad (compressed rayon fiber) bonded to a larger soft cloth macro-porous, stretchable, rounded corners backing, coated with a border of hypoallergenic, water-resistant pressure sensitive hypo-allergic adhesive.	4cm x 6cm	
960	Non-adherent absorbent pad (compressed rayon fiber) bonded to a larger soft cloth macro-porous, stretchable, rounded corners backing, coated with a border of hypoallergenic, water-resistant pressure sensitive hypo-allergic adhesive.	9 cm x 20cm	
961	Non-adherent absorbent pad (compressed rayon fiber) bonded to a larger soft cloth macro-porous, stretchable, rounded corners backing, coated with a border of hypoallergenic, water-resistant pressure sensitive hypo-allergic adhesive.	9 cm x 30cm	
962	Sterile Dressing Pad	10 cm x 10 cm	
963	Sterile Dressing Pad	10 cm x 20 cm	
964	Tulle Gras Paraffin Gauze dressing medicated	10 cm x 10 cm	
965	Tulle Gras Paraffin Gauze dressing medicated	10 cm x 10 cm Pouch	
966	Tulle Gras Paraffin Gauze dressing medicated	10 cm x 10 cm Tin	
967	Skin marker pen with disposable ruler - EuCE/USFDA certified	10 cm x 30 cm	
968	Absorbent gauge pieces, Ensures faster absorbency, white with blue x eay dedectable thread, 30x30 cm, 12 ply		
969	Absorbent surgical sponges, white in colour and made from 100% cotton gauze fabric.		

	unsterile, x ray detectable thread, thread for handling, All four edges are sealed, 12 ply, 20cm*20cm		
970	Absorbent surgical sponges, white in colour and made from 100% cotton gauze fabric, unsterile, x ray detectable thread, thread for handling, All four edges are sealed, 8 ply, 20cm*20cm		
971	Absorbable Gelatin sponge based Topical Absorbable hemostat without formaldehyde. Should be sterilized by Dry Heat	7cm X 5cm X 1 cm	
972	Oxidized Regenerated Cellulose based Topical Absorbable Hemostat, fibrillar/layer form, with Bactericidal property. Fibril material (7layers) for broad surface area coverage.	2"x4"	
973	Sterilized Orthopedics Gloves (Polymer Coated Powder free)	6"	
974	Sterilized Orthopedics Gloves (Polymer Coated Powder free)	6.5"	
975	Sterilized Orthopedics Gloves (Polymer Coated Powder free)	7"	
976	Sterilized Orthopedics Gloves (Polymer Coated Powder free)	7.5"	
977	Sterilized Orthopedics Gloves (Polymer Coated Powder free)	8"	
978	Esmarch elastic bandage 4"		
979	Esmarch elastic bandage 6"		
980	Surgical Clipper for Hair Removal		
981	Disposable suction tip with tubing, plastic		
982	Disposable monopolar cautery leads with controls		
983	C-Arm Cover 2 Pcs		
984	C-Arm Cover 3 Pcs		
985	Close wound vaccum drainage device	10 FG	
986	Close wound vaccum drainage device	12 FG	
987	Close wound vaccum drainage device	14 FG	
988	Close wound vaccum drainage device	16 FG	

989	Close wound vaccum drainage device	18 FG	
990	Disposable sterile bottles for urine and other sample collection, 30 ml, 50 ml		
991	Sterile bone wax	2 gm	
992	SS Wire Reel – 9mtr 16G		
993	SS Wire Reel – 9mtr 18G		
994	Drill Bit sizes (1.5, 2.5, 2.7, 3.2, 4.5mm) with quick coupling		
995	K wires (316 stainless steel)	(1.5, 2.5, 2.7, 3.2, 4.5mm)	
996	Steinmann Pin	1, 1.5, 2, 2.5, 3, 3.5, 4mm	
997	Denham Pin	4.5, 6.5 mm	
998	Shanz Pin (cortical & cancellous)	4.5, 6.5 mm	
999	Disposable arthroscopic camera cover, ETO sterilized, 17cmx200 cm, Grip band, perforated tip, telescopically folded, double packed		
1000	VAC dressing CE/USFDA approved (small, medium & large) made up of soft open cell reticulated polyurethane foams with pore size 400-600 microns		
1001	Canister (300 ml) CE/USFDA approved, with bacteria filter & waste solidifier & should be supplied with a compatible vac machine		
1002	Cling drape Transparent Natural color cling film, waterproof, 15x500 cm, sterile		
1003	HIV kit consist of two sterile set for Doctor/Medical Staff & Patient		
1004	Apron plastic standard		
1005	Disposable Surgeons' cap - Non Woven with elastic size adjuster	Standard	
1006	Disposable Nurses' Cap - non Woven corrugated with elastic size adjuster	Standard	
1007	Bone cement, for use in hip and knee arthroplasty, antibiotic mixed (gentamicin). 40 gm pack		
1008	Disposable pulse lavage system for use in hip and knee		

	arthroplasty. USFDA/ euopean CE approved, sterile packed		
1009	Sterile Surgical Disposable Glove Pair in impermeable sterile packing –Powder free Hypoallergic latex. 100% electronically tested, sterilised by Gamma Radiation / ETO. IS No. 13422-92 with US FDA / European CE certification, Polymer Coated		6.5
1010	Sterile Surgical Disposable Glove Pair in impermeable sterile packing –Powder free Hypoallergic latex. 100% electronically tested, sterilised by Gamma Radiation / ETO. IS No. 13422-92 with US FDA / European CE certification, Polymer Coated		7
1011	Sterile Surgical Disposable Glove Pair in impermeable sterile packing –Powder free Hypoallergic latex. 100% electronically tested, sterilised by Gamma Radiation / ETO. IS No. 13422-92 with US FDA / European CE certification, Polymer Coated		7.5
1012	Sterile Surgical Disposable Glove Pair in impermeable sterile packing –Powder free Hypoallergic latex. 100% electronically tested, sterilised by Gamma Radiation / ETO. IS No. 13422-92 with US FDA / European CE certification, Polymer Coated		8
1013	Disposable obturator and cannula for arthroscopic surgery: translucent, distally threaded, with a quick-lick racheting stopcock Diameter 5-6 mm. Length 80-90 mm		
1014	Disposable obturator and cannula for arthroscopic surgery: translucent, distally threaded, with a quick-lick racheting stopcock Diameter 7-8 mm.Length 80-90 mm		
1015	Arthroscopic suture passer (suture lasso) device, right and left, 30 & 45 degrees		

1016	3 lt saline bottles, plastic		
1017	TURP set, for use in arthroscopy. USFDA approved		
1018	Nitinol wires for use in arthroscopic surgeries		
1019	18 gauge hypodermic needle	standard	
1020	16 gauge hypodermic needle	standard	
1021	18 gauge spinal needle	standard	
1022	Disposable surgical blades without handle, sizes (20,21,22,23,24,25) (individually sterile pack)		
1023	Disposable surgical blades without handle, sizes (10,11,12,15) (individually sterile pack)		
1024	Krammer wire splints	S/M/L	
1025	Bolher Braun Splints	S/M/L	
1026	Culture swab collection and transport vials, with transport media for areobic and anaerobic organisms, 5-6 inch unbreakable and sealable vial, presterile, packed.		
1027	Jamshedi needle for bone biopsy	8 Gz, 11 Gz, 13 Gz 2",4",6",8"	
1028	Antibricobial incise drape Iodine impregnated Waterproof and breathable Hypollergic and stretchable	38cm x 41cm 60cm x 45cm 90cm x 60cm	
1029	Mayo Trolley Cover Small, reinforced	1.2 x 0.66 mt.	
1030	Mayo Trolley Cover Large, reinforced	1.1 x 1.00 mt.	
1031	Disposable surgical gown - in sterile double pack, non Wovennon absorbent fabric - wrap-around type. Breathable High Performance Fabric. • Raglan Sleeves • Colour-Coded Neck Binding • Adjustable Hook & Loop Neckline • Low Linting Fabric • Book Fold US FDA/ European CE APPROVED	large, XL	

1032	Surgeon's Fluid Resistant Fog Free Breathable mask, 4 Layers , Fluid shield Fog-Free Surgical Mask With Wraparound Splashguard Anti-Glare Visor, High Fluid Resistance Pleat-Style With Ties		
1033	Plain Sheet Large MATERIAL : 40 - 50 GSM POLYLROLYLENE WATER REPELLANT, STERILE : ETO , Double layered packing for sterility,	1.5x 1.95 mt. approx	
1034	Plain Sheet medium MATERIAL : 40 - 50 GSM POLYLROLYLENE WATER REPELLANT, STERILE : ETO , Double layered packing for sterility,	1.1 x 1.95 mt. approx	
1035	Plain Sheet large Non-Woven, polyethylene, double packed ETO sterilized	1.2x 1 mt. approx	
1036	Plain Sheet large Non-Woven, polyethylene, double packed ETO sterilized	1.5x 1 mt. approx	
1037	Plain Sheet large Non-Woven, polyethylene, double packed ETO sterilized	1.5x 2 mt. approx	
1038	Disposable set for arthroscopic pump, compaticle with Stryker Flowcontrol pump		
1039	Two component fibrin sealant with human Fibrinogen, human Thrombin and synthetic	Aprotinin for reconstitution. Sizes : 2ml, 4 ml	
1040	Dual cut saggital saw blades compatible with Zimmer® Universal Power System, 25mmx110mmx1.27mm (standard blade for knee arthroplasty)	Large	
1041	Dual cut saggital saw blades compatible with Zimmer® Universal Power System, 25mmx90mmx1.27mm (standard blade for knee arthroplasty)		
1042	Dual cut saggital saw blades compatible with Zimmer® Universal Power System, 24mmx9mm		

1043	Dual cut saggital saw blades compatible with Zimmer® Universal Power System, 34mmx9mm		
1044	Dual cut saggital saw blades compatible with Stryker system 6, 75x8		
1045	Fibre wire suture		
1046	KNEE O DRAPE MATERIAL : 40 - 50 GSM POLYLROLYLENE WATER REPELLANT, STERILE : ETO , Double layered packing for sterility, O-DRAPE SIZE : 240 X 340 CM, Extension at head ends for covering arm boards ONE LAY SHEET 160 X 100 CM ONE ELASTIC SLEEVE APERTURE : 5 CM, Reinforced POLY SHEET LINING : 120 X 120 CM Loop for securing tubings, Instrument pad fabric reinforcement		
1047	BILATERAL KNEE O DRAPE MATERIAL : 40 - 50 GSM POLYLROLYLENE WATER REPELLANT, STERILE : ETO , Double layered packing for sterility, 295x223x366 cm, Extension at head ends for covering arm boards, 2x 6" elastic fenestrations for limb, Reinforced POLY SHEET LINING : 1.20 X 1.25 M Loop for securing tubings, Instrument pad fabric reinforcement		
1048	HIP U DRAPE MATERIAL : 40 - 50 GSM POLYLROLYLENE WATER REPELLANT, STERILE : ETO , Double layered packing for sterility, SIZE : 240 X 175 CM, U CUT with adhesive edges, Extension at head ends for covering arm boards,HEAD SHEET 240 X 200 CM WITH ADHESIVE STRIP,		

	<p>ADHESIVE STRIP SIZE : 4 CM X 1.5M Reinforced POLY SHEET LINING : 1.20 X 1.25 M Loop for securing tubings, Instrument pad fabric reinforcement</p>		
1049	<p>SHOULDER U DRAPE MATERIAL : 40 - 50 GSM POLYLROLYLENE WATER REPELLANT, STERILE : ETO , Double layered packing for sterility, Split body drape 225x295 cm, split 10x70cm with adhesice edge, Top piece 155x255 cm with adhesive edge Loop for securing tubings, Instrument pad fabric reinforcement</p>		
1050	<p>KNEE ARTHROSCOPY DRAPE MATERIAL : 40 - 50 GSM POLYLROLYLENE WATER REPELLANT, STERILE : ETO , Double layered packing for sterility, 228x315 cm, 6" elastic fenestration for knee, Fluid collecting bag around the fenestration. Reinforced central working area Loop for securing tubings, Instrument pad fabric reinforcement</p>		
1051	<p>Shoulder Arthroscopy Drape MATERIAL : 40 - 50 GSM POLYLROLYLENE WATER REPELLANT, STERILE : ETO , Double layered packing for sterility, Split body drape 225x295 cm, split 10x70cm with adhesice edge, Top piece 155x255 cm with adhesive edge, Reinforced POLY SHEET LINING : 1.20 X 1.25 M, sterile bag for collecting water Loop for securing tubings, Instrument pad fabric reinforcement</p>		

1052	Spine surgery drape MATERIAL : 40 - 50 GSM POLYLROLYLENE WATER REPELLANT, STERILE : ETO , Double layered packing for sterility, SIZE : 150 X 300 CMADHESIVE : 15 X 35 CMPOLY SHEET LINING : 120 X 120 CM Loop for securing tubings, Instrument pad fabric reinforcement		
1053	Trolley cover MATERIAL : 40 - 50 GSM POLYLROLYLENE WATER REPELLANT, STERILE : ETO , Double layered packing for sterility, Table Cover Zone Reinforced 112 cm x 229 cm,		
1054	Mackintosh draw sheet	60x90cms	
1055	Stockinette for surgical draping. water Impervious Outer Layer, Skin Friendly Inner Layer For Lower Extremity pocedures, sterile double packing Sizes-23cm x 112cm, 30cm x 122cm		
1056	skin staplers. European CE/ USFDA approved		
1057	Arthroscopic shaver blades (Formula, Stryker)	a. 4mm (Formula Aggressive Plus)	All can apply
		b. 5mm (Formula Aggressive Plus)	
		c. Long Aggressive plus for hip	
		d. 6 flute round burr 4mm	
		e. 6 flute barrel burr 4mm	
1058	Nerve stimulator needles a. Insulated nerve block needle b. Atraumatic fully coated stimulation needle c. Pin point electrode for precise nerve stimulation d. Ports precise nerve localization at lowest thresholdcurrent e. Compatible with all B.Braun nerve stimulators		
		10cm, 5 cm	
1059	Cutters for retrograde drilling in ACL reconstruction 8mm, 9mm, 10mm		

1060	Radiofrequency wands with three wand ESU plug. For ablation during arthroscopic surgery using standard ESU	90 degrees, 60 degrees	
1061	Disposable Needles for RP 360 Suture passer (Stryker)		
1062	Synthetic nonabsorbable, braided, sterile, Poly (ethylene terephthalate.)surgical suture	no 2, 1/2 Circle OS, 36mm, 4X27", green	
1063	Synthetic nonabsorbable, braided, sterile, Poly (ethylene terephthalate.)surgical suture	no 5, 1/2 Circle OS, 40mm, 4X30", green	
1064	Synthetic nonabsorbable, braided, sterile, Poly (ethylene terephthalate.)surgical suture	no 2, 1/2 Circle OS, 36mm, 4X27", white	
1065	Synthetic nonabsorbable, braided, sterile, Poly (ethylene terephthalate.)surgical suture	no 5, 1/2 Circle OS, 40mm, 4X30", white	
1066	Synthetic long chain ultra-high molecular weight polyethylene (UHMWPE) core with a braided jacket of polyester and UHMWPE	no 2	
1067	Synthetic long chain ultra-high molecular weight polyethylene (UHMWPE) core with a braided jacket of polyester and UHMWPE	no 5	
1068	Braided composite suture with needle for soft tissue reconstruction. Multi-strand, long chain ultra-high-molecular- weight polyethylene (UHMWPE) core with a braided jacket of polyester, no 5, blue		
1069	Braided composite suture with needle for soft tissue reconstruction. Multi-strand, long chain ultra-high-molecular- weight polyethylene (UHMWPE) core with a braided jacket of polyester, no 2, blue		
1070	Braided composite suture with needle for soft tissue reconstruction.		

	Multi-strand, long chain ultra-high-molecular- weight polyethylene (UHMWPE) core with a braided jacket of polyester, no 5, striped		
1071	Braided composite suture with needle for soft tissue reconstruction. Multi-strand, long chain ultra-high-molecular- weight polyethylene (UHMWPE) core with a braided jacket of polyester, no 2, striped		
1072	3 ltr saline solution	plastic bottel	
1073	Coupling Gel	Water Soluble, Non-Greasy, Non-staining and Neutral pH Gel	
1074	Thermal Print Media for ultrasound	110mm x 20 mtr, Type 1 Normal	

