



ALL INDIA INSTITUTE OF MEDICAL SCIENCES, BATHINDA

INSTITUTE OF NATIONAL IMPORTANCE UNDER MINISTRY OF HEALTH AND
FAMILY WELFARE NEAR GIANI ZAIL SINGH COLLEGE, JODHPUR ROMANA,
DABWALI ROAD-151001

INVITATION FOR QUOTATIONS FOR CONSUMABLES ITEMS PART-1 TO RUN DIALYSIS UNIT FOR THE DEPARTMENT OF NEPHROLOGY

Reference No: AIIMS Bathinda/Proc.Cell/Neph/2022/1273

Date of Issue: 21 Sep 2022

Last Date of Submission: 30 Sep 2022 time 17:00

ALL INDIA INSTITUTE OF MEDICAL SCIENCES, BATHINDA

NEAR GIANI ZAIL SINGH COLLEGE, JODHPUR ROMANA, DABWALI ROAD-
151001

Email: procurementcellaiimsbti@gmail.com

Invitation of quotations for
CONSUMABLES ITEMS PART-
1 TO RUN DIALYSIS UNIT FOR
THE DEPARTMENT OF NEPHROLOGY at AIIMS,
Bathinda

Sealed Quotations are hereby invited by the undersigned on behalf of the Director, AIIMS Bathinda for supply of **CONSUMABLES ITEMS PART-1** for Department of Nephrology at AIIMS, Bathinda as per terms & conditions mentioned below. The filled quotations along with all the required documents must reach in the office of **The Procurement Cell, administrative block medical collage building, AIIMS, Bathinda-151001, Punjab on or before 30 Sep 2022 time 17:00** The Envelope containing the quotation would please be sealed and super scribed as under: -

“Quotation for the CONSUMABLES ITEMS PART-1 TO RUN DIALYSIS UNIT AGAINST Reference No. AIIMS Bathinda/Proc.Cell/Neph/2022/1273 Due on 30 Sep 2022 time 17:00

1. Terms & Conditions:

1. Quotations need to be submitted **by speed post/registered post** or may be submitted directly to **The Procurement Cell, administrative block medical collage building, AIIMS, Bathinda-151001, Punjab** after obtaining the acknowledgement for the same in the office of the Chairman, Procurement Cell, AIIMS Bathinda.
2. The envelope containing quotation should be sealed with wax/tape on both sides. The quotations received unsealed or after the deadline shall not be entertained under any circumstances whatsoever. In case of postal delay, the Institute will not be responsible. The offers submitted by fax/email shall not be considered and no correspondence will be entertained in this matter.
3. Quotations must be in the **enclosed prescribed Performa (Annexure – 1) on the letter head of the firm duly signed** by the Proprietor/ Partner/ Director or their authorized representative. In case of signing of quotation by the authorized representative, letter of authorization must be attached with the quotation.
4. The supplier should supply all the items.
5. Rates must be quoted in Indian Rupees in figures as well as in words. Rates must be quoted as per the format specified, taxes extra if any must be written separately.
6. Rates must be inclusive of all charges (including Freight charges, Insurance,

installation, taxes etc.)

7. In general, no overwriting or cutting is permitted in the rate. If found, the quotation shall be summarily rejected. However, except rate all cuttings and over writings must be signed by the authorized person of the firm.
8. Quotations qualified by such vague and indefinite expression such as “subject to prior confirmation”, subject to immediate acceptance” etc. will be treated as vague offers and it will be rejected accordingly. Any conditional quotation shall be rejected summarily.
9. The rates quoted must be valid for 90 days minimum from the date of opening of the quotation and silence of any tenderer on this issue shall be treated as agreed with this condition.
10. Becoming L1 will not be the criteria for awarding of purchase order unless the rates and quality are reasonable & justified.
11. **The supplier may be asked to submit a sample of the product, which will be evaluated technically at AIIMS, Bathinda...** Price bids of only those firms will be opened which qualifies technically as per the recommendation of the committee. The bid to be submitted by the Bidder shall consist of **2 (two) parts: - Part - I ...** The bidder shall seal the **two envelopes (both technical & financial bids in two separate envelopes, clearly mentioned on envelope)** and put in one outer cover. **L1 will be awarded only after satisfying the quality criteria and desired specifications by the authority.**
12. The expenditure incurred for demonstrating the items will be borne by the supplier.
13. RTGS/NEFT details need to be furnished by the supplier with the quotation on the letter head of supplier/firm/ agency.
14. The firm/agency may satisfy the following conditions and attach self-attested copy of the same with the quotation:
 - The firm shall have valid GST No. and PAN No.
 - **Certificate of non-inclusion in the black listed by Govt/Department as per given format attached in Annexure-2 Rs. 100/ - stamp paper duly notarized.**
 - **Purchase order of any Govt. Institute.**
15. Market standing of minimum 3 Years.
16. **Delivery Period** – 20 days from the award of work.
17. **Liquidated Damage:** -In the event of the Seller's failure to supply the goods/services as specified in this inquiry, the Buyer may at his discretion, withhold any payment until the completion of the contract. The Buyer may also deduct from the Seller as agreed, liquidated damages to the sum of 0.5% of the contract price of the delayed/undelivered goods/services mentioned above for

every week of delay or part thereof, subject to the maximum value of the liquidated Damages being not higher than 10% of the value of delayed goods.

18. **Guarantee/Warranty Terms:** The materials supplied by result of this Quotation/supply order shall be of the best quality and workmanship and new in all respects and shall be strictly in accordance with the specifications and particulars contained /mentioned against each item in this document/ supply order. The seller guarantees that the said materials would continue to conform to the description and quality aforesaid for a period of 36 months from the date of delivery of the said materials to the buyer.

19. **Payment Terms: Payment will be only made after satisfactory delivery/ commissioning of material and after inspection by the authority at AIIMS Bathinda.** 100% payment will be done only after delivery and submission of following documents by vendors to Finance Accounts Section-

- a) Contingent Bill in triplicate along with supporting vouchers.
- b) Store Receipt Certificate issued by stores.
- c) Inspection Report issued by the concerned department if applicable.

20. **Disputes:** In the event of any dispute or disagreement arising between the contractors and any other department of AIIMS Bathinda with regards to the interpretation of "Terms & Conditions" of this inquiry, the same shall be referred to the Director, AIIMS Bathinda whose decision will be final and binding upon the contractor.

21. AIIMS, Bathinda reserves the right to increase or decrease amount of work. Decision of the AIIMS Bathinda on Quantity be final in this regard.

22. AIIMS, Bathinda reserves the right to reject any quotation or part or whole of the quotation process without assigning any reason. Decision of the AIIMS, BATHINDA will be final in this regard.

Enclosures:

1. Annexure-1 ((Price-Bid Form with List of Items /Specifications).
2. Annexure-2 (Declaration Certificate.)

Chairman
Procurement Cell,
AIIMS, Bathinda

**[Letter Head of Firm]
PRICE BID FORM**

To,
The Chairman,
Procurement Cell,
AIIMS, Bathinda-151001,
Punjab.
Dear Sir,

1. I/We..... am/are submitting the quotation for **Reference No: _____ Due on _____ PM.** for "Supply of Consumables items PART-1 to run dialysis unit for department of nephrology in AIIMS Bathinda.
2. I/We thoroughly examined and understood terms & conditions of contract given in the enquiry document.
3. I/We hereby offer to supply at the following rates. I/We undertake that I/We are not entitled to claim any enhancement of rates on any account during the validity of the rate contract.

4.

S. No.	Items	Qty	Unit Price	Taxes	Unit Price with Taxes	Total Amount	Amount in Words
1	Part A	400					
2	Part B	400					
3	10 microns (STD)	4					
4	20 microns (STD)	4					
5	5 microns (JUMBO)	4					
6	10 microns (JUMBO)	4					
7	Regeneration salt tablets	18					
8	Heat disinfectant	15					
9	Cold sterilant	15					

SPECIFICATIONS of CONSUMABLES ITEMS PART-1

1. A Part of Dialysate

1.1. Acetate based Liquid with mixing ratios of 1/34 to be reconstituted with purified water for use compatible with FMC 4008/5008 Machine.

1.2. Approximate concentration in reconstituted fluid must be: sodium 136 to 139 meq/L, potassium 2.0 meq/L, calcium 1.55 meq/L, magnesium 0.38 meq/L, Bicarbonate 32.7 meq/L, chloride 108.5 meq/L, acetate 3.0 meq/L

1.3. Liquid should be contained in airtight, leak-proof 10L canisters to be stored at ambient temperature with considerable long shelf life.

2. B part of Dialysate

2.1. Dry powder to be reconstituted with purified water for use compatible with Fresenius 4008/5008 S

2.2. Approximate concentration in reconstituted fluid must be: Sodium chloride 235 to 240 gms per litre and sodium bicarbonate 580 to 660 gm/Litre.

2.3. Powder should be packed in airtight packaging to be stored in ambient temperature with considerable long shelf life.

15. Jumbo Water Filter

15A. Jumbo Water Filter 5 micron (For Main RO System)

15A.1. It must be of sediment filter type.

15A.2. It should be made up of Polypropylene.

15A.3. It should have three-layer structure cartridge of high contaminant holding capacity.

15A.4. It should fit all standard 20" filter housings, reverse osmosis systems under sink systems flow rate: 1 GPM.

15A.5. Cartridges must be individually shrink wrapped.

15A.6. Size of fibres: 10-Micron, Micro-Denier melt-blown filtration fibres of high removal rating formed by thermal bond without use of any binders and adhesives.

15A.7. Maximum operating pressure: 125 PSI, operating temperature: 40-100F, and maximum Flow Capacity: 1-6 GPM.

15B. Jumbo Water Filter 10 micron (For Main RO System)

15B.1. It must be of sediment filter type.

15B.2. It should be made up of Polypropylene.

15B.3. It should have three-layer structure cartridge of high contaminant holding capacity.

15B.4. It should fit all standard 20" filter housings, reverse osmosis systems under sink systems flow rate: 1 GPM.

15B.5. Cartridges must be individually shrink wrapped.

15B.6. Size of fibres: 10-Micron, Micro-Denier melt-blown filtration fibres of high removal rating formed by thermal bond without use of any binders and adhesives.

15B.7. Maximum operating pressure: 125 PSI, operating temperature: 40-100F, and maximum Flow Capacity: 1-6 GPM.

14. Standard Water Filter

14A. Standard Water Filter 10 Micron (Compatible with portable RO Aqua WTU)

14A.1. It must be of sediment filter type.

14A.2. It should be made up of Polypropylene.

14A.3. It should have three-layer structure cartridge of high contaminant holding capacity.

14A.4. It should fit all standard 10" filter housings, reverse osmosis systems under sink systems flow rate: 1 GPM.

14A.5. Cartridges must be individually shrink wrapped.

14A.6. Size of fibres: 10-Micron, Micro-Denier melt-blown filtration fibres of high removal rating formed by thermal bond without use of any binders and adhesives.

14A.7. Maximum operating pressure: 125 PSI, operating temperature: 40-100F, and maximum Flow Capacity: 1-6 GPM.

14B. Standard Water Filter 20 Micron (Compatible with portable RO Aqua WTU)

14B.1. It must be of sediment filter type.

14B.2. It should be made up of Polypropylene.

14B.3. It should have three-layer structure cartridge of high contaminant holding capacity.

14B.4. It should fit all standard 10" filter housings, reverse osmosis systems under sink systems flow rate: 1 GPM.

14B.5. Cartridges must be individually shrink wrapped.

14B.6. Size of fibres: 20-Micron, Micro-Denier melt-blown filtration fibres of high removal rating formed by thermal bond without use of any binders and adhesives.

14B.7. Maximum operating pressure: 125 PSI, operating temperature: 40-100F, and maximum Flow Capacity: 1-6 GPM.

8. Heat Disinfectant

8.1. It should be liquid concentrate of 21-25% w/w citric acid, Malic acid, Lactic acid and purified water with pH value 1.7 to 2.0.

8.2. It should be non-toxic (natural ingredients), colourless, odourless, Ph: acidic, two-year shelf life at below 25 degrees Celsius and biodegradable.

8.3. There shouldn't be any need of post use residual testing of citrate when utilised for dialyzer reprocessing.

9. Cold Sterilant

9.1. It should be composed of Peracetic acid (4% w/w), hydrogen peroxide (20% w/w), acetic acid and proprietary stabilizing agents.

9.2. It should be Biodegradable, Non-staining & Odorless and effective against even the most resistant organisms.

9.3. It should occupy less storage space (preferable 10-liter container) and must have long shelf-life (18-24 months at 5-25°C) and Safe-to-use.

9.4. There should be no necessity of pre-dilution before use so that post dilution shelf life can be maximized.

9.5. It should be compatible with dialyzer reprocessing machine.

9.6. Peracetic acid residue strips (with potassium iodide starch paper) to be provided along with containers for quantitative measurement and should be able to detect even extremely low concentrations of residual sterilant (as low as 1 ppm) in the dialyzer, helping to ensure adequate rinsing of the dialyzer prior to patient use.

9.7. It should be having decalcifying capacity (CaCO₃ removal)

10. Regeneration salt tablets for water softening (For Both Portable & Main RO)

10.1. Tablets should consist of ultrapure vacuum salt with sodium chloride content of at least 99.9%.

10.2. It should leave no residue, no salt clumping, and no salt mass in the salt-dissolving container.

10.3. Insoluble elements content should be less than 0.01%.

10.4. 25 Kg Packets are desired for proper storage and utilisation.

Date:

Place:

Phone No:

Email:

(Name):

Name of

Firm/Company/Agency:

GSTIN No:

(Signature of Authorized Person)

DECLARATION

Date.....

To,

The Chairman,
Procurement Cell,
AIIMS, Bathinda-151001, Punjab.

Dear Sir,

Reference No.: _____ Due on _____ PM.

I / We hereby confirm that our firm has not been banned or black listed by any government organization/Financial institution/Court /Public sector Unit/ Central Government.

Signature of Authorized Person.....

Name.....

Designation.....

Seal

Place:

Date: