



ALL INDIA INSTITUTE OF MEDICAL SCIENCES, BATHINDA
Mandi Dabwali Road, Bathinda (Pb.) – 151001

PROCUREMENT CELL

AIIMS Bathinda/Proc.Cell/2026/142

Date: 07/05/2026

Due Date: 20/05/2026

Notice Inviting Quotations (NIQ)

The following items are required as per Annexure - A for AIIMS, Mandi Dabwali Road, Bathinda – 151001:

Sr.	Description	Qty.	Specifications
1.	RNeasy Mini Kit	1	Annexure - A
2.	Tempus Blood RNA Tube	1	
3.	1.5ml Microcentrifuge Tubes	1 PACK	
4.	RNAlater Solution	1	
5.	RNaseZap Solution	1	
6.	cDNA Synthesis Kit	1	
7.	Aesthesiometer: Cochet-Bonnet	1	
8.	Tropicamide and phenylephrine FDC eye drops	10	
9.	Schirmer strips	300	
10.	Ziplock pouches	300	
11.	ELISA Kits		
11.A	Human VEGE-ELISA Kit (96 well Kit)	1	
11.B	Human TNE ELISA Kit (96 well Kit)	1	
11.C	Human IL-6 ELISA Kit (96 well Kit)	1	
11.D	Human IL-10 ELISA Kit (96 well Kit)	1	
11.E	Human MMP3 ELISA Kit (96 well Kit)	1	
11.F	Human SNCa ELISA Kit (96 well kit)	1	

Kindly arrange to send your quotation giving the lowest rates per unit along with terms and conditions in a sealed cover addressed to the **Executive Director, AIIMS Bathinda, Mandi Dabwali Road, Bathinda – 151001, Punjab** so as to reach this office before the last date of receiving Quotations, i.e., on **20/05/2026, Time 17:00**

The word “Quotations of RAC-sanctioned items under intramural Research Project for AIIMS Bathinda, our reference number and the date should boldly be mentioned on the cover.

- While submitting the quotation following should invariably be mentioned:
 - Details of Specification and its lowest rate F.O.R. AIIMS Bathinda.
 - GST Registration Number (attach copy)
 - PAN No. (Attach copy)
 - Clearly mentioned GST rates.
 - Tax at a concessional rate as applicable to the Educational Institutions
 - Completion from the date of receipt of the confirmed order.
- The rates will be valid for one year from the date of issuance of the Work Order.
- Payment will be made after the supply and inspection of the delivered items.
- Under no circumstances will unsealed quotations be entertained in the office.
- Quotations received after the due date shall not be considered.

OIC, Procurement Cell

UNDERTAKING

(To be returned with quotation)

We hereby undertake the following:

1. We will not sell the product (s) to other institutions, bodies and also in the market at rates less than those quoted by us to AIIMS Bathinda.
2. The rate of GST/Excise Duty mentioned in the quotation is in accordance with the provisions of the rules, and the same is payable to the concerned authorities in respect of the stores.
3. The goods/Stores/articles offered shall be of the best quality and workmanship and their supply will be strictly in accordance with the technical specifications and particulars as detailed in the quotation.
4. The information furnished by us in the quotation is true and correct to the best of our knowledge and belief.
5. We have read and understood the rules, regulations, terms and conditions and agree to abide by them.

Authorised Signatory
(Seal)

Quotation Proforma
(To be returned with Quotation)

Following proforma should be filled in and duly signed by the firm and sent along with the quotation.

Firm's Reference				Date			
Firm Registration No. (if any)				PAN			
GST No.				Address:			
Phone No.							
Email Id							
M/s:				NIQ No.			
				Last Date of Submission			
Sr.	Product with Description	Qty	Unit Price	GST	Total Unit Price	Total Value	Total Value in words
1							
2							
3							
Total							

I/we engage to supply the material(s) as required to your office and comply the following:

- i. Terms and conditions of the NIQ.
- ii. That the offer is valid for 90 days.
- iii. That we have not been debarred by any Government body/PSU/Autonomous Body
- iv. That the rates quoted are not higher than the rates quoted for same item to any Government body/PSU/Autonomous Body.
- v. That the quotation submitted by us is properly sealed and prepared so as to prevent any subsequent alteration and replacement.

Place:
Date:

Authorized Signatory
(seal)

Terms and Conditions

1. The quotation must be in the form furnished by Procuring Entity and should be free from corrections/erasures. In case there is any unavoidable correction it should be properly attested. If not, the quotation will not be considered. Quotation written in pencil will not be considered.
2. All India Institute of Medical Sciences (AIIMS), Bathinda reserves the right to accept the offer by individual items and reject any or all quotations without assigning any reason thereof and does not bind itself to accept the lowest quotations.
3. The manufacturer's name and country of origin of materials offered must be clearly specified. Please quote whether your organisation is a large-scale industry or a small-scale industry. If you have NSIC/MSE/MSI/DGS&D Certificate, please attach it to the quotation. Mention your registration details.
4. Complete details and ISI specification if any must accompany the quotation. Make/brand of the item shall be stated wherever applicable. If you have got any counter offer as suitable to the material required by us, the same may be shown separately.
5. Samples must be submitted where specified along with the quotations. Samples must be carefully packed, sealed and labelled clearly with enquiry number, subject and sender's name for easy identification. Rejected samples will be returned at your cost if insisted.
6. All supplies are subject to inspection and approval before acceptance. Manufacturer/supplier warranty certificates and manufacturer/Government approved lab test certificate shall be furnished along with the supply, wherever applicable.
7. AIIMS Bathinda reserves the right to modify the quantity specified in this enquiry.
8. The prices quoted should be firm till the supplies are completed. Please quote the rates in words and figures. Rates quoted should be free delivery at destination including all charges otherwise the quotation is likely to be rejected. Prices quoted for free delivery at destination will be given preference. If there is no indication regarding the FOR, in the quotation, then it will be considered as FOR destinations. Price quoted should be net and valid for a minimum period of 90 days from the date of opening of the quotation.
9. Delivery period required for supplying the material should be invariably specified in the quotation.
10. In case your quotation is accepted and order is placed on you, the supply against the order should be made within the period stipulated in the order. AIIMS Bathinda reserves the right to recover any loss sustained due to delayed delivery by way of penalty. Failure to supply the material within the stipulated period shall entitle Procuring Entity for the imposition of penalty without assigning any reasons @ 0.5% (half percent) of the total value of the item covered in order as penalty per day subject to a maximum of 5% (five percent) unless extension is obtained in writing from the office on valid ground before expiry of delivery period.
11. If the deliveries are not maintained and due to that account Procuring Entity is forced to buy the material at your risk and cost from elsewhere, the loss or damage that may be sustained there by will be recovered from the defaulting supplier.
12. Dispute clause: Any dispute relating to the enquiry shall be subject to the jurisdiction of the court at Bathinda only.
13. Our normal payment terms are 100% within 30 (thirty) days on receipt and acceptance of material at our site in good condition.

Annexure - A

Sno.	Name of items with full specifications	Quantity
1	RNeasy Mini Kit	1
	<ul style="list-style-type: none"> • CE / ISO certified product ensuring quality and regulatory compliance • Silica membrane spin column technology for high-purity RNA isolation • Integrated gDNA Eliminator column for genomic DNA removal without DNase • High RNA yield up to 100 µg with consistent A260/280 ratios • Optimized RNase-free buffer chemistry • 500+ citations of the product 	
2	Tempus Blood RNA Tube	1
	<ul style="list-style-type: none"> • CE / ISO certified blood RNA collection system • Proprietary stabilization reagent for immediate RNA stabilization at collection • Prevents ex vivo gene expression changes • Room temperature stability up to 5 days • Leak-proof vacuum tube design 	
3	1.5ml Microcentrifuge Tubes	1 PACK
	<ul style="list-style-type: none"> • Manufactured under ISO certified quality systems • DNase, RNase, and endotoxin-free • High-speed centrifugation resistance up to 20,000 x g • Medical/diagnostic grade plastic compliance where applicable • Bulk packaging 	
4	RNAlater Solution	1
	<ul style="list-style-type: none"> • CE / ISO certified RNA stabilization reagent • Preserves RNA integrity without immediate freezing • Stable storage at RT and 4°C • Eliminates need for liquid nitrogen • Compatible with multiple tissue types 	
5	RNaseZap Solution	1
	<ul style="list-style-type: none"> • CE / ISO compliant RNase decontamination reagent • Fast-acting, non-corrosive formulation • Residue-free cleaning • Suitable for lab surfaces and equipment • Proven lab performance 	
6	cDNA Synthesis Kit	1

	<ul style="list-style-type: none"> • CE / ISO certified reverse transcription kit • Thermostable reverse transcriptase enzyme • Reduced RNase H activity for longer transcripts • High efficiency across RNA input ranges • Suitable for qPCR workflows 	
7	Aesthesiometer: Cochet-Bonnet	1
	<p>Filament Type: Nylon monofilament Filament Diameter: 0.12 mm (12/100 mm nylon thread) Filament Length Range: Adjustable from 60 mm to 5 mm Pressure Range: Approximately 11 mg/mm² to 200 mg/mm² (varies inversely with filament length) Mechanism/Feature:</p> <ul style="list-style-type: none"> • Fully retractable filament system • Allows precise control of filament length for graded pressure application <p>Measurement Principle:</p> <ul style="list-style-type: none"> • Shorter filament length → higher pressure • Longer filament length → lower pressure <p>Thread Size: 12/100 mm nylon thread Calibration:</p> <ul style="list-style-type: none"> • Requires a conversion table to relate filament length to applied pressure <p>Usage:</p> <ul style="list-style-type: none"> • Used to assess corneal sensitivity in ophthalmic examinations 	
8	Tropicamide and phenylephrine FDC eye drops	10
	<p>Vial volume: 5ml/vial Concentration of tropicamide in eye drops: 0.8% Concentration of phenylephrine in eye drops: 0.5% Should be BAK free</p>	
9	Schirmer strips	300
	<p>Material: Specialized absorbent filter paper (e.g., Whatman No. 41). Dimensions: 5 mm in width and 35 mm in length. Graduations: Marked in mm from 0 to 35mm (or 0-30mm) with a least count of 1 mm. Sterility: Sterile, typically EO (Ethylene Oxide) sterilized, and individually packed. Usage: Single-use Tip: Round/blunt</p>	
10	Ziplock pouches	300
	<p>Material: LDPE (Low-Density Polyethylene), PP (Polypropylene), or multi-layer laminates (e.g., PET/Aluminium/PE for barrier protection). Dimensions: 4" by 5" Temperature Range: -40 c to +30 C Closure Type: Single or double-track press-on zippers. Types & Design: Flat Bags: Standard rectangular, non-gusseted bags.</p>	
11	ELISA Kits	

1. The ELISA kits should be based on a high-sensitivity sandwich ELISA principle for accurate quantitative detection.
2. Each kit must be supplied with a complete set of reagents including:
 - Pre-coated 96-well microtiter plate
 - Standards and controls
 - Detection antibodies
 - HRP conjugate
 - Wash buffer
 - Substrate solution
 - Stop solution
3. The assay should have high sensitivity with low detection limits suitable for research and diagnostic applications.
4. The assay time should be optimized and preferably completed within 90–120 minutes.
5. The kit should demonstrate high specificity with minimal cross-reactivity and validated performance data.
6. The substrate system should be stable TMB (Tetramethylbenzidine) with absorbance reading at 450 nm.
7. The kit must include HRP Enzyme Protection system to ensure enhanced enzyme stability and consistent signal generation.
8. The ELISA kits should be CE certified (IVD/Research Use as applicable) and compliant with international quality standards.
9. The product should have strong scientific validation with more than 8000 citations/publications globally to support reliability and acceptance.
10. Shelf life of the kit should be minimum 6–12 months under recommended storage conditions.
11. The kits should provide high reproducibility with low intra-assay and inter-assay variation (CV <10%).
12. Detailed protocol/manual should be provided with clear instructions for use.
13. All reagents should be properly labeled with lot numbers and expiry dates.
14. Manufacturer should ensure batch-to-batch consistency and quality assurance documentation.
15. Technical support and troubleshooting assistance should be available from the manufacturer/supplier.

Note: Preference will be given to kits ensuring superior sensitivity, stability, and reproducibility compared to standard ELISA kits available in the market.

11.A	Human VEGF-A ELISA Kit (96 well kit)	1
11.B	Human TNF α ELISA Kit (96 well kit)	1
11.C	Human IL-6 ELISA Kit (96 well kit)	1
11.D	Human IL-10 ELISA Kit (96 well kit)	1
11.E	Human MMP3 ELISA Kit (96 well kit)	1
11.F	Human SNC α ELISA Kit (96 well kit)	1